Cocker's
ARITHMETICK:

BEING

A plain and familiar Method, suitable to the meanest Capacity for the full understanding of that Incomparable Art, as it is now taught by the ablest School-Masters in City and Country.

COMPOSED

By *Edward Cocker*, late Practitioner in the Arts of VVriting, Arithmetick, and Engraving. Being that so long since promised to the World.

PERUSED and PUBLISHED

By *John Hawkins* Writing-Master near St. *Georges* Church in *Southwark*, by the Authors correct Copy, and commended to the World by many eminent Mathematicians and Writing-Masters in and near *London*.

The Twentieth Edition carefully Corrected, with Additions.

Licensed *Sept.* 3. 1677. *Roger L'Estrange.*

LONDON,

Printed by *J. R.* for *Eben Tracey*, at the *Three Bibles* on *London-Bridge*. 1700.

Ingenious COCKER! (Non to Rest thou 'rt Gone
Noe Art can Show thee fully but thine own
Thy rare Arithmetick alone can shon
The vast Sums of Thanks wee for thy Labour owe

39.

7. 13.

11.

530. a.

TO his much Honoured Friends, *Manwaring Davies* of the *Inner Temple*, Esquire, and Mr. *Humphry Davies* of St. *Mary Newington Butts* in the County of *Surry*.

John Hawkins, As an Acknowledgment of Unmerited Favours, humbly Dedicateth this *Manual of Arithmetick*.

To the READER.

Courteous Reader,

I Having the Happineſs of an Intimate Acquaintance with Mr. *Cocker* in his Lifetime often ſolicited him to remember his Promiſe to the World, of Publiſhing his *Arithmetick*, but (for Reaſons beſt known to himſelf) he refuſed it; and (after his Death) the Copy falling accidentally into my hands, I thought it not convenient to ſmother a work of ſo conſiderable a moment, not queſtioning but it might be as kindly accepted, as if it had been preſented by his own Hand. The Method is familiar and eaſie, diſcovering as well the Theorick as the Practick of that Neceſſary Art of Vulgar *Arithmetick*: And in this new Edition there are many remarkable Alterations for the benefit of the Teacher or Learner, which I hope will be very acceptable to the World: I have alſo performed my promiſe in Publiſhing the *Decimal Arithmetick*, which finds encouragement to my Expectation, and the Bookſellers too, I am

Thine to ſerve thee,

John Hawkins.

Mr.

Mr. *Edward Cocker's*

PROEME or PREFACE.

BY the ſacred Influence of Divine Providence, I have been Inſtrumental to the benefit of many; by vertue of thoſe uſeful Arts, Writing *and* Engraving: *And do now with the ſame wonted alacrity caſt this my Arithmetical Mite into the Publick Treaſury, beſeeching the Almighty to grant the like bleſſing to theſe as to my former Labours.*

Seven Sciences ſupremely excellent,
Are the chief Stars in Wiſdoms Firmament,
Whereof Arithmetick is one, whoſe worth
The Beams of Profit and Delight ſhines forth;
This crowns the reſt; this makes man's mind complete;
This treats of Numbers, and of this we treat.

I have been often deſired by my intimate Friends to publiſh ſomething on this ſubject; who in a pleaſing Freedom have ſignified to me that they expected it would be extraordinary. How far I have anſwered their Expectation, I know not; but this I know, that I have deſigned this Work not extraordinary abſtruſe or profound,

profound, but have by all means possible within the Circumference of my Capacity, endeavoured to render it extraordinary useful to all those, whose Occasions shall induce them to make use of Numbers. If it be objected that the Books already published, treating of Numbers, are innumerable, I Answer, that's but a small Wonder, since the Art is infinite. But that there should be so many excellent Tracts of Practical Arithmetick extant, and so little practised, is to me a greater wonder; knowing that as Merchandise is the Life of the Weal-Publick; so Practical Arithmetick is the Soul of Merchandise. Therefore I do ingenuously profess, that in the beginning of this Undertaking, the numerous Concerns of the honoured Merchants first possessed my Consideration: And how far I have accommodated this Composure for his most worthy Service, let his own profitable Experience be judge.

Secondly, For your Service, most excellent Professors, whose Understandings soar to the sublimity of the Theory and Practice of this Noble Science, was this Arithmetical Tractate composed; which you may please to imploy as a Monitor to instruct your young Tyroes, *and thereby take occasion to reserve your precious Moments, which might be exhausted that way, for your more important Affairs.*

Thirdly,

Thirdly, For you, the ingenious off-spring of happy Parents, who will willingly pay the full Price of Industry and Exercise for those Arts and choice Accomplishments which may contribute to the Felicity of your future State. For you, I say, (ingenious Practitioners) was this Work composed, which may prove the Pleasure of your Youth, and the Glory of your Age.

Lastly, For you the pretended Numerists of this vapouring Age, who are more disingeniously witty to propound unnecessary Questions, than ingeniously judicious to resolve such as are necessary. For you was this Book composed and published, if you will deny your selves so much as to invert the streams of your Ingenuity, and by studiously conferring with the Notes, Names, Orders, Progress, Species, Properties, Proprieties, Proportions, Powers, Affections and Applications of Numbers delivered herein, become such Artists indeed, as you now only seem to be. This Arithmetick ingeniously observed, and diligently practised, will turn to good account to all that shall be concerned in Accompts. All whose Rules are grounded on Verity and delivered with Sincerity. The Examples are built up gradually from the smallest consideration to the greatest. All the Problems or Propositions are well weighed, pertinent, and clear, and not one of them

them throughout the Tract taken upon truſt ; therefore now,

Zoilus and *Momus* lie you down and dye,
For theſe Inventions your whole force defye.

Edward Cocker

Cour-

Courteous Reader,

BEing well Acquainted with the deceased Author, and finding him knowing and studious in the Mysteries of Numbers and Algebra, of which he had some choice Manuscripts, and a great Collection of Printed Authors in several Languages, I doubt not but he hath writ his Arithmetick suitable to his own Preface, and worthy acceptation; which I thought to certifie on a Request to that purpose made to him that wisheth thy Welfare, and the Progress of Arts.

John Collens.

November 27th, 1677.

This Manual of Arithmetick is recommended to the World by Us whose Names are subscribed, viz.

Mr. *John Collens* } Matth.	Mr. *William Mason*
Mr. *James Atkinson* } Matth.	Mr. *Steph. Thomas*
Mr. *Peter Perkins* } Matth.	Mr. *Peter Storey*
Mr. *Rich. Laurence*, Senior	Mr. *Benj. Tichbourn*
Mr. *Eleazer Wigan*	Mr. *Joseph Symmonds*
Mr. *Rich. Noble* of *Guilford*	Mr. *Jerem. Milles*
Mr. *William Norgate*	Mr. *Josiah Cusley*
	Mr. *John Hawkins*

And generally Approved by all Ingenious Artists.

A Table

A Table of the Contents of this BOOK.

	Chap.	Page
Notation of Numbers	1	1
Of the natural divifion of Integers, and the denomination of their parts	2	11
Of the Species or Kinds of Arithmetick	3	19
Of the Addition of Whole Numbers	4	20
Of Subtraction of Whole Numbers	5	29
Of Multiplication of Whole Numbers	6	38
Of Divifion of Whole Numbers	7	47
Of Reduction	8	66
Of comparative Arithmetick, *viz.* the Relation of Numbers one to another	9	98
The fingle Rule of 3 Direct	10	102
The fingle Rule of 3 Inverfe	11	123
The double Rule of 3 Direct	12	130
The double Rule of 3 Inverfe	13	135
The double 3 compofed of 5 Numbers	14	139
Single Fellowfhip	15	141
Double Fellowfhip	16	145
Alligation Medial	17	148
Alligation Alternate	18	150
Reduction of Vulgar Fractions	19	158
Addition of Vulgar Fractions	20	168
Subtraction of Vulgar Fractions	21	170
Multiplication of Vulgar Fractions	22	172
Divifion of Vulgar Fractions	23	173
The Rule of 3 Direct in Vulgar Fractions	24	175
The Rule of 3 Inverfe in Vulgar Fractions	25	177
Rules of Practice	26	178
The Rules of Barter	27	195
Queftions in Lofs and Gain	28	196
Equation of Payments	29	200
Exchange	30	204
Single Pofition	31	209
Double Pofition	32	210

CHAP.

CHAP. I.

Notation of Numbers.

1. *Arithmetick* is an Art of Numbring or Knowledge, which teacheth to number well, (*viz.*) the Doctrine of Accounting by Numbers. And there are divers Species and Kinds of *Arithmetick* and *Geometry*, the which we do intend to treat of in order; applying the Principles of the one to the Definitions of the other: For as Magnitude or Greatneſs is the ſubject of *Geometry*, ſo Multitude or Number is the ſubject of *Arithmetick*; and if ſo, then their firſt Principles and chief Fundamentals, muſt have like Definitions; or at leaſt, a Semblable Congruency.

2. Number, is that by which the Quantity of any thing is expreſſed or numbred; as the Unit is the number by which the quantity of one thing is expreſſed or ſaid to be one, and two by which it is named two, and ½ half by which it is named or called half, and the Root of 3, by which it is called the Root of 3, the like of any other.

3. Hence it is that Unit is Number, for the part is of the ſame matter that is his whole, the Unit is part of the multitude of Units, therefore the Unit is of the ſame matter that is the multitude of Units; but the matter of the multitude of Units is Number, therefore the matter of Unit is number; for elſe if from a given number, no number be ſubtracted, the number given remaineth; let three be the number given; from which number ſubtract or take away one, (which as ſome conceive is no number) therefore the

number given remaineth, that is to say, there remaineth three, which is absurd.

4. Hence it will be convenient to examine from whence Number hath its Rise or Beginning: Most Authors maintain that Unit is the beginning of Number, and it self no number; but looking upon the Principles and Definitions in the first rudiments of Geometry, we shall find, that the definition of a Point is in no way congruous with the definition of an Unit in Arithmetick; and therefore one, or Unit must be in the bounds or limits of Number, and consequently the beginning of Number is not to be found in the number one; wherefore to make number and magnitude congruent in Principles, and like in Definitions, we make and constitute a Cypher to be the beginning of number, or rather the medium between encreasing and decreasing numbers, commonly called absolute or whole Numbers, and negative or fractional numbers, between which nothing can be imagined more agreeable to the definition of a point in Geometry; for as a point is an adjunct of number and it self no line, so is (o) Cypher an adjunct of number and it self no number: And as a point in Geometry cannot be divided or increased into parts; so likewise (o) cannot be divided or increased into parts; for as many points though in number infinite do make no line, so many (o) Cyphers, though in number infinite do make no number. For the line AB cannot be increased by the addition of the point C, neither can the number D be increased by the addition of the (o) Cypher E, for if you add nothing to 6, the Sum will be 6, (o) neither increasing nor diminishing the number 6, but if it be granted that A B be extended or prolonged to the point C, so that A C be made a continued line, then A B is increased by the addition of the point C, in like ma-



ner if we grant D 6 be prolonged to E (o) ſo that DE (60) be a continued number making 60, then 6 is augmented by the aid of (o) as to the conſtituting the number (60) ſixty; and furthermore that one or unit is material and a number, and that (o) is the beginning of number is proved by all Authors, altho indirectly, for the Tables of Sines and Tangents prove one degree to be a number, becauſe the Sine of 1 degree is 174524 (the Radius being 10000000) and the beginning of that Table is (o) and to it anſwereth 00000, *&c.*

5. Hence it is that number is not quantity diſcontinued, for all that which is but one quantity, is not quantity disjunct, (60) ſixty as it is a number, is one quantity, *viz.* one number (60) ſixty; therefore as it is number, it is not quantity disjunct; for number is ſome ſuch thing in magnitude, as humidity in Water; for as humidity extends it ſelf through all and every part of Water, ſo number related to magnitude, doth extend it ſelf through all and every part of magnitude. Alſo as to continued Water doth anſwer continued humidity, ſo to a continued magnitude doth anſwer a continued number. As the continued humidity of any intire Water, ſuffereth the ſame diviſion and diſtinction that his Water doth; ſo the continued Number ſuffereth the ſame diviſion and diſtinction that his magnitude doth. From all which Conſiderations we might enlarge a further digreſſion concerning number and magnitude, by comparing the definitions of the one with the Principles of the other, for having found a (o) Cypher to be anſwerable in definition to a point in magnitude, we may very well conclude that number may be congruent to a line; as alſo the Figurative Number to be conſonant in definition with a Superficies, and Solid, *&c.* in the order of Geometrical Magnitudes.

6. The Characters or Notes by which Numbers are ſignified, or by which a Number is ordinarily expreſſed are theſe following, (*viz.*) o Cypher or nothing, 1 One, 2 Two, 3 Three, 4 Four, 5 Five, 6 Six, 7 Seven, 8 Eight, 9 Nine: The Cypher, which though of it

ſelf ſignifieth nothing (*viz.*) expreſſeth not any certain or known quantity, but is the beginning, Radix, or Root of Number, and the other nine Figures or Characters are called ſignificant Figures or Digits.

7. In numbers of any ſort, two things are to be conſidered, (*viz.*) Notation and Numeration.

8. Notation teacheth how to deſcribe any number by certain Notes and Characters, and to declare the value thereof being ſo deſcribed, and that is by Degrees and Periods.

9. A degree conſiſts of three figures, *viz.* of three places comprehending Units, Tens and Hundreds, ſo 365 is a degree, and the firſt figure (5) on the right-hand, ſtands ſimply for its own value, being Units or ſo many ones, (*viz.*) five; the ſecond in order from the right, ſignifies as many times ten, as there are Units contained in it, (*viz.*) ſixty; the third in the ſame order ſignifies ſo many hundreds as it contains units, ſo will the expreſſion of the Number be, three hundred ſixty five; alſo 789, is ſeven hundred eighty nine, *&c.*

10. A Period is when a Number conſiſts of more than three figures, or places, and whoſe proper order is to prick or diſtinguiſh every third place beginning at the right hand, and ſo on to the left; ſo the Number 63452 being given, it will be diſtinguiſhed thus, 63.452, and expreſſed thus, ſixty three thouſand four hundred fifty two, likewiſe 4.578.235.782, being diſtinguiſhed as you ſee, will be expreſſed thus, four thouſand five hundred ſeventy eight millions, two hundred thirty five thouſand, ſeven hundred eighty two.

11. Number is either Abſolute or Negative.

12. An Abſolute, or intire, whole, increaſing number, is that which by annexing of another Figure or Cypher it becomes ten times as much as it ſtood for before; and if two Figures or Cyphers be annexed, it makes it a hundred times more than it ſtood for before, *&c.* as if you annex to the figure 6 a Cypher, then it will become (60) ſixty: So if two Cyphers are an

annexed, then it will be (600) six hundred, and if you do annex to it a (4) four, then it will be (64) sixty four; and if you annex (78) seventy eight, it will be then (678) six hundred seventy eight, and so on: By annexing more Figures or Cyphers, it will encrease in a decuple proportion *ad Infinitum.*

13. A Negative, or Broken, Fractional, Decreasing Number, is that which by prefixing a Point or Prick towards the left hand its value is decreased from so many Units, to so many tenth parts of any thing, and if a point and (0) Cypher, or a Digit be prefixed, it will be then so many hundred parts, and if a Point and two Cyphers or Digits be prefixed, its Value is decreased to be so many thousand parts; as if you would prefix before the figure 3 a point (.) or prick thus (.3) it is then decreased from 3 Units or Integers, to (3) three tenth parts of an Unit or Integer; and if you prefix a Point and Cypher thus (.03) it is decreased from 3 Integers to 3 hundred parts of an Integer, and by this means 5 *l.* Absolute by prefixing of a point will be decreased to 5 *l.* Negative which is five tenth parts of a Pound, equal in value to ten shillings, and so by prefixing of more Cyphers or Digits, its value is decreased in a decuple proportion *ad infinitum.* As in the following Scheme, or rather order of numbers, we have placed (0) Cypher in its due place and order, as it is both the beginning and medium of number; for going from (0) towards the left hand you deal with intire, absolute, whole increasing Numbers.

Increasing Numbers. | *Decreasing Numbers.*

29	876	543	256	2 1 0 1 2	345	678	976	3
mm	mmm	mmm	mmm	CXUXC	mmm	mmm	mmm	m
mm	mmm	mmm	CX		XC	mmm	mmm	m
mm	mmm	CX				XC	mmm	
X	CX						XC	

But going from (0) the place of Units towards the right-hand, you meet with broken, negative, fractional and decreasing Numbers. And hence it follows that

Multiplication encreaseth the product in absolute Numbers, but decreaseth the product in negative Numbers. Also Division decreaseth the Quotient in whole Numbers, and increaseth it in Negative or Fractional Numbers.

14. An Absolute, Intire, Whole, Increasing *number*, hath always a Point annexed towards the right hand; and therefore,

15. A Negative, Broken, Decimal, Decreasing *number* hath always a point prefixed before it towards the left hand. When we express Integers or whole *numbers*, as 5 *pounds*, 5 *feet*, 26 *men*, we usually annex a

l feet.men. inch.

point or prick after the number thus, 5. 5. 26. 347. But when we express Decimals, or Numbers that are denyed to be intire, as decreasing *numbers*, we do commonly prefix a point or prick before the said Decimal or decreasing *number*, thus (.3), that is 3 tenths, or 3 primes, .03, that is 3 hundredths, or 3 seconds.

16. A whole or absolute *number* is an Unit, or a composed multitude of Units, and it is either a prime, or else a compounded *number*.

17. Prime *numbers* amongst themselves are those which have no multitude of Units for a common measurer as 8 and 7, or 10 and 13, because not any multitude of Units can equally measure or divide them without a Remainder.

18. Compound *numbers* amongst themselves are those which have a multitude of Units for a common measurer, as 9 and 12 [illegible] measures them exactly, and abbreviates them to 3, and

19. A broken *number* commonly called a Fraction, is a part or parts of a whole *number*, *viz.* a part of an Integer, as $\frac{1}{3}$ one third is one third part of an Unit.

20. A broken *number* or Fraction, consists of 2 parts, *viz.* the Numerator and the Denominator.

21. The Numerator and Denominator of a Fraction are set one over the other, with a line between them; and the Numerator is set above the line, and expresseth the parts therein contained.

22. Th

22. The denominator of a Fraction is the inferiour *number* placed below the line, and expresseth the number of parts into which the Unit or Integer is divided; as let $\frac{3}{4}$ be the Fraction given, so shall 3 be the numerator, and doth expres or *number* the multitude of parts contained in this Fraction; for $\frac{3}{4}$ is a Fraction composed of Fourths or Quarters; and the figure 3 in *numbring* shews us, that in that Fraction there are 3 of those fourth parts or quarters; also in the same Fraction $\frac{3}{4}$, 4 is the *denominator*, and doth expres the quality of the Fraction, *viz.* that the whole, or Integer, is here divided into 4 equal parts.

23. A broken *number* is either proper or improper, *viz.* proper, when the *numerator* is lesser than the *denominator*; so $\frac{3}{4}$ is a perfect proper Fraction, but an improper Fraction hath its *numerator* greater, or at least equal to the *denominator*; thus $\frac{4}{3}$ is an improper fraction, the Reason is given in the definition.

24. A proper broken *number* is either *Simple* or *Compound*, *viz. Simple*, when it hath one *denomination*, and *Compound*, when it consisteth of divers *denominations*. If $\frac{3}{4}$ *l.* $\frac{6}{12}$, $\frac{25}{100}$ *l.* were given, we say they are either of them single or *simple fractions*, because they consist but of one *numerator* and one *denominator*; but if $\frac{3}{4}$ of $\frac{6}{12}$ of $\frac{25}{100}$ of a pound sterling were given, we say, that it is a *compound broken number*, or *fraction*, because the expression and representation consisteth of more *denominations* than one; and such by some are called *Fractions of fractions*, and they have always this Particle (of) between them.

25. When a single *broken number* or *fraction*, hath for his *denominator* a *number* consisting of a Unit in the first place towards the left hand, and nothing but Cyphers from the Unit towards the right hand, it is then the more aptly and rightly called a *Decimal Fraction*; under this head are all our decreasing *numbers* placed, and in our 13*th definition* called Negative, and by that order there prescribed, we order them to be *Decimals*, by signing a point or prick before them, or the *numerator* rejecting the *denominator*: Therefore ac-

cording to our laſt Rule, $\frac{5}{10}$, $\frac{5}{100}$, $\frac{25}{1000}$, $\frac{25}{10000}$, are ſaid to be *Decimals*; and a *Decimal Fraction* may be expreſſed without its *denominator* (as before) by prefixing a point or prick before the *numerator* of the ſaid *fraction*, and then ſhall the former *fraction* $\frac{5}{10}$, and $\frac{25}{100}$, ſtand thus .5 and .25.

But oftentimes as in the ſecond and fourth *fractions* $\frac{5}{100}$ and $\frac{25}{10000}$, a prick or point will not do without the help of a Cypher or Cyphers prefixed before the ſignificant figures of the *numerator*, and therefore when the *numerator* of a *decimal fraction*, conſiſteth not of ſo many places as the *denominator* hath Cyphers, fill up the void places of the *numerator*, with prefixing Cyphers before the ſignificant figures of the *numerator*, and then ſign it for a *decimal*, ſo ſhall $\frac{5}{100}$ be .05 and $\frac{25}{10000}$ will be .025, and $\frac{72}{10000}$ will be .0072. Now by this we may eaſily diſcover the *denominator* having the *numerator*; for always the denominator of any *decimal fraction* conſiſts of ſo many Cyphers, as the *numerator* hath places, with a Unit prefixed before the ſaid Cyphers, *viz.* under the point or prick.

26. A *decimal number* or *fraction*, is that which is expreſſed by *Primes*, *Seconds*, *Thirds*, *Fourths*, &c. and is number decreaſing. Here inſtead of *Natural* and *Common Fractions*, as $\frac{3}{4}$ of a thing, we order the thing or Integer into *Primes*, *Seconds*, *Thirds*, *Fourths*, *Fifths*, &c. that our Expreſſion may be conſonant to our former order.

27. In *Decimal Arithmetick* we always imagine (and it would be very commodious if it were really ſo) that all intire Units, Integers, and things are divided firſt into ten equal parts, and theſe parts ſo divided we call *Primes*; and ſecondly, we divide alſo each of the former Primes into other ten equal parts, and every of theſe diviſions we call *Seconds*; and thirdly, we divide each of the ſaid Seconds into ten other equal parts, and thoſe ſo divided we call *Thirds*, and ſo by decimating the former, and ſub-decimating theſe latter, we run on *ad infinitum*.

28. Let a pound ſterling, Troy-weight, Averdupois

pois weight, Liquid-measure, Dry-measure, Long-measure, time, dozen, or any other thing, or Integer be given to be *decimally* divided; in this notion premised we ought to let the first Division be *Primes*, the next division *Seconds*, the next *Thirds*, &c. So one pound Sterling being 20 shillings, which divided into ten equal parts, the value of each part will be two shillings; therefore one *Prime* of a pound Sterling will stand thus (.1), which is in value 2 shillings, three *Primes* will stand thus (.3), and that is in value 6 shillings. Again a *Prime* or .1 being divided into ten equal parts, each of those parts will be one *Second*, and is thus expressed, (.01), and its Value will be found to be 2 *d.* farthing, and $\frac{6}{10}$ of a farthing; and so will .05 signifie one shilling, or five *Seconds*. And if .01 be divided into ten other equal Parts, each of those Parts so divided will be *Thirds*, and will stand thus .001, and its Value will be found to be .96 of a farthing, or $\frac{96}{100}$ of a farthing; and .009 *Thirds* will be 2 *d.* and .64 of a farthing, or $\frac{64}{100}$ of a farthing, *&c.* So that .375 *l.* will be found to represent 7*s.* and 6*d.*; for the 3 *Primes* are 6 shillings, and the 7 *Seconds* are 1 *s.* 4 *d.* and $\frac{8}{10}$ of a penny, and the five *Thirds* are 1 penny and $\frac{2}{10}$ of a penny, both which added together make 7 *s.* 6 *d.*

29. If you put any bulk or body, representing an Integer if it be *decimally divided*, then the parts in the first decimation are *Primes*, the next *Seconds*, and the next decimation is *Thirds*, the next *Fourths*, &c. As let there be given a Bullet of Lead, or such like, whose weight let it be 50 *l. Troy*, this call an Unit, Integer, or thing, then with the like weight and matter, make 10 other, the which together will be equal to 50 *l.* and will weigh each of them 5 *l.* a piece, take of the same matter, and equal to 5 *l.* make 10 more, then each of those will weigh 6 ounces apiece; also if again, you take 6 ounces, and thereof make 10 other small bullets, each of them will weigh 12 penny-weight *Troy*; and thus have you made *Primes*, *Seconds*, and *Thirds*, in respect of the Integer containing 50 *l. Troy*; and that 5 *Primes* is equal to the half mass, and 2 *Primes* and 5 *Seconds*, is a quarter of the mass, and therefore

of the first division, 2 of the second division, and 5 of the third division, will be equal in weight to $\frac{1}{2}$ a quarter of the mass, and contain 6 l. and 3 ounces.

30. When a *decimal fraction* followeth a whole *number*, you are to separate or part the *decimal* from the *whole number*, by a point or prick; so if .75 followed the *whole number* 32, set them thus 32.75. You shall find that divers Authors have divers ways in expressing mixt *numbers*, as thus, 32|75, or $32\frac{75}{100}$, or 32.$\frac{75}{100}$, or 32|$\frac{75}{100}$, or 32;75, but you will find that 32.75 thus placed and expressed is fittest for Calculation.

31. A mixt *number* hath 2 parts, the whole and the broken; the whole is that which is composed of Integers, and the broken is a *fraction* annexed thereunto. So the mixt *number* $36\frac{8}{12}$ being given, we say that 36 is the whole *number*, which is composed of Integers, and the $\frac{8}{12}$ is the broken *number* annexed, which sheweth that one of the former Integers (of that 36) being divided into 12 parts, this $\frac{8}{12}$ doth express 8 of those 12 parts more belonging to the said 36 Integers.

32. *Denominative numbers* are of one, or of many, and those are of divers sorts and kinds, *viz. Singular*, called Unit, as 1; and *Plural*, called multitude; as 2, 3, 4, 5, *Single* of one kind only, called *digits*, as 1, 2, 3, 4, 5, 6, 7, 8, 9, and *Compounds* of many, 10, 11, 12, *&c.* 102, 367, *&c.*

Proportional, as Single, Multiple, Double, Triple, Quadruple, *&c.* Denominate, as Pounds, Shillings, Pence; Undenominate, as 1, 2, 3, *&c.* Perfect, as 6, 28, 496, 8128, 130816, 2096128, *&c.* whose parts are equal to the numbers; Imperfect, unequal and more than the sum, as 12 to 1, 2, 3, 4, 6. Imperfect, unequal and less than the sum, as 8 to 1, 2, 4. Numbers Commensurable and Incommensurable, as 12 and 9 are Commensurable, because 3 measures them both.

But 6 and 17 are Incommensurable, because no one common *number* or *measure* can measure them Linear in form of a Line, as ..... Superficial in form of a Superficies or Plane, as ::::, or ::, *&c.* and num-

ber

ber cubical or ſolid in form of a Cube. Theſe two latter are otherwiſe called figurative Numbers: There are alſo other Numbers called Tabular, as Sines, Tangents, Secants, *&c.* Others that be called Logarithms or borrowed Numbers, fitted to proportion for eaſe and ſpeedy Calculation of all manner of Queſtions.

CHAP. II.

Of the Natural Diviſion of Integers, and the ſeveral Denominations of the Parts.

1. BEfore we come to calculation or the ordering of *Numbers* to operate any Arithmetical Queſtion propoſed, we will lay down Tables of the denomination of ſeveral Integers; and after that (having mentioned the ſeveral ſpecies or kinds of Arithmetick) we ſhall immediately handle the Species of Numeration, which are the main Pillars upon which the whole Fabrick of this Art is built.

Of Money, Weights, &c.

2. The leaſt Denomination or Fraction of Money uſed in *England* is a Farthing, from whence is produced the following Table, called the *Table of Coyns*, *viz.*

			And therefore
1 *Farth.*		1 *Farthing*	l. s. d. qrs.
4 *Farth.*	make	1 *Penny*	1—20—12—4
12 *Pence*		1 *Shilling*	1—20—240—960
20 *Shil.*		1 *Pound*	1—12—48
			1—4

The firſt of theſe Tables, *viz.* that on the left hand, is plain and eaſie to be underſtood, and therefore wants

no

no directions. In the second Table above the line you have 1 *l.* 20 *s.* 12 *d.* 4 *qrs.* whereby is meant that 1 pound is equal to 20 shillings, and one shilling is equal to 12 pence, and one penny is equal to 4 farthings, under the line is 1 *l.* 20 *s.* 240 *d.* 960 *qrs.* which signifies one pound to contain 20 shillings, or 240 pence, or 960 farthings; in the second line below that 1 *s.* 12 *d.* 48 *qrs.* the first standing under the Denomination of Shillings, whereby is to be noted that one shilling is equal to 12 pence, or 48 farthings, and likewise that below that, one penny is equal in value to four farthings; understand the like reason in all the following Tables of Weight, Measure, Time, Motion and Dozen.

Of Troy-weight.

3. The least Fraction or Denomination of Weight used in *England*, is a grain of Wheat gathered out of the middle of the Ear, and well dryed; from whence are produced these following Tables of Weight, called *Troy-weight.*

32 *Grains of Wheat*	make	24	*Artificial Grains*
24 *Artificial Grains*		1	*Penny-weight*
20 *Penny-weight*		1	*Ounce*
12 *Ounces*		1	*Pound Troy-weight*

And therefore,

l.	*oun.*	*p.w.*	*grains.*
1	12	20	24
1	12	240	5760
	1	20	480
		1	24

Troy-weight serveth only to weigh Bread, Gold, Silver, and Electuaries; it also regulateth and prescribeth a Form how to keep the Money of *England* at a certain standard.

ſtandard. The *Goldſmiths* have divided the Ounce *Troy-weight* into other parts, which they generally call Mark-weight; the denominative parts thereof are as followeth, *viz.* A Mark (being an ounce Troy) is divided into 24 equal parts, called Carects and each Carect into 4 grains, ſo that in a Mark are 96 Grains; by this weight they diſtinguiſh the different fineneſs of their Gold; for if to the fineneſs of Gold be put 2 Carects of Alloy (which is of Silver, Copper, or other baſer Metal, with which they uſe to mix their Gold or Silver to abate the fineneſs thereof) both making when cold but an ounce, or 24 Carects, then this Gold is ſaid to be 22 Carects fine, for if it come to be refined the 2 Carects of alloy will fly away, and leave only 22 Carects of pure Gold, the like to be conſidered of a greater or leſſer quantity; and as the fineneſs of Gold is eſtimated by Carects, ſo the fineneſs of Silver is diſtinguiſh'd by ounces; for if a pound of it be pure, and loſeth nothing in the Refining, ſuch Silver is ſaid to be twelve ounces fine; but if it loſeth any thing, it is ſaid to contain ſo much fineneſs as the loſs wanteth of 12 ounces, as if it loſe an ounce, it is ſaid to be 11 ounces fine, and if it loſe one ounce 14 penny-weight, then it is ſaid to be 10 ounces 6 penny-weight fine, and that which loſeth 2 ounces 4 penny-weight 16 grains, is ſaid to be 9 ounces 15 penny-weight 8 grains fine, *&c.* the like of a greater or leſſer quantity.

Of Apothecaries Weights.

4. The *Apothecaries* have their Weights deduced from Troy-Weight, a pound *Troy* being the greateſt Integer, a Table of whoſe diviſion and ſub-diviſion followeth, *viz.*

				And therefore,				
1 *pound*	makes	12 *ounces*		*l.*	*oun.*	*dram.*	*ſcrup.*	*gr.*
1 *ounce*		8 *drams*		1	12	8	3	20
1 *dram*		3 *ſcruples*		1	12	96	288	5760
1 *ſcrup.*		20 *grains*			1	8	24	480
						1	3	60
							1	20

Thus

5. Thus much concerning *Troy-weight*, and its derivative weights (which as was ſaid before) ſerveth to weigh Bread, Gold, Silver, and Electuaries; now beſides *Troy-weight* there is another kind of weight uſed in *England*, commonly known by the name of *Averdupois-weight* (a pound of which is equal to 14 ounces 12 penny-weight *Troy-weight*) and it ſerveth to weigh all kinds of Grocery-Wares, as alſo Butter, Cheeſe, Fleſh, Wax, Tallow, Rozen, Pitch, Lead, and all ſuch kind of Garbel, the Table of which weight is as followeth.

The Table of Averdupois-weight.

4 *quarters of a dram*	make	1 *dram*
16 *drams*		1 *ounce*
16 *ounces*		1 *pound*
28 *pounds*		1 *quarter of a hundred*
4 *quarters*		1 *hundred-wei. or* 112*l.*
20 *hundred*		1 *Tun*

And therefore,

Tun	*C.*	*qrs.*	*l.*	*oun.*	*dra.*	*qrs.*
1	20	4	28	16	16	4
1	20	80	2240	35840	573440	2293760
	1	4	112	1792	28672	114688
		1	28	448	7168	28672
			1	16	256	1024
				1	16	64
					1	4

Wooll is weighed with this Weight, but only the Diviſions are not the ſame; A Table whereof followeth.

A Table of the denominative parts of Wooll-weight.

7 *pounds*	make	1 *clove*
2 *cloves*		1 *ſtone*
2 *ſtones*		1 *todd*
6 *todd* 1 *ſtone*		1 *wey*
2 *weyes*		1 *ſack*
12 *ſacks*		1 *laſt*

And

And therefore,

Last	*Sacks*	*Wey*	*Todd*	*Stone*	*Cloves*	*l.*
1	12	2	$6\frac{1}{2}$	2	2	7
1	12	24	156	312	624	4368
	1	2	13	26	52	364
		1	$6\frac{1}{2}$	13	26	182
			1	2	4	28
				1	2	14
					1	7

Note, that in some Counties, the *Wey* is 256 *l. Averdupois*, as is the *Suffolk* Wey; but in *Essex* there is 336 *l.* in a Wey.

6. The least denominative part of *Liquid Measure* is a pint, which was formerly taken from *Troy weight*, (a pound of Wheat *Troy weight* making 1 pint of liquid measure) but in regard of the difference between the Brewers and the Farmers of His Majesty's Excise concerning the gauging of Vessels occasioned by the different Opinions of Artists, concerning the solid Inches in a Gallon; it was lately decided by Act of Parliament, the Statute making 282 solid Inches in a Beer-gallon, and 231 in a Wine-measure, and consequently the pint Beer-measure to contain $35\frac{1}{4}$ solid Inches, and the pint Wine-measure to contain $28\frac{7}{8}$ cubical or solid Inches, from whence is drawn the following Table.

The Table of Liquid Measure.

$35\frac{1}{4}$ *cubical Inches*		1	*pint beer-measure*
$28\frac{7}{8}$ *cubical Inches*		1	*pint wine-measure*
2 *pints*		1	*quart*
2 *quarts*		1	*pottle*
2 *pottles*		1	*gallon*
8 *gallons*		1	*firk. of ale, soap, or herr.*
9 *gallons*	make	1	*firk. of beer*
10 *gallons and a half*		1	*firk. of Salmon or Eels*
2 *firkins*		1	*kilderkin*
2 *kilderkins*		1	*barrel*
42 *gallons*		1	*Tierce of wine*
63 *gallons*		1	*hogshead*
2 *hogsheads*		1	*pipe or butt*
2 *pipes or butts*		1	*Tun of wine*

And

And therefore,

Tun	*pipes*	*hhds*	*gal.*	*pts.*
1	2	2	63	8
1	2	4	252	2016
	1	2	126	1008
		1	63	504
			1	8

7. The leaſt denominative part of Dry-meaſure is alſo a pint, and this is likewiſe taken from *Troy-weight.* The Table of whoſe diviſion followeth.

The Table of Dry Meaſure.

1 *pound Troy*	make	1 *pint*	
2 *pints*		1 *quart*	
2 *quarts*		1 *pottle*	
2 *pottles*		1 *gallon*	
2 *gallons*		1 *peck*	
4 *pecks*		1 *buſhel*	
4 *buſhels*		1 *comb*	
2 *combs*		1 *quarter*	
4 *quarters*		1 *chaldron*	
5 *quarters*		1 *wey*	
2 *weys*		1 *laſt*	

And therefore,

laſt	*wey*	*qrs.*	*com.*	*buſh.*	*pecks*	*gall.*	*pints*
1	2	5	2	4	4	2	8
1	2	10	20	80	320	640	5120
	1	2	10	40	160	320	2560
		1	5	8	32	64	512
			1	4	16	32	256
				1	4	8	64
					1	2	16
						1	8

8. The

8. The least denominative part of *Long Measure* is a Barly-Corn well dryed, and taken out of the middle of the Ear; whose Table of parts followeth.

The Table of Long Measure.

3 *barly-corns*		1 *inch*
12 *inches*		1 *foot*
3 *feet*		1 *yard*
3 *feet 9 inches, or a yard and quarter*	make	1 *ell English*
6 *feet*		1 *fathom*
5 *yards and a half*		1 *pole, perch or rod*
40 *poles or perches*		1 *furlong*
8 *furlongs*		1 *English mile*

And therefore,

mile	*furl.*	*poles*	*yards*	*feet*	*inches*	*barly-corns*
1	8	40	$5\frac{1}{2}$	3	12	3
1	8	320	1760	5280	63360	190080
	1	40	220	660	7920	23760
		1	$5\frac{1}{2}$	$16\frac{1}{2}$	198	594
			1	3	36	108
				1	12	36
					1	3

And note that the yard, as also the ell, is usually divided into 4 quarters, and each quarter into 4 Nails.

Note also that a Geometrical Pace is 5 feet; and there are 1056 such Paces in an *English* mile.

2. The parts of the Superficial Measures of Land are such as are mentioned in the following Table, *viz.*

The Table of Land Measure.

40 *Square Poles or Perches*	make	1 *Rood, or quarter of an Acre*
4 *Roods*		1 *Acre*

By

By the foregoing *Table of Long Measure*, you are informed what a Pole, or (which is all one) Perch is; and by this that 40 square Perches are 1 Rood. Now by a square Perch is a Superficies very aptly resembled by a square Trencher, every side thereof being a Perch, or 5 yards and a half in length, 40 of them is a Rood, and 4 Roods an Acre. So that a Superficies that is 40 Perches long and 4 broad is an Acre of Land, the Acre containing in all 160 square Perches.

10. The least denominative part of Time is a *Minute*, the greatest Integer being a *Year*; from whence is produced this following Table.

The Table of Time.

1 *Minute*	} make	1 *Minute*	
60 *Minutes*		1 *Hour*	
24 *Hours*		1 *Day natural*	
7 *Days*		1 *Week*	
4 *Weeks*		1 *Month*	
13 *Months*, 1 *day*, 6 *hou.*		1 *Year*	

But the Year is usually divided into 12 unequal *Kalendar Months*, whose names and the number of Days that they contain, follow, *viz.*

	days
January	31
February	28
March	31
April	30
May	31
June	30
July	31
August	31
September	30
October	31
November	30
December	31

So that the Year containeth 365 Days, and 6 Hours, but the 6 Hours is not reckoned but only every 4th year, and then there is a day added to the latter end of *February*, and then it containeth 29 days, and that year is called Leap-year, and containeth 366 days.

And

And here note that as the Hour is divided into 60 Minutes, so each Minute is subdivided into 60 Seconds, and each Second into 60 Thirds, and each Third into 60 Fourths, *&c.*

The Tropical Year by the exactest observations of the most accurate *Astronomers* is found to be 365 Days, 5 Hours, 49 Minutes, 4 Seconds, and 21 Thirds.

CHAP. III.

Of the Species or Kinds of Arithmetick.

1. ARithmetick is either Natural, Artificial, Analytical, Algebraical, Lineal or Instrumental.

2. Natural Arithmetick is that which is performed by the Numbers themselves; and this is either Positive or Negative. Positive which is wrought by certain infallible numbers propounded, and this either Single or Comparative; Single which considereth the nature of *numbers* simply by themselves; and Comparative, which is wrought by *numbers* as they have relation one to another. And the Negative part relates to the Rule of *False*.

3. Artificial (by some called Logarithmetical) Arithmetick is that which is performed by artificial or borrowed *numbers* invented for that purpose, and are called Logarithms.

4. Analytical Arithmetick, is that which shews from a thing unknown to find truly that which is sought; always keeping the Species without Change.

5. Algebraical Arithmetick, is an obscure and hidden Art of Accompting by Numbers in resolving of hard Questions.

6. Lineal Arithmetick, is that which is performed by lines fitted to proportions, as Geometrical Projections.

7. Instrumental Arithmetick, is that which is performed by Instruments fitted with Circular and Right Lines of Proportion, by the motion of an Index or otherwise.

8. The

8. The parts of Single Arithmetick are Numeration and the Extraction of Roots.

9. Numeration is that by which certain known Numbers propounded, we discover another Number unknown.

10. Numeration hath four Species; *viz.* Addition, Subtraction, Multiplication and Division.

CHAP. IV.

Of Addition of Whole Numbers.

1. *Addition* is the Reduction of two or more *numbers* of like kind together into one Sum or Total. Or it is that by which divers *numbers* are added together, to the end that the Sum or Total value of them all may be discovered.

The first *number* in every *Addition* is called the addible *number*, the other, the *number* or *numbers* added, and the *number* invented by the *Addition* is called the *Aggregate* or *Sum* containing the value of the *Addition*.

The Collation of the *numbers*, is the right placing of the *numbers* given respectively to each denomination, and the Operation is the artificial adding of the *numbers* given together in order to the finding out of the *Aggregate* or *Sum*.

2. In *Addition*, place the *numbers* given respectively the one above the other, in such sort, that the like degree, place or denomination, may stand in the same Series, *viz.* Units under Units, Tens under Tens, Hundreds under Hundreds, *&c.* Pounds under Pounds, Shillings under Shillings, Pence under Pence, *&c.* Yards under Yards, Feet under Feet, *&c.*

3. Having thus placed the *numbers* given (as before) and drawn a line under them, add them together, beginning with the lesser denomination, *viz.* at the right hand, and so on, subscribing the sum under the line respectively; as for Example.

Let

Let there be given 3352 and 213 and 133 to be added together, I ſet the Units in each particular number under each other, and ſo likewiſe the Tens under the Tens, *&c.* and draw a line under them, as in the Margent, then I begin at the place of Units, and add them together upwards, ſaying, 3 and 3 are 6 and 2 make 8, which I ſet under the line, and under the ſame Figures added together; then I proceed to the next place, being the place of Tens, and add them up in the ſame manner as I did the place of Units, ſaying, 3 and 1 are 4 and 5 are 9, which I likewiſe ſet under the line reſpectively, then I go to the place of Hundreds, and add them up as I did the other, ſaying, 1 and 2 are 3 and 3 are 6, which I alſo ſet under the line; and laſtly, I go to the place of Thouſands, and becauſe there are no other figures to add to the 3, I ſet it under the line in its reſpective place, and ſo the work is finiſhed; and I find the ſum of the 3 given numbers to be 3698.

3352
213
133
3698

4. But if the Sum of the Figures of any Series exceeds ten, or any number of tens, ſubſcribe under the ſame the Exceſs above the tens, and for every ten carry one to be added to the next Series towards the left hand, and ſo go on until you have finiſhed your addition; always remembring, that how great ſoever the ſum of the Figures of the laſt Series is, it muſt all be ſet down under the line reſpectively. So 3678 being given to be added to 2357, I ſet them down as is before directed, and as you ſee in the Margent, with a line drawn under them, then I begin and add them together, ſaying 7 and 8 are 15, which is 5 above 10, wherefore I ſet 5 under the line, and carry 1 for the 10 to be added to the next Series, ſaying, I that I carried and 5 is 6 and 7 are 13, wherefore I ſet down 3 and carry 1 (for the ten) to the next Series, then I ſay 1 that I carried and 3 are 4 and 6 are 10, now becauſe it comes to juſt 10 and no more, I ſet 0 under the line and carry 1 for the 10 to the next, and ſay, I that

3678
2357
6035

that I carried and 2 are 3 and 3 are 6, which I set down in its respective place, thus the addition is ended, and the total Sum of these *numbers* is found to be 6035, several Examples of this kind follow.

Numbers to be added	354867
	573846
	785946
	347205
Sum	2061864

Numbers to be added	748647
	465834
	76483
	648300
Sum	1939264

Numbers to be added	45346
	38074
	8437
	923
	76
Sum	92856

5. If the Numbers given to be added, are contained under divers denominations; as of Pounds, Shillings, Pence and Farthings; or of Tuns, Hundreds, Quarters, Pounds, *&c.* Then in this case having disposed of the *Numbers*, each Denomination under other of like kind; beginning at the least denomination, (minding how many of one denomination do make an Integer of the next) and having added them up, for every Integer of the next greater denomination that you find therein contained, bear an Unit in mind to be added to the said next greater denomination, expressing the excess respectively under the line, proceed in this manner until your addition be finished; the following Examples will make the Rule plain to the Learner. Thus these several sums being given to be added, *viz.* 136 *l.* 13 *s.* 4 *d.* 2 *qrs.* and 79 *l.* 07 *s.* 10 *d.* 3 *qrs.* and 33 *l.* 18 *s.* 09 *d.* 1 *qr.* also 15 *l.* 09 *s.* 05 *d.* 0 *qrs.* The *numbers* being disposed according to order will stand as in the Margent. Then I begin at the denomination of Farthings, and

and add them up, saying 1 and 3 are 4 and 2 make 6, now I consider that 6 farthings is 1 penny and 2 farthings, wherefore I set down the 2 farthings in its place under the line, and keep 1 in mind to be added to the next denomination of pence; then I go on, saying 1 that I carried and 5 are 6 and 9 are 15 and 10 are 25 and 4 are 29, now I consider that 29 pence are 2 shillings and 5 pence, whereof I set the 5 pence in order under the line and keep 2 in mind for the 2 shillings, to be added to the shillings; then I go on, saying, that 2 I carried and 9 are 11, and 18 are 29, and 7 are 36, and 13 are 49; then I consider that 49 shillings are 2 pounds and 9 shillings, wherefore I set the 9 shillings under the line, and carry two for the 2 pounds, to the next and last denomination of pounds, and proceed, saying 2 that I carried and 5 make 7, and 3 are 10, and 9 are 19, and 6 are 25; then I set down 5 and carry 2 for the tens, and proceed, saying, 2 that I carry and 1 is 3, and 3 are 6, and 7 are 13, and 3 make 16; I set down 6 and carry 1 for the 10, and go on, saying 1 that I carried and 1 are 2, which I set in its place under the line, and the work is finished; and thus I find the Sum of the foresaid *numbers* to be 265 *l.* 9 *s.* 5 *d.* 2 *qrs.* This to the ingenious Practitioner is sufficient, but I shall (for the further illuminating of weaker apprehensions) explain the operation of another Example in *Troy-weight*; and here the Learner must take notice of the Table of *Troy-weight* mentioned or set down in the third Section of the second Chapter. The *numbers* given in this Example are 38 *l.* 7 *oz.* 13 *p.w.* 18 *gr.* and 50 *l.* 10 *oz.* 10 *p.w.* 12 *gr.* and 42 *l.* 08 *oz.* 05 *p.w.* 16 *gr.* and in order to the Addition thereof, I place them as you see, and proceed to operation; saying, 16 and 12 are 28, and 18 are 46; now because 24 *grains* make

l.	s.	d.	qrs
136	13	04	2
79	07	10	3
33	18	09	1
15	09	05	0
265	09	05	2

1 *penny*

1 *penny-weight*, 46 *grains* are 1 *penny-weight* and 22 *grains*; wherefore I set down 22, and carry 1 for the *penny-weight*, and going on I say, 1 that I carry and 5 make 6, and 10 are 16, and 13 are 29, which is one ounce and 9 *penny-weight*, I set down 9 in its place under the line, and carry 1 to the ounces, saying 1 that I carry and 8 are 9, and 10 are 19, and 7 are 26, and because 26 *ounces* make 2 *pound* 2 *ounces*, I set down 2 for the *ounces*, and carry 2 to the *pounds*: going on, 2 that I carry and 2 are 4, and 8 make 12, that is 2 and go 1; then 1 I carry and 4 are 5, and 5 are 10, and 3 are 13, which I set down as in the Margent, and the work is finished, and I find the sum of the said *numbers* to amount to 132*l.* 2 *oz.* 9 *p.w.* 22 *gr.* This is sufficient for the understanding of the following Examples, or any other that shall come to thy view. The way of proving these, or any Sums in this Rule, is shewed immediately after the ensuing Examples.

l.	*oz.*	*p.w.*	*gr.*
38	07	13	18
50	10	10	12
42	08	05	16
132	02	09	22

Addition of English Money.

l.	*s.*	*d.*	*qrs.*
436	12	07	1
184	00	10	3
768	17	04	2
564	11	11	0
1954	02	09	2

l.	*s.*	*d.*	*qrs.*
48	15	11	1
76	10	07	3
18	00	05	3
24	19	09	2
168	06	10	1

Addition of Troy-weight.

l.	*oz.*	*p.w.*	*gr.*
15	07	13	12
18	06	04	20
11	10	16	18
09	04	10	22
19	11	11	04
22	09	00	00
97	04	17	04

l.	*oz.*	*p.w.*	*gr.*
145	09	12	18
726	08	14	10
380	07	06	13
83	10	16	20
130	00	10	12
74	07	15	00
1541	08	16	01

Addition of Apothecaries Weights.

l.	*oz.*	*dr.*	*sc.*	*gr.*
48	07	1	0	14
74	05	5	2	10
64	10	7	1	16
17	08	1	0	11
34	09	6	1	09
240	05	6	1	00

l.	*oz.*	*dr.*	*sc.*	*gr.*
60	03	4	0	10
48	10	6	0	14
34	08	2	1	15
18	11	2	2	11
160	07	1	2	15
35	02	5	1	07
358	07	7	0	12

Addition of Averdupois-weight.

Tun	*C.*	*qrs.*	*l.*
75	13	1	15
48	07	3	21
60	11	1	17
21	07	0	25
12	16	0	11
218	16	0	05

l.	*oun.*	*dr.*
36	10	12
22	11	13
11	07	04
15	04	10
20	00	09
106	03	00

Addition of Liquid Measure.

Tun	*pipe*	*hhd*	*gall.*
45	1	1	48
15	0	1	17
38	0	0	47
12	1	0	56
21	1	1	18
133	1	1	60

Tuns	*hhds*	*gall.*	*pts*
30	3	40	4
12	0	28	6
47	5	50	5
57	3	22	3
17	0	00	0
166	1	26	2

Addition of Dry Measure.

Chald.	*qrs.*	*bush.*	*pec.*
48	3	7	3
13	1	4	0
54	0	6	2
16	3	6	1
40	1	0	1
173	3	0	3

qrs.	*bush.*	*pec.*	*gall.*
17	3	1	1
50	1	3	0
14	5	3	1
40	2	0	1
30	0	3	0
152	5	3	1

Addition of Long Measure.

yards	*qrs.*	*na.*
35	3	3
14	1	2
74	2	3
38	0	1
30	1	0
15	0	0
208	1	1

ells	*qrs.*	*na.*
56	1	3
13	3	1
48	2	2
50	1	1
74	0	0
17	1	1
260	2	0

Addition of Land Measure.

Acre	*rood*	*perc.*
12	3	18
14	0	24
30	2	19
48	3	30
28	1	38
50	3	26
185	3	35

Acre	*rood*	*perc.*
86	1	3
47	3	2
73	2	1
60	0	0
04	2	3
14	1	1
286	3	0

The Proof of Addition.

6. *Addition* is proved after this manner, when you have found out the ſum of the Numbers given, then ſeparate the uppermoſt line from the reſt, with a ſtroke or daſh of the pen, and then add them all up again as you did before, leaving out the uppermoſt line, and having ſo done add this new invented ſum to the uppermoſt line you ſeparated, and if the ſum of thoſe 2 lines be equal to the ſum firſt found out, then the work was performed true, otherwiſe not. As for Example, Let us prove the firſt Example of Addition of Money, whoſe ſum we found to be 265 *l.* 9 *s.* 5 *d.* 2 *qrs.* and which we prove thus, having ſeparated the uppermoſt number from the reſt, by a line as you ſee in the Margent, then I add the ſame together again, leaving out the ſaid uppermoſt line, and the ſum thereof I ſet under the firſt ſum or true ſum, which doth amount to 128 *l.* 16 *s.* 01 *d.* 0 *qrs.* then again I add this new Sum to the uppermoſt line that before was ſeparated from the reſt, and the ſum of theſe two is 265 *l.* 09 *s.* 05 *d.* 2 *qrs.* the ſame with the firſt Sum, and therefore I conclude that the Operation was rightly performed.

l.	*s.*	*d.*	*qrs.*
136	13	04	2
79	07	10	3
33	18	09	1
15	09	05	0
265	09	05	2
128	16	01	0
265	09	05	2

7. The main end of *Addition* in Queſtions Reſolvable thereby, is to know the ſum of ſeveral Debts, Parcels, Integers, *&c.* Some Queſtions may be theſe that follow.

Queſt. 1. There was an Old Man whoſe Age was required, to which he replyed, I have ſeven Sons, each having two years between the birth of each other, and in the 44 year of my Age my eldeſt Son was born, which is now the Age of my youngeſt; I demand what was the Old Man's Age?

Now to resolve this Question, first set down the Fathers Age at the birth of his first Child, whieh was 44, then the difference between the eldest and the youngest which is 12 years, and then the Age of the youngest which is 44, and then add them all together, and their sum is 100 the compleat Age of the Father.

	44
	12
	44
	100

Quest. 2. A Man lent his Friend, at several times, these several Sums, (*viz.*) at one time 63 *l.* at another time 50 *l.* at another time 48 *l.* at another time 156 *l.* now I desire to know how much was lent him in all.

Set the Sums lent one under another, as you see in the Margent, and then add them together, and you will find their Sum to amount to 317 *l.* which is the Total of all the several Sums lent, and so much is due to the Creditor.

	l.
	63
	50
	48
	156
	317

Quest. 3. From *London* to *Ware* is 20 miles, thence to *Huntington* 29 miles, thence to *Stamford* 21 miles, thence to *Tuxford* 36 miles, thence to *Wentbridge* 25 miles from thence to *York* 20 miles. Now I desire to know how many miles it is from *London* to *York* according to this reckoning.

Now to answer to this Question, set down the several distances given, as you see in the Margent, and add them together, and you will find their Sum to amount to 151, which is the true distance in miles between *London* and *York*.

	20
	29
	21
	36
	25
	20
	151

Quest. 4. There are two numbers, the least whereof is 40, and their Difference is 14, I desire to know what is the greater number, and also what is the Sum of them both? First, set down the least, *viz.* 40, and 14 the difference, and add them together, and their sum is 54 for the greatest number,

		40
		14
greatest	54	
least	40	
sum	94	

the

then I ſet 40 (the leaſt) under 54 (the greateſt) and add them together, and their Sum is 94 equal to the greateſt and leaſt numbers.

CHAP. V.

Of Subtraction of Whole Numbers.

1. *Subtraction* is the taking of a leſſer number out of a greater of like kind, whereby to find out a third number, being or declaring the inequality, exceſs, or difference between the numbers given; or *Subtraction* is that by which one number is taken out of another number given, to the end that the reſidue or remainder may be known, which remainder is alſo called the *Reſt*, *Remainder*, or *Difference* of the numbers given.

2. The number out of which *Subtraction* is to be made, muſt be greater, or at leaſt equal with the other number given; the higher or ſuperiour number is called the major number, and the lower or inferiour is called the minor number, and the operation of *Subtraction* being finiſhed, the Reſt or Remainder is called the difference of the Numbers given.

3. In *Subtraction* place the Numbers given reſpectively, the one under the other, in ſuch ſort as like degrees, places or denominations, may ſtand in the ſame Series, *viz.* Units under Units, Tens under Tens, *&c.* Pounds under Pounds, *&c.* Feet under Feet, and Parts under Parts, *&c.* This being done, draw a line underneath, as in *Addition.*

4. Having placed the Numbers given as is before directed, and drawn the line under them, ſubtract the lower number (which in this caſe muſt alwayes be leſſer than the uppermoſt) out of the higher number, and ſubſcribe the difference or remainder reſpectively below the line; and when the Work is finiſhed, the

number below the line will give you the remainder: As for Example, let 364521 be given to be subtracted from 795836, I set the lesser under the greater as in the Margent, and draw a line under them, then beginning at the Right-hand, I say, 1 out of 6 and there remains 5, which I set in order under the line; then I proceed to the next, saying, 2 from 3 rests 1, which I note also under the line, and thus I go on until I have finished the Work, and then I find the Remainder or Difference to be 431315.

795836
364521
431315

5, But if it so happen (as commonly it doth) that the lowermost number or figure is greater than the uppermost; then in this case add ten to the uppermost number, and subtract the said lowermost number from their Sum, and the remainder place under the Line, and when you go to the next Figure below, pay an Unit by adding it thereto for the ten you borrowed before, and subtract that from the higher number or figure: And thus go on until your Subtraction be finished. As for Example, Let 437503 be given, from whence it is required to subtract 153827, I dispose of the numbers as is before directed, and as you see in the margent; then I begin, saying, 7 from 3 I cannot, but (adding 10 thereto I say) 7 from 13 and there remains 6, which I set under the Line in order; then I proceed to the next Figure, saying 1 that I borrowed and 2 is 3 from 0 I cannot, but 3 from 10 and there remains 7, which I likewise set down as before; then 1 that I borrowed and 8 is 9 from 5 I cannot, but 9 from 15 and there remains 6; then 1 I borrowed and 3 is 4, from 7 and there remains 3; then 5 from 3 I cannot, but 5 from 13 and there remains 8; then 1 I borrowed and 1 are 2 from 4 and there rests 2; and thus the Work is finished: And after these numbers are subtracted one from another, the Inequality, Remainder, Excess or Difference, is found to be 283676.

437503
153827
283676

283676. Examples for thy further Experience may be these that follow.

From	3475016	From	3615746
Take	738642	Take	5864
Rests	2736374	Rests	3609882

6. If the *Sum* or *Numbers* to be subtracted, are of several Denominations, place the lesser *Sum* below the greater, and in the same rank and order as is shewed in Addition of the same *Numbers*; then begin at the right hand and take the lower *number* out of the uppermost if it be lesser; but if it be bigger than the uppermost, then borrow an Unit from the next greater Denomination, and turn it into the Parts of the less Denomination, and add those parts to the uppermost Number, and from their *Sum* subtract the lowermost, noting the remainder below the Line; then proceed and pay 1 to the next Denomination for that which you borrowed before, and proceed in this order until the work be finished. An Example of this Rule may be this that followeth, let 375 *l.* 13 *s.* 07 *d.* 1 *qr.* be given, from whence let it be required to subtract 57 *l.* 16 *s.* 03 *d.* 2 *qrs.* In order whereunto I place the numbers as you see in the Margent, and thus I begin at the least Denomination, saying, two from one I cannot, therefore I borrow one penny from the next Denomination, and turn it into Farthings, which is 4, and adding 4 to 1 which is 5 I say, but 2 from 5 and there remains 3, which I put under the line; then going on, I say, 1 that I borrowed and 3 is 4, from 7 and there rests 3; then going on, I say 16 from 13 I cannot, (but borrowing one pound and turning it into 20 shillings, I add it to 13, and that is 33) wherefore I say, sixteen from 33, and there remains 17, which I set under the line and go on, saying 1 that I borrowed and 7 is 8, from 5 I cannot, but 8 from 15 and there remains 7; the one that I

l.	*s.*	*d.*	*qrs.*
375	13	07	1
57	16	03	2
317	17	03	3

borrowed and 5 is 6, from 7 there rests 1, and 0 from 3 rests 3, and the work is done: And I find the remainder or difference to be 317 *l.* 17 *s.* 03 *d.* 3 *qrs.*

Another Example of *Troy-weight*, may be this, I would subtract 17 *l.* 10 *oz.* 11 *p.w.* 20 *gr.* from 24 *l.* 05 *oz.* 00 *p.w.* 08 *gr.* I place the Numbers according to the Rule, and begin, saying, 20 from 8 I cannot, but borrow 1 *penny-weight*, which is 24 *grains*, and add them to 8, and they are 32, wherefore I say 20 from 32 rest 12; then 1 that I borrowed and 11 is 12, from 00 I cannot, but 12 from 20 (borrowing an Ounce which is 20 *penny-weight*) and there remains 8, then 1 that I borrowed and 10 is 11, from 5 I cannot, but 11 from 17 and there rests 6; then 1 that I borrowed and 7 is 8, from 4 I cannot, but 8 from 14 and there rests 6; then 1 that I borrowed and 1 is 2 from 2 and there rests nothing; so that I find the remainder or difference to be 6 *l.* 6 *oz.* 8 *p.w.* 12 *gr.*

	l.	*oz.*	*p.w.*	*gr.*
	24	05	00	08
	17	10	11	20
	06	06	08	12

7. It many times happeneth that you have many *Sums* or *Numbers* to be *subtracted* from one *number*; as suppose a Man should lend his Friend a certain sum of Money, and his Friend hath paid him part of his Debt at several times, then before you can conveniently know what is still owing, you are to add the several *Numbers* or *Sums* of Payment together, and *subtract* their *Sum* from the whole Debt, and the remainder is the *Sum* due to the Creditor, as suppose A lendeth to B 564 *l.* 13 *s.* 10 *d.* and B hath repaid him 79 *l.* 16 *s.* 08 *d.* at one time, and 163 *l.* 18 *s.* 11 *d.* at another time, and 241 *l.* 15 *s.* 08 *d.* at another time; and you would know how the Accompt standeth between them, or what is more due to A. In order whereunto

	l.	*s.*	*d.*
Lent	564	13	10
Paid at several payments	79	16	08
	163	18	11
	241	15	08
Paid in all	485	11	03
Remains	79	02	07

I first

I first set down the *Sum* which A lent, and draw a line underneath it, then under that line set the several *Sums* of Payment as you see in the Margent; and having brought the several Sums of Payment into one total by the fifth Rule of the fourth Chapter foregoing, I find their Sum amounteth to 485 *l.* 11 *s.* 3 *d.* which I subtract from the Sum first lent by A, by the sixth Rule of this Chapter, and I find the remainder to be 79 *l.* 2 *s.* 7 *d.* and so much is still due to A.

When the Learner hath good knowledge of what hath been already delivered in this and the foregoing Chapter, he will with ease understand the manner of working the following Examples.

Subtraction of whole Money.

	l.	*s.*	*d.*	*l.*	*s.*	*d.*	*qrs.*
Borrowed	374	10	03	700	10	11	2
Paid	69	15	11	9	03	11	3
Remains	304	14	04	691	06	11	3

	l.	*s.*	*d.*	*l.*	*s.*	*d.*	*qrs.*
Borrowed	1000	00	00	711	03	00	0
Paid	19	00	06	11	13	00	1
Remains	980	19	06	699	09	11	3

	l.	*s.*	*d.*	*qrs.*
Borrowed	3300	00	00	2
Paid at several Payments	170	10	00	0
	361	13	10	1
	590	03	04	3
	73	04	11	3
Paid in all	1195	12	02	3
Remains due	2104	07	05	3

Subtraction of Troy-weight.

	l.	*oz.*	*p.w.*	*gr.*
Bought	174	00	13	00
Sold	78	04	16	15
Remains	95	07	16	09

	l.	*oz.*	*p.w.*	*gr.*
Bought	470	10	13	00
Sold at several Times.	60	00	00	00
	35	10	18	00
	16	07	09	08
	48	04	00	00
	61	11	19	23
	23	00	00	00
Sold in all	245	10	07	07
Rem. unsold	225	00	05	17

Subtraction of Apothecaries Weights.

	l.	*oz.*	*dr.*	*sc.*	*gr.*	*l.*	*oz.*	*dr.*	*sc*	*gr.*
Bought	12	04	3	0	00	20	00	1	0	07
Sold	8	05	1	1	15	10	00	1	2	12
Remains	3	11	1	1	05	9	11	7	0	15

Subtraction of Averdupois-weight.

	C.	*qrs.*	*l.*	*Tun*	*C.*	*qrs.*	*l.*	*oz.*	*dr.*
Bought	25	00	15	15	07	01	10	10	05
Sold	16	02	20	03	17	01	16	09	13
Remains	08	01	23	11	09	03	22	00	08

Sub-

Subtraction of Liquid Measure.

	Tuns	hhd	gall.	Tun	hhd	gall.	pin.
Bought	40	1	30	60	3	42	4
Sold	16	1	40	15	3	46	6
Remains	23	3	53	44	3	58	6

Subtraction of Dry Measure.

	Chald.	qrs.	bush.	pec.	Chald.	qrs.	bush.	pec.
Bought	100	0	00	0	73	2	3	2
Sold	54	1	04	3	46	2	3	3
Remains	45	2	03	1	26	3	7	3

Subtraction of Long Measure.

	yar.	qrs.	nails	yards	qrs.	nails
Bought	160	1	0	344	0	1
Sold	64	1	2	177	1	3
Remains	95	3	2	166	2	2

Subtraction of Land Measure.

	Acres	roods	per.	Acres	roods	perc.
Bought	140	2	13	600	0	00
Sold	70	3	22	54	0	16
Remains	69	2	31	545	3	24

The Proof of Subtraction.

8. When your *Subtraction* is ended, if you desire to

to prove your work, whether it be true or no, then add the remainders to the minor Number, and if the Aggregate of these two be equal to the major number, then is your Operation true, otherwise false; thus let us prove the first Example of the fifth Rule of this Chapter, where after Subtraction is ended, the Numbers stand as in the Margent; the remainder or difference being 283676. Now to prove the Work, I add the said Remainder 283676 to the minor number 153827, by the fourth Rule of the foregoing Chapter, and I find the Sum or Aggregate to be 437503 equal to the major Number, or Number from whence the lesser is subtracted. Behold the work in the Margent.

437503	
153827	
283676	
437503	
153827	
283676	
437503	

The Proof of another Example may be of the first Examp'e of the sixth Rule of this Chapter, where it is required to subtract 57 *l.* 16 *s.* 03 *d.* 2 *qrs.* from 375 *l.* 13 *s* 07 *d.* 1 *qr.* and by the *Rule* I find the *Remainder* to be 317 *l.* 17 *s.* 3 *d.* 3 *qrs.* now to prove it, I add the said *Remainder* 317 *l.* 17 *s.* 3 *d.* 3 *qrs.* to the minor number 57 *l.* 16 *s.* 03 *d.* 02 *qrs.* and their sum is 375 *l.* 13 *s.* 07 *d.* 1 *qr.* equal to the major *number*, which proves the work to be true, but if it had happened to have been either more or less than the said major *number*, then the Operation had been false.

l.	*s.*	*d.*	*qrs*
375	13	07	1
57	16	03	2
317	17	03	3
375	13	07	1

9. The general effect of *Subtraction* is to find the differences or excess between two *numbers*, and the rest when a payment is made in part of a greater Sum, the date of Books printed, the age of any thing by knowing the present year, and the year wherein they were made, created or built, and such like.

The Questions appropriated to this Rule are such as follow.

Quest. 1.

Queſt. 1. What difference is there between one thing of 125 foot long and another of 66 foot long?

To reſolve this Queſtion, I firſt ſet down the major or greater number 125, and under it the minor or leſſer number 66, as is directed in the third *Rule* of this Chapter, and according to the fourth *Rule* of the ſame, I ſubtract the minor from the major, and the Remainder, Exceſs or Difference, I find to be 59. See the Work in the Margent.

125	
66	
59	

Queſt. 2. A Gentleman oweth a Merchant, 365 *l.* whereof he hath paid 278 *l.* what more doth he owe?

To give an *Anſwer* to this *Queſtion*, I firſt ſet down the major number 365 *l.* and under it I place 278 the minor, and ſubtract the one from the other, and thereby I diſcover the Exceſs, Difference or Remainder, to be 87, and ſo much is ſtill due to the Creditor; as *per* Margent.

365	
278	
87	

Queſt. 3. An Obligation was written, a Book printed, a Child born, a Church built, or any other thing, made in the year of our Lord 1572, and now we account the year of our Lord 1700, the Queſtion is to know the age of the ſaid things, that is, how many years are paſſed ſince the ſaid things were made? I ſay, if you ſubtract the leſſer number 1572, from the greater 1700, the remainder will be 128, and ſo many years are paſt ſince the making of the ſaid things; as by the Work in the Margent.

1700	
1572	
128	

Queſt. 4. There are three Towns lye in a ſtreight line, *viz. London*, *Huntington*, and *York*, now the diſtance between the fartheſt of theſe Towns, *viz. London* and *York* is 151 miles, and from *London* to *Huntington* 49 miles, I demand how far it is from *Huntington* to

To reſolve this *Queſtion*, ſubtract 49 the diſtance between *London* and *Huntington*, from 151 the diſtance between *London* and *York*, and the Remainder is 102, for the true diſtance between *Huntington* and *York*. See the Work in the Margent.

151
49
102

CHAP. VI.

Of Multiplication of Whole Numbers.

1. *Multiplication* is performed by two numbers of like kind for the production of a third, which ſhall have ſuch reaſon to the one, as the other hath to a Unit, and in effect is a moſt brief and artificial compound *Addition* of many equal Numbers of like kind into one Sum. Or *Multiplication* is that by which we multiply two or more numbers, the one into the other, to the end that their Product may come forth, or be diſcovered.

Or, *Multiplication* is the increaſing of any one number by another; ſo often as there are Units in that number, by which the other is increaſed, or by having two *numbers* given to find a third, which ſhall contain one of the numbers as many times as there are Units in the other.

2. *Multiplication* hath three parts, firſt, the *multiplicand*, or *number* to be *multiplyed*. Secondly, the *multiplyer*, or *number* given, by which the *multiplicand* is to be *multiplyed*. And thirdly, the *product*, or *number* produced by the other two, the one being multiplyed by the other, as if 8 were given to be multiplyed by 4, I ſay 4 times 8 is 32, here 8 is the *multiplicand*, and 4 is the *multiplyer*, and 32 is the *product*.

8
4
32

3. *Multiplication* is either ſingle by one Figure; or compound, that conſiſts of many.

gle

Single Multiplication is said to consist of one figure, because the multiplicand and multiplyer consist each of them of a Digit, and no more, so that the greatest product that can arise by single Multiplication is 81, being the square of 9; and Compound Multiplication is said to consist of many Figures, because the multiplicand or multiplyer consists of more places than one; as if I were to multiply 436 by 6, it is called Compound, because the multiplicand 436 is of more places than one, (*viz.*) 3 places.

4. The Learner ought to have all the varieties of single Multiplication by heart before he can well proceed any further in this Art, it being of most Excellent Use, and none of the following Rules in Arithmetick but what have their principal dependance thereupon, which may be learnt by the following Table.

Multiplication Table.

1	2	3	4	5	6	7	8	9
2	4	6	8	10	12	14	16	18
3	6	9	12	15	18	21	24	27
4	8	12	16	20	24	28	32	36
5	10	15	20	25	30	35	40	45
6	12	18	24	30	36	42	48	54
7	14	21	28	35	42	49	56	63
8	16	24	32	40	48	56	64	72
9	18	27	36	45	54	63	72	81

The use of the precedent Table is this. In the uppermost Line or Column you have expressed all the digits from 1 to 9; and likewise beginning at 1 and going downwards in the side Column you have the same; so that if you would know the Product of any

any two ſingle numbers multiplyed by one another, look for one of them (which you pleaſe) in the uppermoſt Column, and for the other in the ſide Column, and running your eye from each figure along the reſpective Column, in the common Angle (or place) where theſe two Columns meet, there is the product required. As for Example, I would know how much is 8 times 7; firſt, I look for 8 in the uppermoſt Column, and 7 in the ſide Column; then do I caſt my eye from 8 along the Column downwards from the ſame, and likewiſe from 7 in the ſide Column, I caſt my eye from thence towards the Right-hand, and find it to meet with the firſt Column at 56, ſo that I conclude 56 to be the Product required, it would have been the ſame if you had looked for 7 in the top, and 8 on the ſide, the like is to be underſtood of any other ſuch Numbers. The Learner being perfect herein, it will be neceſſary to proceed.

5. In compound *Multiplication*, if the *Multiplicand* conſiſts of many places, and the *Multiplyer* of but one figure; firſt ſet down the *Multiplicand*, and under it place the *Multiplier* in the place of Units, and draw a line underneath them; then begin and multiply the *Multiplyer* into every particular figure of the *Multiplicand*, beginning at the place of Units, and ſo proceed towards the left-hand, ſetting each particular Product under the Line, in order as you proceed, but if any of the Products exceed 10 or any number of Tens, ſet down the Exceſs, and for every 10 carry a Unit to be added to the next Product, always remembring to ſet down the total product of the laſt figure; which work being finiſhed, the Sum or Number placed under the Line ſhall be the true and Total Product required. As for Example, I would multiply 478 by 6, firſt I ſet down 478, and underneath it 6 in the place of Units, and draw a line underneath them as in the Margent, then I begin, ſaying 6 times 8 is 48, which is 8 above 4 Tens, therefore I ſet down 8 (the exceſs) and bear

```
 478
   6
 ----
2868
```

bear 4 in mind for the 4 tens, then I proceed, saying, 6 times 7 is 42, and 4 that I carried is 46, I then set down 6 and carry 4, and go on, saying 6 times 4 is 24, and 4 that I carried is 28, and because it is the last figure, I set it all down, and so the work is finished, and the product is found to be 2868, as was required.

6 When in compound Multiplication the multiplyer consisteth of divers places, then begin with the figure in the place of Units in the multiplyer, and multiply it into all the figures in the multiplicand, placing the product below the line as was directed in the last Example; then begin with the figure of the second place of the multiplyer, (*viz.*) the place of Tens, and multiply it likewise into the whole multiplicand (as you did the first figure) placing its product under the product of the first figure, do in the same manner by the third, fourth and fifth, *&c.* until you have multiplyed all the figures of the multiplyer particularly into the whole multiplicand, still placing the product of each particular figure under the product of its precedent figure; herein observing the following Caution.

A Caution. In the placing of the product of each particular figure of the multiplyer, you are not to follow the 2*d* Rule of the 4*th* Chapter, *viz.* not to place Units under Units, and Tens under Tens, *&c.* but to put the Figure or Cypher in the place of Units of the second line under the second figure or place of the Tens in the line above it, and the figure or Cypher in the place of Units of the third line under the place of Tens in the second line, *&c.* Observing this order till you have finished the work, *viz.* still placing the first figure of every line or product under the second figure or place of Tens in that which was above it, and having so done, draw a line under all these particular products, and add them together; so shall the sum of all these products be the total product required.

As if it were required to multiply 764 by 27. I set them down the one under the other with a line drawn under-

underneath them; then I begin, saying 7 times 4 is 28, then I set down 8, and carry 2, then say 7 times 6 is 42, and 2 that I carried is 44, that is 4 and go 4; then 7 times 7 is 49, and 4 that I carry is 53, which I set down because I have not another Figure to multiply; thus have I done with the 7, then I begin with the 2, saying, 2 times 4 is 8, which I set down under (4) the second Figure, or place of Tens, in the Line above it, as you may see in the margent: Then I proceed, saying 2 times 6 is 12, that is two and carry one, then 2 times 7 is 14, and 1 that I carry is 15, which I set down because 'tis the product of the last Figure; so that the product of 764 by 27 is 5348, and by 2 is 1528, which being placed the one under the other, as before is directed, and as you see in the Margent, and a Line drawn under them, and they added together respectively, make 20628 the true Product required, being equal to 27 times 764.

764	
27	
5348	
1528	
20628	

Another Example may be this; Let it be required to multiply 5486 by 465, I dispose of the multiplicand and multiplyer, according to the Rule, and begin multiplying the first Figure of the multiplyer, which is five into the whole multiplicand, and the Product is 27430; then I proceed and multiply the second figure (6) of the multiplier into the multiplicand, and find the product to amount to 32916 which is subscribed under the other product respectively, then do I multiply the third and last figure (4) of the multiplyer into the multiplicand, and the Product is 21944, which is likewise placed under the second Line respectively; then I draw a Line under the said Products (being placed the one under the other according to this Rule) and add them together, and the sum is 2550990, the true Product sought, being equal to 5486 times 465, or 465 times 5486.

5486	
465	
27430	
32916	
21944	
2550990	

More Examples in this Rule are these following.

430865	6400758
4739	37496
3877785	38404548
1292595	57606822
3016055	25603032
1723460	44805306
2041869235	19202274
	240002821968

Compendium's in Multiplication.

7. Although the former Rules are sufficient for all Cases in Multiplication, yet because in the Work of Multiplication many times great labour may be saved, I shall acquaint the Learner with some Compendiums in order thereto, *viz.* If the multiplicand or multiplyer, or both of them end with Cyphers, then in your multiplying you may neglect the Cyphers, and multiply only the significant figures, and to the product of those significant figures, add so many Cyphers as the Numbers given to be multiplyed did end with; that is, annex them on the Right-hand of the said product, so shall that give you the true product required. As if I were to multiply 32000 by 4300, I set them down in order to be multiplied as you see in the margent, but neglecting the Cyphers in both numbers I only multiply 32 by 43, and the Product I find to be 1376, to which I annex the 5 Cyphers that are in the multiplicand and multiplyer, and then it makes 137600000 for the true product of 32000 by 4300.

Si a numeris propositis unus vel uterque adjunctos habeat ad dextram circulos; omissis circulis fiat ipsorum numerorum multiplicatio, & facto demum tot insuper integrorum loci accenseantur quot sunt omissi circuli in utroque factore, Clavis Mat. c. 4. 3.

32000	
4300	
96	
128	
137600000	

8. If

8. If in the multiplyer Cyphers are placed between ſignificant figures, then multiply only by the ſignificant Figures neglecting the Cyphers, but here ſpecial notice is to be taken of the true placing of the firſt figure after the neglect of ſuch Cypher or Cyphers; and therefore you muſt obſerve in what place of the multiplyer the figure you multiply by ſtandeth, and ſet the firſt figure of that product under the ſame place of the product of the firſt figure of your multiplyer: As for Example, let it be required to multiply 371568 by 40007, firſt I multiply the multiplicand by 7, and the product is 2600976, then neglecting the Cyphers I multiply by 4, and that product is 1486272, now I conſider that 4 is the fifth figure in the multiplier, therefore I place two (the firſt figure of the product by 4) under the fifth place of the firſt Product by 7, and the reſt in order, and having added them together, the total product is found to be 14865320976, other Examples in this Rule are theſe following.

Si intermedio multiplicantis loco circulus fuerit, ille negligetur. Alſted. cap. 9. de Arithm.

371568	
40007	
2600976	
1486272	
14865320976	

327586	7864371
6030	20604
9827580	31457484
1965516	47186226
	15728742
1975343580	162037500084

9. If you are to multiply any Number by an Unit with Cyphers, (*viz.*) by 10, 100, 1000, *&c.* then annex ſo many Cyphers before the multiplicand, and that number when the Cyphers are annexed is the product required; as if you would multiply 428 by 100, annex two Cyphers to 428 and it is 42800: If it were required

required to multiply 102 by 10000, annex 4 Cyphers and it gives 1020000 for the Product required.

The Proof of Multiplication.

10. Multiplication is proved by Division, and to speak truth all other ways are false; and therefore it will be most convenient in the first place, to learn Division, and by that to prove Multiplication. There is a Way (at this day generally used in Schools) to prove Multiplication, which is this, first add all the Figures in the multiplicand together, as if they were simple Numbers, casting away the Nines as often as it comes to so much, and noting the remainder at last, which in this case cannot be so much as 9: Cast likewise the Nines out of the multiplier as you did out of the multiplicand, and note that remainder; then multiply the Remainders, the one by the other, and cast the Nines out of that Product, observing the Remainder; and lastly, cast the Nines out of the total Product, and if this remainder be equal to the remainder last found, then they conclude the Work to be rightly performed; but there may be given a thousand (nay infinite) false products in a multiplication, which after this manner may be proved to be true, and therefore this way of proving doth not deserve any Example; but we shall defer the Proof of this Rule till we come to prove Division, and then we shall prove them both together.

Non est quod aliam expetter examinandi viam; nam alia vulgares & falsa sunt, & nullo innixa fundamento
Gemma Frisius.

11. The general effect of Multiplication is contained in the definition of the same, which is to find out a third number, so often containing one of the two given Numbers as the other containeth Units.

The second effect is by having the length and breadth of any thing (as a Parallelogram, or long Plane) to find the superficial Content of the same, and by having the superficial Content of the Base, and the length to find out the solidity of any Parallelipipedon, Cylinder, or other solid figures.

The

8. If in the multiplyer Cyphers are placed between significant figures, then multiply only by the significant Figures neglecting the Cyphers, but here ſpecial notice is to be taken of the true placing of the firſt figure after the neglect of ſuch Cypher or Cyphers; and therefore you muſt obſerve in what place of the multiplyer the figure you multiply by ſtandeth, and ſet the firſt figure of that product under the ſame place of the product of the firſt figure of your multiplyer: As for Example, let it be required to multiply 371568 by 40007, firſt I multiply the multiplicand by 7, and the product is 2600976, then neglecting the Cyphers I multiply by 4, and that product is 1486272, now I conſider that 4 is the fifth figure in the multiplier, therefore I place two (the firſt figure of the product by 4) under the fifth place of the firſt Product by 7, and the reſt in order, and having added them together, the total product is found to be 14865320976, other Examples in this Rule are theſe following.

Si intermedio multiplicantis loco circulus fuerit, ille negligetur. Alſted. cap. 9. de Arithm.

371568	
40007	
2600976	
1486272	
14865320976	

327586	7864371
6030	20604
9827580	31457484
1965516	47186226
1975343580	15728742
	162037500084

9. If you are to multiply any Number by an Unit with Cyphers, (*viz.*) by 10, 100, 1000, *&c.* then annex ſo many Cyphers before the multiplicand, and that number when the Cyphers are annexed is the product required; as if you would multiply 428 by 100, annex two Cyphers to 428 and it is 42800: If it were required

required to multiply 102 by 10000, annex 4 Cyphers and it gives 1020000 for the Product required.

The Proof of Multiplication.

10. Multiplication is proved by Division, and to speak truth all other ways are false; and therefore it will be most convenient in the first place, to learn Division, and by that to prove Multiplication. There is a Way (at this day generally used in Schools) to prove Multiplication, which is this, first add all the Figures in the multiplicand together, as if they were simple Numbers, casting away the Nines as often as it comes to so much, and noting the remainder at last, which in this case cannot be so much as 9: Cast likewise the Nines out of the multiplier as you did out of the multiplicand, and note that remainder; then multiply the Remainders, the one by the other, and cast the Nines out of that Product, observing the Remainder; and lastly, cast the Nines out of the total Product, and if this remainder be equal to the remainder last found, then they conclude the Work to be rightly performed; but there may be given a thousand (nay infinite) false products in a multiplication, which after this manner may be proved to be true, and therefore this way of proving doth not deserve any Example; but we shall defer the Proof of this Rule till we come to prove Division, and then we shall prove them both together.

Non est quod aliam expetiter examinandi viam; nam alia vulgares & falsa sunt, & nullo innixa fundamento
Gemma Frisius.

11. The general effect of Multiplication is contained in the definition of the same, which is to find out a third number, so often containing one of the two given Numbers as the other containeth Units.

The second effect is by having the length and breadth of any thing (as a Parallelogram, or long Plane) to find the superficial Content of the same, and by having the superficial Content of the Base, and the length to find out the solidity of any Parallelipipedon, Cylinder, or other solid figures.

The

The third Effect is by the contents, price, value buying, selling, expence, wages, exchange, simple intereſt, gain or loſs of any one thing, be it Money, Merchandize, *&c.* to find out the value, price, expence, buying, selling, exchange, or intereſt of any number of things of like Name, Nature and Kind.

The fourth Effect is (not much unlike the other) by the Contents, Value, or Price of one part of any thing denominated, to find out the Content, Value, or Price of the whole thing, all the parts into which the whole is divided, multiplying the price of one of thoſe parts.

The fifth Effect is, to aid, to compound, and to make other Rules, as chiefly the Rule of Proportion, called the Golden Rule, or Rule of Three; alſo by it, things of one Denomination are reduced to another.

If you multiply any number of Integers or the price of the Integer, the Product will diſcover the price of the Quantity or Number of Integers given.

In a Rectangular Solid, if you multiply the breadth of the Baſe by the depth, and that Product by the length, this laſt Product will diſcover the Solidity or Content of the ſame Solid.

Some Queſtions proper to this Rule may be theſe following.

Queſt. 1. What is the Content of a ſquare piece of Ground, whoſe length is 28 *perches*, and breadth 13 *perches?*

Anſw. 364 ſquare *perches*, for multiplying 28 the length by 13 the breadth, the Product is ſo much.

Queſt. 2. There is a ſquare Battle whoſe Flank is 47 men, and the Files 19 deep, what number of Men doth that Battle contain? *Facit* 893; for multiplying 47 by 19, the product is 893.

Queſt. 3. If any one thing coſt 4 ſhillings, what ſhall 9 ſuch things coſt? *Anſw.* 36 ſhillings; for multiplying 4 by 9, the product is 36.

Queſt. 4. If a piece of Money or Merchandize be worth or coſt 17 ſhillings, what ſhall 19 ſuch pieces

o

of Money or Merchandize coſt? *Facit* 323 ſhillings, which is equal to 16*l.* 3*s.*

Queſt. 5. If a Soldier or Servant get or ſpend 14*s.* *per* month, what is the Wages or Charges of 49 Soldiers or Servants for the ſame time? Multiply 49 by 14, the Product is 686*s.* or 34*l.* 6*s.* for the *Anſwer.*

Queſt. 6. If in a day there are 24 hours, how many hours are there in a year, accounting 365 days to conſtitute the year? *Facit* 8760 hours; to which if you add the 6 hours over and above 365 days, as there is in a year, then it will be 8766 hours; now if you multiply this 8766 by 60, the number of minutes in an Hour, it will produce 525960 for the number of minutes in a Year.

CHAP. VII.

Of Diviſion of whole Numbers.

1. DIVISION is the ſeparating or parting of any Number or Quantity given into any parts aſſigned; or to find how often one Number is contained in another: Or from any two Numbers given to find a third that ſhall conſiſt of ſo many Units, as the one of thoſe two given Numbers is comprehended or contained in the other.

2. Diviſion hath three Parts or Numbers remarkable, *viz.* Firſt, the Dividend. Secondly, the Diviſor. Thirdly, the Quotient. The Dividend is the Number given to be parted or divided. The Diviſor is the Number given, by which the Dividend is divided: Or it is the Number which ſheweth how many parts the Dividend is to be divided into, and the Quotient is the number produced by the Diviſion of the two given Numbers, the one by the other.

So 12 being given to be divided by 3, or into three equal parts, the Quotient will be 4, for 3 is contained in 12 four times, where 12 is the Dividend, and 3 is the Diviſor, and 4 is the Quotient.

3. In

3. In Division set down your dividend, and draw a crooked line at each end of it, and before the line at the left-hand, place the divisor, and behind that on the right-hand, place the figures of the Quotient, as in the Margent, where it is required to divide 12 by 3: First, I set down 12 the dividend, and on each side of it do I draw a crooked line, and before that on the left-hand do I place 3 the divisor; then do I seek how often 3 is contained in 12, and because I find it 4 times, I put 4 behind the crooked line on the right-hand of the dividend, denoting the Quotient.

3) 12 (4

4. But if when the divisor is a single figure, the dividend consisteth of two or more places, then (having placed them for the Work as is before directed) put a point under the first figure on the left hand of the dividend, provided it be bigger than (or equal to) the divisor, but if it be lesser than the divisor then put a point under the second figure from the left hand of the Dividend, which figures as far as the point goeth from the left hand are to be reckoned by themselves, as if they had no dependance upon the other part of the dividend, and for distinction sake may be called the dividual, then ask how often the divisor is contained in the dividual, placing the Answer in the quotient; then multiply the divisor by the figure that you placed in the Quotient, and set the product thereof under the dividual; then draw a line under that product, and subtract the said product from the dividual, placing the remainder under the said line, then put a point under the next figure in the dividend, on the right-hand of that which you put the point before, and draw it down, placing it on the right-hand of the remainder, which you found by Subtraction; which remainder with the said figure annexed before it, shall be a new dividual; then seek again how often the divisor is contained in this new dividual; and put the Answer in the quotient on the right-hand of the figure which you put there before; then multiply the divisor by the last figure that you put

put in the Quotient, and subscribe the product under the dividual, and make Subtraction, and to the remainder draw down the next figure from the grand dividend, (having first put a point under it) and put it on the right-hand of the remainder for a new dividual as before, &c. and proceed thus till the Work is finished.

Observing this general Rule in all kinds of Division, first to seek how often the divisor is contained in the dividual; then (having put the Answer in the Quotient) multiply the divisor thereby, and subtract the product from the dividual. An Example or two will make the Rule plain. Let it be required to divide 2184 by 6. I dispose of the Numbers given as is before directed, and as you see in the Margent, in order to the Work; then (because 6 the divisor is more than 2 the first Figure of the dividend) I put a point under 1 the second Figure, which makes the 21 for the dividual, then do I ask how often 6 the divisor is contained in 21, and because I cannot have it more than 3 times, I put 3 in the Quotient, and thereby do I multiply the divisor (6) and the product by 18, which I set in order under the dividual, and subtract it therefrom, and the remainder (3) I place in order under the line, as you see in the Margent.

```
6)2184(
  .
6)2184(3
  :
  18
  --
  3
```

Then do I make a point under the next figure of the dividend, being 8, and draw it down, placing it before the remainder 3, so have I 38 for a new dividual, then do I seek how often 6 is contained in 38, and because I cannot have more than 6 times, I put 6 in the Quotient, and thereby do I multiply the divisor 6, and the product (36) I put under the dividual (38) and subtract it therefrom, and the remainder 2 I put under the Line, as you see in the Margent.

```
6)2184(36
  ..
  18
  --
  38
  36
  --
  2
```

D— Then

Then do I put a point under the next (and last) figure of the dividend (being 4) and draw it down to the remainder 2, and putting it on the Right-hand thereof, it maketh 24 for a new dividual; then I seek how often 6 is contained in 24, and the Answer is 4, which I put in the quotient, and multiply the Divisor (6) thereby; and the product (24) I put under the dividual (24) and subtract it therefrom, and the remainder is 0, and thus the Work is finished, and I find the Quotient to be 364, that is, 6 is contained in 2184 just 364 times, or 2184 being divided into 6 equal parts, 364 is one of those parts.

```
6)2184(364
...
18
--
38
36
--
24
24
--
(0)
```

Again, If it were required to divide 2646 by 7 or into 7 equal parts, the Quotient would be found to be 378, as by the following Operation appeareth.

```
7) 2646 (378
...
21
--
54
49
--
56
56
--
(0)
```

So if it were required to divide 946 by 8, the quotient will be found to be 118, and 2 remaining after Division is ended. The Work followeth.

Man

```
8) 946 (118
   8
   --
   14
   8
   --
   66
   64
   --
   (2)
```

Many times the dividend cannot exactly be divided by the divisor, but something will remain, as in the first Example, where 946 was given to be divided by 8, the quotient was 118 and there remaineth 2 after the division is ended: Now what is to be done in this case with the remainder, the Learner shall be taught when we come to treat of reducing (or Reduction) of Fractions.

And here note that if after your Division is ended, any thing do remain, it must be lesser than your divisor, for otherwise your Work is not rightly performed.

Other Examples are such as follow.

```
) 73464 (9183
  72
  --
  14
  8
  --
  66
  64
  --
  24
  24
  --
  (0)
```

```
9) 13758 (1528
   9
   --
   47
   45
   --
   25
   18
   --
   78
   72
   --
   (6)
```

5. But if the divisor consisteth of more places th one, then chuse so many figures from the left side the dividend for a dividual as there are figures in t divisor, and put a point under the farthest figure that dividual to the right-hand, and seek how oft the first figure on the left side of the divisor, contained in the first figure on the left side of t dividual, and place the Answer in the Quotient, a thereby multiply your divisor, placing your produ under your dividual, and subtract it therefrom, pl cing the remainder below the line; then put a poi under the next figure in the dividend, and draw down to the said remainder, and annex it on the rig side thereof, which makes a new dividual, and proce as before, till the Work is finished.

And if it so happen that after you have chosen yo first dividual (as is before directed) you find it to lesser than the divisor, then put a point under a figu more near to the right-hand, and seek how often t first figure on the left side of the divisor is contain in the two first figures on the left side of the dividu and place the answer in the quotient, by which mul ply the divisor, and place the product thereof in o der under the dividual, and subtract it therefro and proceed as before.

Always remembring, that (in all the cases of Di sion) if after you have multiplyed your divisor the figure last placed in the Quotient, the produc greater than the dividual, then you must cancel th figure in the Quotient, and instead thereof put a gure lesser by a Unit (or one) and multiply the di sor thereby, and if still the product be greater th the dividual, make the figure in the quotient yet les by a Unit, and thus do until your product be les than the dividual, or at the most equal thereto, a then make Subtraction, *&c.*

So if you would divide 9464 by 24, the quotie will be found to be 394, I first put down the giv numbers, as before is directed in the third Rule: N beca

Because my divisor consisteth of two figures, I therefore put a point under the second Figure from the left-hand in my dividend, which here is 4, wherefore I seek how often 2 the first Figure (on the left side of the divisor) is contained in 9 (the like first in the dividual) the answer is 4, which I put in the quotient, and thereby multiply all the divisors, and find the product to be 96, which is greater than the dividual 94, wherefore I cancel the 4 in the quotient, and instead thereof I put 3 (a Unit lesser) and by it multiply the divisor 34, and the product is 72, which I subtract from 94 the dividual, and the remainder is 22, then do I make a point under the next Figure 6 in the dividend, and draw it down and place it on the right side of the remainder 22, and it makes 226 for a new dividual, now because the dividual 226 consisteth of a Figure more than the divisor, therefore I seek how often 2 (the first figure of the divisor is contained in 22 the two first of the dividual) I say 9 times, wherefore I put 9 in the quotient, and thereby multiply the divisor 24, the product (216) I place under the dividual 226, and subtract it from it, and there remaineth 10.

```
24) 9464 (3
    72
    --
    22

24) 9464 (39
    72
    --
   226
   216
   ---
    10
```

Then I go on and make a point under the next and last figure (4) in the dividend, and draw it down to the remainder 10, and it maketh 104, for a new dividual, which is also a figure more than the divisor, and therefore I seek how often two is contained in 10, I answer 5 times, but multiplying my divisor by 5, the product is 120, which is greater than the dividual, and therefore I make it but 4, and by it multiply the divisor, and the product is 96, which being placed under, and subtracted from the dividual, there remaineth 8, and thus the whole work of this division is ended, and I find that 9464 being divided

or into 24 equal parts, is found to be 394, as was f
before, and the remainder is 8, as you see in the w
following.

```
24) 9464 (394
    ....
    72
    ---
    226
    216
    ---
    104
     96
    ---
     (8)
```

Another Example may be this, let there be requir
the quotient of 1183653 divided by 385, first I d
spose of the numbers in order to
their dividing, and becaufe 118 the
three first Figures of the dividend is
lesser than the divisor 385, I there-
fore make a point under the fourth
figure, which is 3, and seek
how often 3 (the first Figure of
the divisor) is contained in 11 ? The Answer is
which I put in the Quotient, and thereby multiply t
divisor 385, and the product is 1155 which I subtra
from the dividual 1188, and there remains 28. Th
(as before) I draw down the
next Figure, which is 6, and
place it before the remainder
28, so have I 286 for a new
dividual, and becaufe it hath no
more figures than the divisor, I
seek how often 3 (the first Figure in the divisor)
contained in 2 (the first figure of the dividual) a
the Answer is 0, for a greater number cannot be co
tained in a lesser, wherefore I put 0 in the quotie
and thereby (according to the 5th Rule) I shou
multiply my divisor, but if I do the product will be
a

```
385)1183653(
    1155
    ----

385) 1183653 (
     ....
     1155
     ----
      286
```

and o ſubtracted from the dividual 286, the remainder is the ſame; wherefore I draw down the next Figure (5) from the dividend, and put it before the ſaid remainder 286, ſo have I 2865 for a new dividual, and becauſe it conſiſteth of four places, (*viz.*) a place more than the diviſor, I ſeek how often 3 (the firſt figure of the diviſor) is contained in 28 (the two firſt of the dividual) and I ſay there is 9 times 3 in 28, but multiplying my whole diviſor (385) thereby I find the product to be 3465, which is greater than the dividual 2865, wherefore I chooſe 8 which is leſſer by a Unit than 9, and thereby I multiply my diviſor 385, and the product is 3080, which ſtill is greater than the ſaid dividual, wherefore I chooſe another number yet a Unit leſſer, *viz.* 7; and having multiplyed my diviſor thereby, the product is 2695, which is leſſer than the dividual 2865, wherefore I put 7 in the Quotient, and ſubtract 2695 from the dividual 2865, and there remains 170, then I draw down the laſt figure (3) in the dividend, and place it before the ſaid remainder 170, and it makes 1703 for a new dividual, then (for the Reaſon above-ſaid) I ſeek how often 3 is contained in 17, the anſwer is 5, but multiplying the diviſor thereby, the product is (1925) greater than the dividual, wherefore I ſay it will bear 4 (a Unit leſſer) and by it I multiply the diviſor 385 and the product is 1540, which is leſſer than the dividual, and therefore I put 4 in the Quotient, and ſubtract the ſaid product from the dividual, and there remaineth 163, and thus the Work is finiſhed, and I find that 1183653 being divided by 385.

```
385)1183653(307
    ...
    1155
    ----
    2865
    2695
    ----
    (170)

385)1183653(3074
    ....
    1155
    ----
    2865
    2695
    ----
    1703
    1540
    ----
    (163)
```

or into 385 equal shares or parts, the Quotient (or one of those parts) is 3074, and besides there is 163 remaining.

And thus the Learner being well versed in the Method of the foregoing Examples, he may be sufficiently qualified for the dividing of any greater Sum or Number into as many parts as he pleaseth, that is, he may understand the method of dividing by a divisor, which consisteth of 4, or 5, or 6, or any greater number of places, the method being the same with the foregoing Examples in every respect.

Other Examples in Division.

27986) 835684790 (29860

55972

275964
251874

240907
223888

170199
167916

Remains (22830)

196374) 473986018 (2413

392748

812380
785496

268841
196374

724678
589122

Remains (135556)

So if you divide 47386473 by 58736, you will find the Quotient to be 806, and 45257 will remain after the work is ended.

In like manner if you would divide 3846739204 by 483064, the quotient will be 7963, and the remainder after Division will be 100572.

Compendiums in Division.

1. IF any given Number be to be divided by another number that hath Cyphers annexed on the right side thereof, (omitting the Cyphers) you may cut off so many Figures from the right hand of the dividend, as there are Cyphers before the divisor, and let the remaining Numbers in the dividend, be divided by the remaining number or numbers in the divisor, observing this Caution, that if after your Division is ended any thing remain, you are to annex thereto, the *number* or *numbers* that were cut off from the *dividend*; and such new found *number* shall be the Remainder. As for Example: Let it be required to divide 46658 by 400; now because there are two Cyphers before the Divisor, I cut off as many Figures from before the Dividend, *viz.* 58, so that then there will remain only 466 to be divided by 4, and the quotient will be 116, and there will remain 2, to which I annex the two figures (58) which were cut off from the dividend, and it makes 258 for the true remainder, so that I conclude 46658 being divided by 400, the quotient will be 116, and 258 remaineth after the Work is ended; as by the Work in the Margent.

Et si Divisor adjunctos sibi habeat Circulos ad dextram, omissis circulis & abscissis totidem ultimis figuris dividendi in numeris restituis fiat divisio, in fine autem divisionis restituendi sunt tum omissi circuli; tum figuræ abscissæ. Ought. Cla. Matth. cap. 5. 3.

```
4|00)466|58(116
     ...
     4
     ---
      6
      4
     ---
      26
      24
     ----
     (258)
```

2. And hence it followeth that if the Divisor be (1 or a Unit with Cyphers annexed, you may cut off so many figures from before the dividend, as there are Cyphers in the Divisor, and then the figure or figures that are on the Left-hand, will be the Quotient, and those that are on the Right-hand will be the Remainder after the Division is ended: As thus, if 45783 were to be divided by 10, I cut off the last figure (3) with a dash thus (4578|3) and the work is done, and the quotient is 4578 (the number on the left-hand of the dash) and the remainder is 3 (on the right-hand;) in like manner if the same number 45783 were to be divided by 100, I cut off 2 figures from the end thus (457|83) and the Quotient is 457 and the remainder is 83. And if I were to divide the same by 1000, I cut off 3 figures from the end thus (45|783) and the Quotient is 45, and 783 the remainder, *&c.*

Divisurus quemcumque numerum per 10. Aufer ex dextra parte unicam, eamque primam figuram: Reliqua enim figura productum ostendunt, Ablatum residuum, &c. Gem. Fris. Arithm.

6. The General Effect of Division is contained in the definition of the same (that is) by having two unequal numbers given to find a third number in such proportion to the dividend, as the divisor hath to Unity or 1, it also discovers what reason or proportion there is between numbers, so if you divide 12 by 4, it quotes 3, which shews the reason or proportion of 4 to 12 is triple.

The second Effect is by the superficial measure or content, and the length of any Oblong, Rectangular Parallelogram, or square plane known, to find out the breadth thereby, or contrariwise by having the superficies, and breadth of the said figure, to find out the length thereof. Also by having the solidity and length of a Solid, to find the Superficies of the Base, *& è contra.*

The third Effect is, by the contents, reason, price, value, buying, selling, expences, wages, exchange, interest, profit or loss of any number of things (be it Money, Merchandize, or what else) to find out the con-

contents, reaſon, price, value, buying, ſelling, expence, wages, exchange, intereſt, - profit or loſs, of any one thing of like kind.

The fourth Effect is to aid, to compoſe, and to make other Rules, but principally the Rule of Proportion, called the Golden Rule, or Rule of Three, and the Reduction of Moneys, Weights, and Meaſures, of one denomination into another, by it alſo Fractions are abbreviated by finding a common meaſurer, unto the Numerator and Denominator, thereby diſcovering commenſurable numbers.

If you divide the value of any certain quantity, by the ſame quantity, the quotient diſcovers the rate or value of the Integer, as if 8 yards of Cloth coſt 96 ſhillings; if you divide (96) the value or price of the given quantity, by (8) the ſame quantity, the quotient will be 12, which is the price or value of 1 of thoſe yards, *& è contra.*

If you divide the value or price of any unknown quantity, by the value of the Integer, it gives you in the quotient that unknown quantity whoſe price is thus divided; as if 12 ſhillings were the value of 1 yard, I would know how many yards are worth 96 ſhillings: Here if you divide (96) the price or value of the unknown quantity, by (12) the rate of the Integer, or one yard, the quotient will be 8, which is the number of yards worth 96 ſhillings.

Some Queſtions anſwered by Diviſion may be theſe following.

Queſt. 1. If 22 things coſt 66 ſhillings, what will 1 ſuch thing coſt? *facit* 3 ſhillings; for if you divide 66 by 22, the Quotient is 3 for the Anſwer; ſo if 36 yards or ells of any thing be bought or ſold for 108 *l.* how much ſhall 1 yard or ell be bought or ſold for? *facit* 3 *l.* for if you divide 108 *l.* by 36 yards, the quotient will be 3 *l.* the price of the Integer.

Queſt. 2. If the Expence, Charges or Wages of 7 years amount to 868 *l.* what is the Expence, Charges or Wages of one year? *facit* 124 *l.* for if you divide

868

868 (the Wages of 7 years) by 7 (the number of years) the quotient will be 124 *l.* for the Answer. See the Work.

```
7) 868 (124
   ...
   7
  ---
   16
   14
  ---
    28
    28
  ---
    (0)
```

Quest. 3. If the content of one Superficial Foot be 144 Inches, and the breadth of a board be 9 inches, how many inches of that board in length will make such a foot? *Facit*, 16 inches; for by dividing 144 (the number of square Inches in a square Foot) by 9 (the inches in the breadth of the board) the Quotient is 16 for the number of Inches in length of that board to make a superficial Foot.

```
9) 144 (16 Inches
   ...
   9
  ---
   54
   54
  ---
   (0)
```

Quest. 4. If the content of an Acre of Ground be 160 square Perches, and the length of a Furlong (propounded) be 80 Perches, how many Perches will there go in breadth to make an Acre? *Facit*, 2 Perches; for if you divide 160 (the number of Perches in an Acre) by 80 (the length of the Furlong in Perches) the Quotient is 2 Perches; and so many in breadth of that Furlong will make an Acre.

80) 160 (2 *Perches*

160

(0)

Queſt. 5. If there be 893 men to be made up into a battle, the Front conſiſts of 47 men, what number muſt there be in the File? *Facit*, 19 deep in the File: For if you divide 893 (the number of men) by 47 (the number in Front), the quotient will be 19 File in depth; the Work followeth;

47) 893 (19 *deep in file*

47

423

423

(0)

Queſt. 6. There is a Table whoſe ſuperficial content is 72 feet, and the breadth of it at the end is 3 feet, now I demand what is the length of this Table? *Facit* 24 feet long; for if you divide 72 (the content of the Table in feet) by 3 (the breadth of it) the Quotient is 24 feet for the length thereof, which was required. See the Operation as followeth;

3) 72 (24

6

12

12

(0)

The Proof of Multiplication and Diviſion.

Multiplication and *Diviſion* interchangeably prove each other; for if you would prove a Sum in *Diviſion*, whether the Operation be right or no, multiply the

the quotient by the divisor; and if any thing remain after the Division was ended, add it to the product, which product (if your sum was rightly divided) will be equal to the dividend: And contrariwise, if you would prove a Sum in *Multiplication*, divide the product by the multiplyer, and if the work was rightly performed, the quotient will be equal to the multiplicand. See the Example where the Work is done and undone. Let 7654 be given to be multiplyed by 3242, the product will be 24814268, as by the Work appeareth.

```
  7654
  3242
 -----
 15308
 30616
 15308
 22962
 -----
 24814268
```

And then if you divide the said product 24814268 by 3242 the multiplyer, the quotient will be 7654, equal to the given multiplicand.

```
3242) 24814268 (7654
      ....
  22694
 -------
  21202
  19452
 -------
  17506
  16210
 -------
  12968
  12968
 -------
    (0)
```

In

In like manner (to prove a sum or number in *Division*) if 24814268 were divided by 3242 the Quotient will be found to be 7654; then for proof, if you multiply 7654 the quotient by 3254 the divisor, the product will amount to 24814268, equal to the dividend.

Or you may prove the last, or any other, Example in *Multiplication* thus, *viz.* Divide the product by the multiplicand, and the Quotient will be equal to the multiplyer. See the Work.

```
          7654
          3242
        -------
         15308
        30616
       15308
      22962
      ---------
7654) 24814268 (3242
          ....
      22962
      -------
       18522
       15308
       -------
        32146
        30616
        -------
         15308
         15308
         -------
          (0)
```

From whence there ariseth this Corollary, that any Operation in *Division* may be proved by *Division*; for if after your *Division* is ended, you divide the dividend by the quotient, the new quotient thence arising will be equal to the divisor of the first operation; for tryal whereof let the last Example be again repeated.

3242

```
3242) 24814268 (7654
      ....
      22694
      -----
       21202
       19452
       -----
        17506
        16210
        -----
         12968
         12968
         -----
           (0)
```

For Proof whereof divide again 24814268 by the Quotient 7654, and the Quotient hence will be equal to the first divisor 3242; see the Work.

```
7654) 24814268 (3242
      ....
      22962
      -----
       18522
       15308
       -----
        32146
        30616
        -----
         15308
         15308
         -----
           (0)
```

But in proving *Division* by *Division*, the Learner is to observe this following Caution, that if after his *Division* is ended there be any Remainder, before you go about to prove your Work, subtract that remainder out of your dividend, and then work as before, as in the following Example, where it is required to divide 43876 by 765, the Quotient here is 57, and the remainder is 271; see the Work following.

765)

765) 43876 (57
3825
5626
5355
(271)

Now to prove this Work, ſubtract the remainder 271 out of the dividend 43876, and there remaineth 43605 for a new dividend to be divided by the former quotient 57, and the quotient thence ariſing is 765 equal to the given Diviſor, which proveth the Operation to be right.

43876
271
57) 43605 (765
399
370
342
285
285
(0)

Thus have we gone through the four Species of Arithmetick, *viz.* Addition, Subtraction, Multiplication, and Diviſion; upon which all the following Rules and all other Operations whatſoever that are poſſible to be wrought by Numbers have their immediate dependance, and by them are reſolved. Therefore before the Learner make a further ſtep in this Art, let him be well acquainted with what hath been delivered in the foregoing Chapters.

Hæ ſunt igitur quatuor illæ ſpecies Arithmeticæ per quas omnia quæcunque deinceps dicenda ſunt vel quæ per numeros fieri poſſibile eſt, abſolvuntur. Quare eas quiſquis es ante omnia perdiſces. Gem. Friſ. Arith. par. 1.

CHAP.

CHAP. VIII.

Of Reduction.

1. *Reduction* is that which brings together two or more numbers of different denominations into one denomination; or it serveth to change or alter Numbers, Money, Weight, Measure of Time, from one denomination to another; and likewise to abridge Fractions to their lowest Terms. All which it doth so precisely, that the first Proportion remaineth without the least jot of Error or Wrong committed. So that it belongeth as well to Fractions as Integers, of which in its proper place. *Reduction* is generally performed either by Multiplication or Division; from whence we may gather, that,

Hills Arith. c. 13. p. 152.

2. *Reduction* is either descending or ascending.

3. *Reduction* descending, is when it is required to reduce a Sum or Number of a greater denomination into a lesser; which Number, when it is so reduced, shall be equal in value to the number first given in the greater denomination; as if it were required to know how many *shillings*, *pence* or *farthings*, are equal in value to an *hundred pounds?* or how many *ounces* are contained in 45 *hundred weight*; or how many *days*, *hours* or *minutes* there are in 240 *years*, *&c.* And this kind of *Reduction* is generally performed by *Multiplication.*

Wing. Arith. ch. 7. 2, 3, 4.

4. *Reduction* ascending, is when it is required to reduce or bring a sum or number of a smaller denomination into a greater, which shall be equivalent to the given number; as suppose it were required to find out how many Pence, Shillings or Pounds are equal in value to 43785 Farthings; or how many hundreds are equal to (or in) 3748 pounds, *&c.* and this kind of *Reduction* is always performed by *Division.*

5. When a Sum or Number is given to be reduced into another denomination, you are to consider whether

ther it ought to be resolved by the Rule descending or ascending, *viz.* by Multiplication or Division: If it be to be performed by Multiplication, consider how many parts of the denomination into which you would reduce it, are contained in a Unit or Integer of the given number, and multiply the said given number thereby, and the product thereof will be the Answer to the Question. As if the Question were in 38 pounds, how many shillings? Here I consider, that in one pound are 20 shillings, and that the number of shillings in 38 pounds will be 20 times 38, where I multiply 38 *l.* by 20, and that product is 760, and so many shillings are contained in 38 pounds, as in the margent.

38	
20	
760	

But when there is a denomination, or denominations between the number given, and the number required, you may (if you please) reduce it into the next inferiour denomination, and then into the next lower than that, *&c.* until you have brought it into the denomination required: As for Example, Let it be demanded in 132 pounds how many farthings? First, I multiply 132 (the number of pounds given by 20 to bring it into shillings) and it makes 2640 shillings, then do I multiply the shillings (2640) by 12, to bring them into pence, and it produceth 31680, and so many *pence* are contained in 2640 *shillings*, or 132 *pounds*; then do I multiply the *pence*, *viz.* 31680 by 4 to bring them into *farthings* (because 4 *farthings* is a *penny*) and I find the *product* thereof to be 126720, and so many *farthings* are equal in value to 132 *pounds*, the Work is manifest in the margent.

132	*pounds*
20	
2640	*shill.*
12	
5280	
2640	
31680	*pence*
4	
126720	*farth.*

6. And if the number propounded to be reduced, is to be divided, or wrought by the Rule Ascending, con-

consider how many of the given numbers are equal to an Unit or Integer, in that denomination to which you would reduce your given number, and make that your divisor, and the given number your dividend; and the quotient thence arising will be the number sought or required: As for Example, Let it be required to reduce 2640 shillings into pounds. Here I consider that 20 shillings are equal to one pound; wherefore I divide 2640 (the given Number) by 20, and the Quotient is 132, and so many pounds are contained in 2640 shillings. In Reduction descending and ascending the Learner is advised to take particular notice of the Tables delivered in the second Chapter of this Book, where he may be informed what Multiplyers or Divisors to make use of in the reducing of any Number to any other denomination whatsoever, especially *English* Moneys, Weights, Measures, Time and Motion; but in this place it is not convenient to meddle with Foreign Coyns, Weights, or Measures.

l.
2|0) 264|0 (132
...
2
——
6
6
——
4
4
——
(0)

But if in Reduction ascending it happen that there is a denomination or denominations between the number given, and the number required, then you may reduce your number given into the next superiour denomination, and when it is so reduced, bring it into the next above that, and so on until you have brought it into the denomination required. As for Example,

Let it be demanded in 126720 *farthings* how many *pounds?* First, I divide my given *number* (being *farthings*) by 4, to bring them into *pence*, (because 4 *farthings* make one *penny*) and they are 31680 *pence*, then I divide 31680 *pence* by 12, and the Quotient giveth 2640 *shillings*, and then I divide 2640 *shillings* by 20, and the quotient giveth 132 *pounds*, which are equal in value to 126720 *farthings*. See the whole Work as it followeth.

4)

```
                12)     2|0)     l.
4) 126720 (31680 (264|0 (132
   .....    ....    ..
   12       24      2
   ---      ---     ---
    6       76      6
    4       72      6
   ---      ---     ---
    27      48      4
    24      48      4
   ---      ---     ---
     32     (00)    (0)
     32
    ---
     (0)
```

7. When the *number* given to be reduced, consisteth of divers denominations, as *pounds*, *shillings*, *pence*, and *farthings*, or of *hundreds*, *quarters*, *pounds* and *ounces*, &c. then you are to reduce the highest (or greatest) denomination into the next inferiour, and add thereunto the number standing in that denomination which your greatest or highest number is reduced to; then reduce that Sum into the next inferiour Denomination, adding thereto the number standing in that denomination; do so until you have brought the number given into the denomination proposed. As if it were required to reduce 48 *l.* 13 *s.* 4 *d.* into pence; first, I bring 48 *l.* into shillings, by multiplying it by 20, and the product is 960 shillings, to which I add the 13 shillings, and they make 973, then I multiply 973 by 12, to bring the shillings into pence, and they make 11676 pence, to which I add the 10 pence, and they make 11686 pence for the Answer. See the Work done.

48 *l.*

	l.	s.	d.
	48	13	10
	20		
	960	*ſhillings*	
Add	13		
Sum	973	*ſhillings*	
	12		
	1946		
	973		
	11676	*pence*	
Add	10		
Sum	11686	*pence*	

8. If (in Reduction Aſcending) after Diviſion is ended, any thing remain, ſuch remainder is of the ſame denomination with the dividend.

Example. In 4783 *farth.* I demand how many *pounds.*

Firſt, I divide the given number of farthings, (*viz.* 4783) by 4 to bring them into pence, and the Quotient is 1195 pence, and there remaineth 3 after the work of Diviſion is ended, which is 3 farthings.

Again, I divide 1195 pence (the ſaid quotient) by 12, to reduce them into ſhillings, and the quotient is 99 ſhillings, and there is a remainder of 7, which is 7 pence.

And then I divide 99 ſhillings (the laſt quotient) by 20, to bring it into pounds, and the quotient is 4 *l.* and there remaineth 19 ſhillings; ſo that I conclude that in 4783 (the propoſed number of farthings) there is 4 pounds, 19 ſhillings, 7 pence, 3 farthings. View the following Operation.

```
                12)   2|0
4) 4783 (1195 (9|9 (4 pounds
   ....     ..
   4        108   8
   ---      ---  ---
    7       115 (19) shillings
    4       108
   ---      ---
   38  rem. (7) pence
   36
   ---                l.  s.  d. qrs.
    23        Facit 4—19—7—3
    20
   ---
Rem. (3) farthings
```

More Examples in Reduction of Coyn.

Quest. 1. In 438 *l.* how many shillings? *Facit* 8760 shillings; for by multiplying 438 by 20, the product amounteth to so much. See the Work.

```
  438 pounds
   20
  ----
Facit 8760 shillings
```

Quest. 2. In 467 *l.* how many pence? First, multiply the given number of pounds (467) by 20 to bring it into shillings, and it makes 9340 shillings, then multiply the shillings by 12, and it produceth 112080 pence, thus,

```
  467 pounds
   20 shillings
  ----
 9340 shillings
   12
 -----
 18680
 9340
 -----
Facit 112080 pence
```

Or

Or it may be resolved thus, *viz.* multiply the given *number* of *pounds* (467) by (240) the *number* of *pence* in a *pound*, and the product is the same, *viz.* 112080 *pence*, as by the Operation appeareth.

467 *pounds*
240

18680
934

Facit 112080 *pence*

Quest. 3. In 5673 *l.* how many *farthings*? First, Multiply the given *number* by 20, to bring it into *shillings*, and it produceth 113460 *shillings*, then multiply that *product* by 12, to bring it into *pence*, and it produceth 1361520 *pence*; then lastly, multiply the *pence* by 4, and it produceth 5446080 *farthings*. See the Operation.

5673 *pounds*
20

113460 *shillings*
12

226920
113460

1361520
4

Facit 5446080 *farthings*

Or this Question might have been thus resolved, *viz.* Multiply 5673 (the given *number* of *pounds*) by 960 (the *number* of *farthings* in a *pound*) and it produceth the same Effect, as you may see by the Work.

567

5673 *pounds*	20 *shillings*
960	12
340380	240 *pence*
51057	4
Facit 5446080 *farthings*	960 *farthings*

Otherwiſe thus: Firſt bring the given *number* 5673 *l.* into ſhillings, and multiply the ſhillings by 48, the number of farthings in a ſhilling, and the ſame effect is thereby likewiſe produced, *viz.*

5673 *pounds*	12 *pence*
20	4
113460 *ſhillings*	48 *farthings.*
48	
907680	
453840	
Facit 5446080 *farthings*	

Theſe various ways of operating are expreſſed to inform the Judgment of the Learner, with the Reaſon of the Rule; more ways may be ſhown, but theſe are ſufficient even for the meaneſt Capacities.

Queſt. 4. In 458 *l.* 16 *s.* 7 *d.* 3 *qrs.* how many farthings? To reſolve this Queſtion conſider the ſeventh Rule of this Chapter, and work as you are there directed, and you will find the aforeſaid given number to amount to 440479 farthings, *viz.*

	l.	s.	d.	qrs
	458	16	7	3
	20			
	9160 *shillings*			
Add	16			
Sum	9176 *shillings*			
	12			
	18352			
	9176			
	110112 *pence*			
Add	7			
Sum	110119 *pence*			
	4			
	440476 *farthings*			
Add	3			
Sum	440479 *farthings*			

This laſt Queſtion (or any other of this kind, *viz.* where the number given to be reduced conſiſteth of ſeveral Denominations) may be more concisely reſolved thus, *viz.* when you multiply the pounds by 20, to bring them into ſhillings, to the product of the firſt Figure, add the Figure ſtanding in the place of Units in the Denomination of ſhillings, but becauſe the firſt Figure in the Multiplyer is (0) I ſay 0 times 8 is nothing, but 6 is 6, which I put down for the firſt Figure in the product, then becauſe this multiplyer is 0 I go on no further with it, for if I ſhould, the whole product would be 0, but proceed, and when I come to multiply by the ſecond figure in the multiplyer, and to the product of it, I add the figure ſtanding in the place of Tens in the Denomination of ſhillings whi

(1) saying 2 times 8 is 16, and (the said Figure) 1 is 17, then I set down 7, and carry an Unit to the product of the next Figure as is directed in the fifth Rule of the sixth Chapter foregoing; and finish the Work. So that you now have the whole product and sum of shillings at one Operation, which is the same as before, and when you multiply the shillings by 12, to bring them into pence (after the same manner) add to the product the number standing in the denomination of pence, and so when you multiply the pence by 4 to bring them into farthings, add to the product the number standing under the denominations of Farthings. See the last Question thus wrought.

l.	s.	d.	qrs
458	16	7	3
20			
9176 *shillings*			
12			
18359			
9176			
110119 *pence*			
4			
Fac. 440479 *farthings*			

After the method last prescribed (which if rightly considered, differeth not any thing from the 7th Rule of this Chapter) are all the following Examples that are of the same nature wrought and resolved.

Quest. 5. In 4375866 Farthings, I demand how many Pounds, Shillings, Pence, and Farthings?

To resolve this Question; First, I divide the given number of Farthings by 4, and the Quotient is 1093966 Pence, and there remaineth 2 after the Division is ended, (which by the 8th Rule foregoing) is two Farthings; then I divide 1093966 Pence by 12, and the

Quotient is 91163 ſhillings, and there remaineth after Diviſion, which by the ſaid 8th Rule is ſo ma pence, *viz.* 10 *d.* then I divide 91163 ſhillings b 20, and the Quotient is 4558 *l.* and there remaine 3 ſhillings, ſo the Work is finiſhed, and I find that 4375866 farthings there are 4558 *l.* 3 *s.* 10 *d.* 2 *q* See the Operation.

```
                12)        2|0)        l.
4) 4375866 (1093966 (9116|3 (4558
   .......   .....   ....
   4         108       8
   ---       ---       ---
    37        13       11
    36        12       10
    ---       ---      ---
     15        19       11
     12        12       10
     ---       ---      ---
      38        76       16
      36        72       16
      ---       ---      ---
       26        46      (3) s.
       24        36
       ---       ---
        26      (10) d.
        24
        ---
       (2) qrs.
```

	l.	s.	d.	qrs.
Fabit	4558	3	10	2

Queſt. 6. In 4386 *l.* I demand how many Groats? To reſolve this Queſtion, I reduce the given nu ber of Pounds into Shillings, and they are 877 Shillings, now I conſider that in a Shilling are 3 Groa therefore I multiply the Shillings by 3, and it prod ceth 263160 Groats. See the Work.

4386 *pounds*
20

87720 *shillings*
3

Facit 263160 *groats*

This Question might have been otherwise resolved thus, *viz.* considering that in a pound (or 20 shillings) there are 3 times 20 Groats, which make 60, by which I multiply the number of pounds given, and it produceth the same Effect at one Operation, as followeth.

4386 *pounds*	20
60 *groats in* 20 *s.*	3
Facit 263160 *groats in* 4386 *l.*	60

Quest. 7. In 43758 three-pences, I desire to know how many pounds?

To resolve this (and many such like) Questions: First, I divide my given number of 3 pences by 4, because 4 three-pences are in a shilling, and the Quotient is 10939 shillings, and there remaineth 2 after Division is ended, which is 2 three-pences (by the 8th Rule of this Chapter) which are equal in value to 6 *d.* then I divide 10939 shillings by 20, and the quote giveth 546 *l.* and 19 *s.* remain; so that I conclude in 43758 pieces of three-pence *per* piece, there are 546 *l.* 19 *s.* 6 *d.* as by the Work appeareth.

2|0 l. s. d.
4) 43758 (1093|9 (546—19—6
4 10
37 9
36 8
15 13
12 12
38 (19) *s.*
36
(2) *three-pences* or 6 *d.*

This Question might have been otherwise resolve thus, *viz.* first multiply the given Number of thre pences 43758, by three the number of pence in thre pence, and the product (*viz.* 131274) is the numbe of pence equal to the given number of three-pence which number of pence may be brought into pound by dividing by 12 and by 20, and the Quotient yo will find to be equal to the former work, *viz.* 546 19 *s.* 6 *d.*

43758
3
2|0) l. s. d.
12) 131274 (1093|9 (546—19—6
12 10
112 9
108 8
47 13
36 12
114 *re.* (19) *shill.*
108
Remains (6) *pence*

Or thus, divide the given number of 3 pences by the number of 3 pences in a pound or 20 ſhillings (which you will find to be 80, if you multiply 20 *s.* by 4, the number of three-pences in a ſhilling) and you will find the quote to be 546 *l.* as before, and a remainder of 78 three-pences, and if you divide thoſe 78 three-pences by 4 (becauſe there are 4 three-pences in a ſhilling) you will find the quote to be 19 *s.* and 2 three-pences remain, which are equal to 6 *d.* which is the ſame that was before found.

	l.	s.	d.	
8|0) 4375|8 (546	— 19	— 6		20
40				4
				80
37				
32				
55				
48				
4) 78 (19 *s.*				
4				
38				
36				
(2) *three-pences* or 6 *d.*				

Queſt. 8. In 4785 *l.* 19 *s.* how many pieces of $13\frac{1}{3}$ *d.* *per* piece?

This Queſtion cannot be reſolved by Reduction, deſcending or aſcending, abſolutely, (becauſe $13\frac{1}{3}$ *d.* is no even part of a pound) but rather by them both jointly, *viz.* by Multiplication and Diviſion; for if you bring the number given into half-pence, and divide the half-pence, by the half-pence, in $13\frac{1}{3}$ *d.* *viz.* 27, the quotient will be the Anſwer; for having

brought 4785 *l.* 13 *s.* into half-pence, I find it makes 2297112, which I divide by 27, (becauſe there are ſo many half-pence in 13 $\frac{1}{2}$ *d.*) and the quote gives 85078 pieces of 13$\frac{1}{2}$ *d.* and 6 half-pence remain over and above; obſerve the Work following.

l.	*s.*		*d.*
4785	—13		13$\frac{1}{2}$
20			2
95713	*ſhillings*		27 *half-pence*
24	*half-pence in a ſhilling*		
382852			
191426			
2297112	*half-pence in the given number*		

27) 2297112 (85078 *pieces of* 13 $\frac{1}{2}$ *d.*

216

137
135

211
189

222
216

Rem. (6) *half-pence*

It would have produced the ſame Anſwer if you had reduced your given number into farthings, and divided by the farthings in 13 $\frac{1}{2}$ *d. viz.* 54 (for always the Dividend and the Diviſor muſt be of one Denomination) and then you would have had a remainder of 12 farthings, which are equal in value to the former remainder of 6 half-pence, as you may prove at your leiſure.

Queſt. 9.

Queſt. 9. In 540 Dollars at 4 *s.* 4 *d. per* Dollar, how many pounds *ſterling*?

Firſt, Bring your given Number of Dollars into pence, and then your pence into pounds according to the former Directions. Thus in 4 *s.* 4 *d.* (*viz.* a Dollar) you will find 52 pence, by which multiply 540 Dollars, and it produceth 28080 pence, which if you divide by 240 (the pence in one pound) the quotient will give you 117 *l.* which are equal in value to 540 Dollars, at 4 *s.* 4 *d. per* Dollar. Obſerve the Operation.

	s.	d.
	4	4
	12	
52 *pence.*		

540
52
1080
2700
l.
240)28080(117
24
40
24
168
168
(0)

The foregoing Queſtion might have been otherwiſe wrought, thus, *viz.* Multiply (540) your given number of Dollars, by 13 the number of Groats in a Dollar (or 4 *s.* 4 *d.*) and it produceth 7020 groats, which divide by 60 (the groats in 1 pound or 20 ſhillings) and the quote is 117 *l.* as before. See the Work.

	s.	d.
540	4	4
13	3	
1620	13	
540		

6|0) 702|0 (117 *l.*
6
10
6
42
42
(0)

Queſt. 10. In 547386 pieces of $4\frac{1}{2}$ *d. per* piece, I demand how many Pounds, Shillings, and Pence.

Firſt, Bring your given number of four pence half-penies all into half-pence, which you will do if you multiply by 9 the number of half-pence in $4\frac{1}{2}$ *d.* and the product is 4926474 half-pence, which are brought into pounds, if you divide them by 24 (the half-pence in a ſhilling) and 20 (the ſhillings in a pound) it makes 10263 *l.* 9 *s.* 9 *d.* as by the Work.

547386
9

2|0) l.
24) 4926474 (20526|9 (10263
48 2
126 05
120 4
64 12
48 12
167 6
144 6
234 (9) *s.*
216

Remains (18) *half-pence* or 9 *d.*

d.
$4\frac{1}{2}$
2

9 *half-pence*

l. s. d.
Facit 10263—9—9

Queſt. 11. In 4386 *l.* I demand how many pieces of 6 *d.* of 4 *d.* and of 2 *d.* of each an equal number? that is to ſay, what number of ſix-pences, groats, and two-pences, will make up 4386 *l.* and the number of each equal?

The way to reſolve Queſtions of this Nature, is to add the ſeveral pieces (into which the given Number is to be brought) into one Sum, and to reduce the given Number into the ſame denomination with their Sum, and to divide the ſaid given Number (ſo reduced) by the ſaid Sum, and the Quotient will give you the exact number of each piece. And after the ſame Method will we proceed to reſolve the preſent Queſtion, *viz.*

4386 *pounds*
240 *pence*

175440
8772

12) 1052640 (87720

96

92
84

86
84

24
24

(0)

6
4
2

Sum 12 *pence*

d. d. d.
Facit 87720 *pieces of* 6—4—2

So that I conclude by the operation that 87720 six pences, and 87720 groats, and 87720 two-pences are just as much as (or equal to) 4386 *l.* or if you admit of 5 *s.* to be thus divided, it is equal to 5 six-pences, and 5 four-pences or groats, and 5 two-pences. *For if two Right Lines (or two Numbers) be given, and one of them be divided into as many Parts, or Segments as you please, the Rectangle (or Product) comprehended under the two whole right lines (or numbers given) shall be equal to all the Rectangles (or Products) contained under the whole line (or number) and the several Segments (or Parts) into which the other line (or number) is divided.* Eucl. 2. 1.

Another Question of the same Nature with the last may be this following, *viz.*

Quest. 12. A Merchant is desirous to change 148 *l.* into pieces of 13 *d.* $\frac{1}{2}$ of 12 *d.* of 9 *d.* of 6 *d.* and of 4 *d.*; and he will have of each sort an equal number of pieces, I desire to know the number?

Do as you were taught in the last Question, *viz.* add the several pieces together, and reduce the Sum into

into half-pence, then reduce the Sum to be changed, *viz.* 148 *l.* into the same denomination, and divide the greater by the lesser, and in the Quotient you will find the Answer, *viz.* 798 is the Number of each of the pieces required, and 18 remaineth, which is 18 half-pence by the 8th Rule of this Chapter. See the Work as followeth.

l.		d.
148		$13\frac{1}{3}$
240 *pence in a* l.		12
		9
5920		6
296		4
35520 *pence in* 148 l.	*Sum*	44
2		$2\frac{1}{3}$
71040 *half-pence*		89 *half-pence*

89) 71040 (798 *pieces of each sort*

623

874
801

730
712

Remain (18) *half-pence*

The truth of the two foregoing Operations will thus be proved, *viz.* multiply the Answer by the parts, or pieces into which the given Number was reduced, and having added the several products together, if their Sum be equal to the given number, the Answer is right, otherwise not.

So the Answer to the 11th Question was 87720, which is proved as followeth, *viz.*

87720

		l.
87720	*Six-pences make*	2193
	Four-pences make	1462
	Two-pences make	731
	The total Sum of them	4386 *which was the Sum given to be changed.*

The Answer to the 12th Question was 798, and 18 half-pence remained after the Work was ended, now the truth of the Work may be proved as the former was, *viz.*

			l.	s.	d.
798	*Pieces of*	$13\frac{1}{2}$ *make*	44	17	09
	Pieces of	12 *make*	39	18	00
	Pieces of	9 *make*	29	18	06
	Pieces of	6 *make*	19	19	00
	Pieces of	4 *make*	13	06	00
and 18 *half-pence, or* 9 d. *remains*			00	00	09
	The total sum of them		148	00	00

which total sum is equal to the Number that was first given to be changed, and therefore the Operation was rightly performed.

Reduction of Troy-weight.

We come now to give the Learner some Examples in *Troy-weight*, wherein we shall be brief, having given so large a Taste of Reduction in the foregoing Examples of Coyn, and now the Learner must be mindful of the Table of *Troy-weight* delivered in the second Chapter of this Book.

Quest. 13. In 482 *l.* 07 *oz.* 13 *p.w.* 21 *gr.* how many Grains?

Multiply by 12, by 20, and by 24, taking in the Figures standing in the several denominations, according to the Direction given in the 7th Rule of this Chapter, and you will find the product to be 2780013 Grains, which is the Number required, or Answer to the Question. See the whole Work as followeth.

l. *oz.* *p.w.* *gr.*
482—7—13—21
12

971
482

5791 *ounces*
20

115833 *penny-wei.*
24

463333
231668

Facit 2780013 *grains*

Queſt. 14. In 2780013 *grains*, I demand how many pounds, ounces, penny-weights, and grains?

This is but the foregoing Queſtion inverted, and is reſolved by dividing 24 by 20, and by 12, and the Anſwer is 482 *l.* 7 *oz.* 13 *p.w.* 21 *gr.*

2|0) 12) *l.*
24) 2780013 (11583|3 (5791 (482

24 10 48

38 15 99
24 14 96

140 18 31
120 18 24

200 3 *Rem.* (7) *ounces*
192 2

81 *Rem.* (13) *penny-weight*
72

93 *l.* *oz.* *p.w.* *gr.*
72 *Facit* 482—7—13—21

Remains (21) *grains*

Queſt.

Queſt. 15. A Merchant ſent to a Goldſmith 16 Ingots of Silver, each containing in weight 2 *l.* 4 *oz.* and ordered it to be made into Bowls of 2 *l.* 8 *oz. per* Bowl, and Tankards of 1 *l.* 6 *oz. per* piece, and Salts of 10 *oz.* 10 *p.w. per* Salt, and Spoons of 1 *oz.* 18 *p.w. per* Spoon; and of each an equal number, I deſire to know how many of each ſort he muſt make?

This Queſtion is of the ſame nature with the 11 and 12 Queſtions foregoing, and may be anſwered after the ſame method: *viz.* Firſt, add the weight of the ſeveral Veſſels (into which the Silver is to be made) into one Sum, and reduce it to one Denomination, and they make 1248 penny-weights, then reduce the weight of the Ingot into the ſame denomination, *viz.* penny-weights, (and it makes 560 penny-weights) and multiply them by the number of Ingots, *viz.* 16, and the product will give you the weight of the 16 Ingots, *viz.* 8960, then divide this product by the weight of the Veſſels, *viz.* 1248, and the Quotient giveth you the Anſwer to the Queſtion, *viz.* 7. and 224 *p.w.* remaining over and above.

l.	*oz.*
2	4
12	
28	
20	
560	*penny-weights*
16	*Ingots*
3360	
560	

l.	*oz.*	*p.w.*
2	08	00
1	06	00
0	10	10
0	01	18
Sum 5	02	08
12		
62		
20		
1248	*p.w.*	

1248) 8960 (7 *Veſſels of each*
8736

Rem. (224) *penny-weights*

The

The Proof of the Work is as followeth, viz.

		l.	*oz.*	*p.w.*
7	*Bowls of* 2—08—00 *per Bowl is*	18—	08—	00
	Tank. of 1—06—00 *per Tank. is*	10—	06—	00
	Salts of 0—10—10 *per Salt is*	06—	01—	10
	Spoons of 0—01—18 *per Spoon is*	01—	01—	06
	224 *penny-weight remaining is*	00—	11—	04
	Total Sum	37—	04—	00

So that you see the Sum of the Weights of each Vessel, together with the Remainder is 37 *l.* 4 *oz.* which is equal to the Weight of the 16 Ingots delivered. For if 37 *l.* 4 *oz.* be reduced to penny-weights, it makes 8960.

Reduction of Averdupois Weight.

In Reducing *Averdupois Weight*, the Learner must have recourse to the Table of *Averdupois weight* delivered in the Second Chapter foregoing.

Quest. 16. In 47 *C.* 1 *qr.* 20 *l.* how many Ounces? Multiply by 4, by 28, and by 16, and the last product will be the Answer, *viz.* 84992 Ounces.

C.	*qr.*	*l.*
47—	1—	20
	4	
	189 *quarters*	
	28	
	1512	
	380	
	5312 *l.*	
	16	
	31872	
	5312	

Facit 84992 *ounces*

Quest.

Quest. 17. In 84992 Ounces, I demand how many *C. qrs. l. oz.*

This is the foregoing Question inverted, and will be resolved if you divide by 16, by 28, and by 4, and the Answer is 47 *C.* 1 *qr.* 20 *l.* equal to the given Numbers in the foregoing Question.

```
                28)    4)   C.  qr.  l.
16) 84992 (5312 (189 (47—1—20
    ....   ...   ..
    80     28    16
    ——     ——    ——
     49    251    29
     48    224    28
     ——    ——    ——
      19    272   (1)qr
      16    252
      ——    ——
       32   (20) l.
       32
       ——
       (0)
```

Quest. 18. A Chapman buyeth of a Grocer 4 *C.* 1 *qr.* 14 *l.* of Pepper, and ordered it to be made up into Parcels of 14 *l.* of 12 *l.* of 8 *l.* of 6 *l.* and of 2 *l.* and of each parcel an equal number, now I would know the number of each parcel.

This Example is of the same nature with the 11, and 12, and 15 Questions foregoing, and after the same manner is resolved. See the Operation as followeth.

4 C.

C.	*qr.*	*l.*	*l.*
4	1	14	14
4			12
			8
17			6
28			2
			42 *pounds*
140			
35			
42) 490 (11			
42			
70			
42			
Rem. (28) *pounds*			

Facit 11 *of parcels of each*

Reduction of Liquid Measure.

Queſt. 19. In 45 *Tun* of Wine, how many *gallons*? Multiply by 4, and by 63, the product is 11340 Gallons for the Anſwer.

45
4
180
63
540
1080

Facit 11340 *gallons*

Queſt. 20. In 43 Rundlets of Wine, each containing 18 Gallons, I demand how many Hogſheads?

Firſt, Find how many Gallons is in the 34 Rundlets, which you may do if you multiply 34 by 18, the content of a Rundlet, and the product is 612 Gallons, which

which you may reduce into Hogsheads if you divide them by 63, and the Quote will be 9 Hogsheads, and 45 Gallons. See the Work.

34
18

272
34
---
63) 612 (9 *hhds*
567

Rem. (45) *gallons*

Facit 9 *hhds* 45 *gallons.*

Quæst. 21. In 12 Tuns how many Rundlets of 14 Gallons *per* Rundlet?

Reduce your Tuns into Gallons, and divide them by 14, the Gallons in a Rundlet, and the Quotient (216) is your Answer. See the Work following.

12
4

48
63

144
288
---
14) 3024 (216
28

22
14

84
84
---
(0) *facit* 216 *rundl.*

Reduction

Reduction of Long Measure.

Queſt. 22. I demand how many Furlongs, Poles, Inches and Barley-Corns will reach from *London* to *York*, it being accounted 151 miles?

151	*miles*
8	*furlongs in a mile*
1208	*furlongs*
40	*poles in a furlong*
48320	*poles*
11	*half-yards*
48320	
48320	
531520	*half-yards*
18	*inches in half a yard*
4252160	
531520	
9567360	*inches*
3	*barly-corns in an inch*
Facit 28702080	*barly-corns in* 151 *miles*

Queſt. 23. The Circumference of the Earth (as all other Circles are) is divided into 360 degrees, and each degree into 60 minutes, which (upon the Superficies of the Earth) are equal to 60 miles; now I demand how many miles, furlongs, perches, yards, feet, and Barly-corns will reach round the Globe of the Earth?

360

360	*degrees*
60	*minutes or miles in a degree*
21600	*miles about the Earth*
8	*furlongs in a mile*
172800	*furlongs about the Earth*
40	*perches in a furlong*
6912000	*poles or perches about the Earth*
11	*half yards in a perch*
6912000	
6912000	
2) 76032000	*half yards about the Earth*
(38016000	*yards, viz. the half yards*
3	*divided by 2.*
114048000	*feet about the Earth*
12	*inches in a foot*
228096000	
114048000	
1368576000	*inches about the Earth*
3	*barly-corns in an inch*
Facit 4105728000	*barly-corns*

And so many will reach round the World, the whole being 21600 miles; so that if any person were to go round, and go 15 miles every day, he would go the whole circumference in 1440 days, which is 3 years, 11 months, and 15 days.

Reduction

Reduction of Time.

Queſt. 24. In 28 Years, 24 Weeks, 4 Days, 16 Hours, 30 Minutes, how many Minutes?

years weeks days hours min.
28——24——4——16——30
52 *weeks in a year*

60
142

1480 *weeks*
7

10364 *days*
24

41462
20729

248752 *hours*
60

14925150 *minutes*

Note, That in reſolving the laſt Queſtion after the method expreſſed, there is loſt in every Year 30 Hours, for the Year conſiſteth of 365 Days and 6 Hours, but by multiplying the Years by 52 Weeks, which is but 364 Days; you loſe 1 Day and 6 Hours every Year, wherefore to find an exact Anſwer, bring the odd Weeks, Days, and Hours into Hours, and then multiply the Years by the number of Hours in a Year, *viz.* 8766, and to the product add the Hours contained in the odd time, and you have the exact time in Hours, which bring into Minutes as before. See the laſt Queſtion thus reſolved.

	days hou.	weeks days hou.
		24—4—16
		7
		172
28	365—6	24
8766	24	
		694
172	1466	345
172	730	
197		4144 *hours*
228	8766 *hours in a year*	
249592 *hours*		
60		

14975520 *minutes in* 28 *years and* 4144 *hours*

So you see that according to the Method first used to resolve this Question, the Hours contained in the given time are 248752, but according to the last, best, or true Method, they are 249592, which exceeds the former by 840 hours.

But for most occasions it will be sufficient to multiply the given years by 365, and to the product add the days in the odd time, if there be any, and then there will be only a loss of 6 hours in every year, which may be supplied by taking a fourth part of the given years, and adding it to the contained days, and you have your desire.

Queſt. 25. In 438657540 minutes, how many years? *Facit* 834 *years*, 4 *days*, 19 *hours*.

8766

8766) *years* *days* *hours*

6|0) 438657540 (7310959 (834 — 4 — 19

42 70128

18 29815

18 26298

6 35179

6 35064

57 24) 115 (4 *days*

54 96

35

30 (19) *hours*

54

54

(9)

Queſt. 26. I deſire to know how many hours and minutes it is ſince the Birth of our Saviour Jeſus Chriſt to this preſent year, being accounted 1700 years?

This Queſtion is of the ſame nature with the 24th foregoing, and after the ſame manner is reſolved, *viz.* Multiply the given number of years by 8766, the product is 14902200 hours, and that by 60, and the product is 894132000 minutes. See the Work.

1700 *years*,
8766 *hours in a year*

10200
10200
11900
13600

14902200 *hours in* 1700 *years*
60

894132000 *min. in* 1700 *years*

Note that as Multiplication and Division do interchangeably prove each other, so Reduction descending and ascending, prove each other, by inverting the Question, as the 13 and 14, and likewise the 16 and 17 Questions foregoing, by Inversion, do interchangeably prove each other, the like may be performed for the proof of any Question in Reduction whatsoever.

Thus far have we discoursed concerning single Arithmetick, whose Nature and Parts are defined in the second, eighth, ninth, and tenth definitions of the third Chapter of this Book, for although Reduction is not reckoned or defined among the parts of single Arithmetick, yet considered Abstractly, it is the proper effect of Multiplication and Division; and as for the extraction of Roots (which ought to be handled in the next place as parts of single Arithmetick) we shall omit it in this place, and refer the Learner to Mr. *Cocker's* Decimal Arithmetick, which is (with great care and pains) now published, together with his Logarithmetical Arithmetick, shewing the Genesis or Fabrick of the Logarithms, and their general uses in Arithmetick, *&c.* As also his Algebraical Arithmetick, containing the Doctrine of composing and resolving an Equation, with all other Rules necessary for the understanding of that Mysterious Art, *&c.*

CHAP. IX.

Of Comparative Arithmetick; viz. *The Relation of* Numbers *one to another.*

COmparative Arithmetick is that which is wrought by Numbers, as they are considered to have relation one to another, and this consists either in Quantity, or in Quality.

Boetius Arith. lib. 1. cap. 21.

2. Re

2. Relation of Numbers in Quantity, is the reference or respect, that the Numbers themselves have one to another, where the Terms or Numbers propounded are always two, the first called the Antecedent, and the other the Consequent. *Vide, Winga. Arith. cap.* 34.

3. The relation of Numbers in Quantity consists in the differences, or in the rate or reason that is found betwixt the Terms propounded, the difference of two Numbers being the remainder found by Subtraction, but the rate or reason betwixt two numbers is the Quotient of the Antecedent divided by the Consequent. So 21 and 7 being given the difference betwixt them will be found to be 14, but the rate or reason that is betwixt 21 and 7 will be found to be triple reason, for 21 divided by 7 quotes 3, the reason or rate. *Alsted. Mathemat. lib. 2. cap.* 11, & 12.

4. The relation of Numbers in Quality, (otherwise called Proportion) is the reference or respect that the reason of Numbers have one unto another; therefore the Terms given, ought to be more than two. Now this proportion or reason between numbers relating one to another, is either Arithmetical, or Geometrical. *Alsted. Mathemat. lib. 2. cap.* 21.

5. Arithmetical Proportion (by some called Progression) is when divers Numbers differ one from another by equal Reason, that is, have equal differences. So this rank of Numbers 3, 5, 7, 9, 11, 13, 15, 17, differ by equal Reason; *viz.* by 2, as you may prove.

2. In a rank of Numbers that differ by Arithmetical Proportion, the sum of the first and last term being multiplyed by half the number of Terms, the product is the total sum of all the Terms.

Or if you multiply the number of the Terms by the half sum of the first and last Terms, the product thereof will be the total sum of all the Terms.

So in the former Progression given, 3 and 17 is 20, which multiplyed by 4 (*viz.* half the number of Terms)

the product gives 80, the sum of all the Terms; or multiply 8 (the Number of Terms) by 10 (half the sum of the first and last Terms) the product gives 80 as before.

So also 21, 18, 15, 12, 9, 6, 3, being given, the sum of all the Terms will be found to be 84; for here the number of Terms is 7, and the sum of the first and last (*viz.* 21 and 3) is 24, half whereof, (*viz.* 12) multiplyed by 7 produceth 84, the sum of the Terms sought.

7. Three Numbers that differ by Arithmetical Proportion, the double of the mean (or middle number) is equal to the sum of the Extreams.

So 9, 12, and 15 being given, the double of the mean 12 (*viz.* 24) is equal to the sum of the Extreams 9 and 15.

8. Four Numbers that differ by Arithmetical Proportion (either continued or interrupted) the sum of the two Means is equal to the sum of the two Extreams.

So 9, 12, 18, 21, being given, the sum of 12 and 18 will be equal to the sum of 9 and 21, *viz.* 30; also 6, 8, 14, 16, being given, the sum of 8 and 14 is equal to the sum of 6 and 16, *viz.* 22, *&c.*

Vide Wing. Arith. cap. 35.

9. Geometrical Proportion (by some called Geometrical Progression) is when divers numbers differ according to like Reason.

So 1, 2, 4, 8, 16, 32, 64, *&c.* differ by double Reason, and 3, 9, 27, 81, 243, 729, differ by triple Reason, 4, 16, 64, 256, *&c.* differ by quadruple Reason, *&c.*

10. In any numbers that increase by Geometrical Proportion, if you multiply the last Term by the Quotient of any one of the terms divided by another of the terms, which being less is next unto it, and having deducted, or subtracted, the first term out of the product, divide the remainder by a number that is one Unit less than the said Quotient, the last quote will give the sum of all the Terms.

So, 1, 2, 4, 8, 16, 32, 64, being given, first I take one of the Terms, *viz.* 8, and divide it by the Term which is less and next to it, (*viz.* by 4) and the Quotient is 2, by which I multiply the last term 64, and the product is 128, from whence I subtract the first term, (*viz.* 1) the remainder is 127, which divided by the Quotient 2 made less by 1 (*viz.* 1) the quote is 127, for the sum of all the given terms, as by the Work in the Margent.

64
4) 8 (2
128
1
1) 127 (127

So if 4, 16, 64, 256, 1024, were given, the sum of all the terms will be found to be 1364. For first, I divide 64 one of the terms by his next lesser term, and the Quotient is 4, by which I multiply the last term 1024, and it produceth 4096; from whence I subtract the first term 4, and the remainder is 4092, which I divide by the quote less 1 (*viz.* 3) and the quote is 1364, for the total sum of all the Terms, as per margent.

1024
16) 64 (4
4096
4
3) 4092 (1364

So likewise if 2, 6, 18, 54, 162, 486, were given, the sum or total of all the Terms will be found to be 728. See the Work.

486
6) 18 (3
1458
2
2) 1456 (728

11. Three Geometrical Proportionals given, the Square of the Mean equal to the Rectangle, or Product of the Extreams.

So 8, 16, 32, being given, the Square of the Mean, *viz.* 16 is 256, which is equal to the product of the Extreams 8 and 32, for 8 times 32 is equal to 256.

12 Of 4 Geometrical Proportional numbers given, the product of the two Means is equal to the product of the two Extreams.

So 8, 16, 32, 64, being given, I say that the product of the two means, *viz.* 16 times 32, which is 512, is equal to 8 times 64, the product of the Extreams.

Also if 3, 9, 21, 63, were given (which are inter rupted) I say 9 times 21 is equal to 3 times 63, whic is equal to 189.

From hence ariseth that precious Gem in Arithme tick, which for the Excellency thereof is called th *Golden Rule*, or *Rule of Three*.

CHAP. X.

The Single Rule of Three Direct.

1. THE *Rule of Three* (not undeservedly call'd t *Golden Rule*) is, that by which we find o a fourth *number*, in *proportion* unto *three* given *Number* so as this *fourth Number* sought may bear the sa Rate, Reason, or Proportion to the *third* (given) *nu ber*, as this second doth to the first, from whence it also called the Rule of *Proportion*.

2. Four *Numbers* are said to be *Proportional*, when t first containeth or is contained by the second, as oft as the third containeth, or is contained by the fourt *Vide* Wingate's *Arith. Chap.* 8. *Sect.* 4.

So these *numbers* are said to be *Proportionals*, v 3, 6 9, 18, for as often as the first *number* is co tain d in the second, so often is the third contain in the fourth, *viz.* twice. Also 9, 3, 15, 5, are sa to be *proportional*, for as often as the first *number* c taineth the second, so often the third *number* conta eth the fourth; *viz.* 3 times.

3. The Rule of Three is either simple or compos

4. The simple (or single) Rule of *Three*, consiste of 4 *numbers*, that is to say, it hath 3 *numbers* gi to find out a fourth; and this is either Direct, or verse. *Vide Alsted. Math. lib.* 2. *cap.* 13.

5. The single Rule of *Three direct*, is wh n the portion of the first *term* is to the second, as the third to the fourth; or when it is required that the *num* fou

ſought (*viz.*) the fourth *number* muſt have the ſame *proportion* to the ſecond, as the third hath to the firſt.

6. In the Rule of *Three*, the greateſt difficulty is (after the Queſtion is propounded) to diſcover the order of the 3 terms, *viz.* which is the firſt, which is the ſecond, and which the third, which that you may underſtand, obſerve, That (of the three given numbers) two are always of one kind, and the other is of the ſame kind with the proportional number that is ſought; as in this Queſtion, *viz.* If 4 yards of Cloth coſt 12 ſhillings, what will 6 yards coſt at that rate? Here the two numbers of one kind are 4 and 6, *viz.* they both ſignifie ſo many yards; and 12 ſhillings is the ſame kind with the number ſought, for the price of 6 yards is ſought.

Again, obſerve, that of the 3 given numbers, thoſe two that are of the ſame kind, one of them muſt be the firſt, and the other the third, and that which is of the ſame kind with the number ſought, muſt be the ſecond number in the Rule of *Three*; and that you may know which of the ſaid numbers to make your firſt, and which your third, know this, that to one of thoſe two numbers there is always affixed a demand, and that number upon which the demand lieth muſt always be reckoned the third number. As in the forementioned Queſtion, the demand is affixed to the number 6, for it is demanded what 6 yards will coſt? and therefore 6 muſt be the third number, and 4 (which is of the ſame denomination (or kind) with it) muſt be the firſt, and conſequently the number 12 muſt be the ſecond, and then the numbers being plac'd in the forementioned order, will ſtand as followeth, *viz.*

yards	*s.*	*yards*
4	12	6

7. In the Rule of *Three Direct* (having placed the *numbers* as is before directed) the next thing to be done will be to find out the fourth *number* in proportion, which (that you may do) multiply the ſecond *number*

by the third, and divide the product thereof by the firſt, (or which is all one) multiply the third term (or number) by the ſecond, and divide the product thereof by the firſt, and the Quotient thence ariſing is the 4th *number* in a direct proportion, and is the *number* ſought, or Anſwer to the queſtion, and is of the ſame denomination that the ſecond number is of. As thus, let the ſame queſtion be again repeated, *viz.* If 4 yards of Cloth coſt 12 ſhillings, what will 6 yards coſt?

Having placed my numbers according to the 6th Rule (of this Chapter) foregoing, I multiply (the ſecond number) 12 by (the third number) 6, and the product is 72, which product I divide by (the firſt number) 4, and the quotient thence ariſing is 18, which is the fourth proportional or number ſought, *viz.* 18 ſhillings. (becauſe the ſecond number is ſhillings) which is the price of the 6 yards, as was required by the queſtion. See the Work following.

	yds	*s.*	*yds*	*s.*
If	4	12	6	18

6

4) 72 (18 *ſhillings*

4

32

32

(0)

Queſt. 2. Another Queſtion may be this, *viz.* If 7 *C.* of *Pepper* coſt 21 *l.* how much will 16 *C.* coſt at that rate?

To reſolve which queſtion, I conſider that (according to the 6th Rule of this Chapter) the terms or numbers ought to be placed thus, *viz.* the Demand lying upon 16 *C.* it muſt be the third number, and that of the ſame kind with it muſt be the firſt, *viz.* 7 *C.* and 21 *l.* (being of the ſame kind with the number ſought) muſt be the ſecond number in this queſtion; then I proceed according

according to this 7th Rule, and multiply the second number or the third, *viz.* 21 by 16, and the product is 336, which I divide by the first number 7, and the Quotient is 48 *l.* which is the value of 16 *C.* of Pepper at the rate of 21 *l.* for 7 *C.* See the Work following.

C.	*l.*	*C.*
If 7	21	16

16

126
21

7) 336 (48 *l.*
28

56
56 *Fac.* 48 *l.*

(o)

8. If when you have divided the product of the second and third numbers by the first, any thing remain after Division is ended, such Remainder may be multiplyed by the parts of the next inferiour Denomination, that are equal to an Unit (or Integer) of the second number in the Question, and the product thereof divide by the first number in the Question, and the Quotient is of the same Denomination with the parts by which you multiplyed the remainder, and is part of the fourth number which is sought. And furthermore, if any thing remain, after this last Division is ended, multiply it by the parts of the next inferiour denomination equal to an Unit of the last Quotient, and divide the Product by the same Divisor (*viz.* the first number in the Question) and the quote is still of the same denomination with your multiplyer; follow this method until you have reduced your Remainder into the lowest Denomination, *&c.* An Example or two

will make the Rule very plain, which may be this following.

Queſt. 3. If 13 yards of Velvet (or any other thing) coſt 21 *l.* what will 27 yards of the ſame coſt at that rate?

Having ordered and wrought my numbers according to the 6 and 7 Rules of this Chapter, I find the Quotient to be 43 *l.* and there is a remainder of 8, ſo that I conclude the price of 27 *yards* to be more than 43 *l.* and to the intent that I may know how much more, I work according to the foregoing Rule, *viz.* I multiply the ſaid Remainder 8 by 20 *s.* (becauſe the ſecond number in the Queſtion was Pounds) and the product is 160, which divided by the firſt number, *viz* 13, it quotes 12, which are 12 ſhillings, and there is yet a remainder of 4, which I multiply by 12 pence, (becauſe the laſt quotient was ſhillings) and the product is 48, which I divide by 13 (the firſt number) and the Quotient is 3 *d.* and yet there remaineth 9, which I multiply by 4 Farthings, and the product is 36, which divided by 13 again, it quotes 2 Farthings, and there is yet a remainder of 10, which (becauſe it cometh not to the value of a Farthing) may be neglected, or rather ſet (after the 2 Farthings) over the diviſor, with a Line between them, and then (by the 21 and 22 Definitions of the firſt Chapter of this Book) it will be $\frac{10}{13}$ of a Farthing; ſo that I conclude, that if 13 *yards* of Velvet coſt 21 *l.* 27 *yards* of the ſame will coſt 43 *l.* 12 *s.* 03 *d.* $2\frac{10}{13}$ *qrs.* which Fraction is 10 thirteenths of a Farthing. See the Operation as followeth.

yds	l.	yds
If 13	21	27

27

147
42

13) 567 (43 *l.*

52

47
39

Rem. (8)
Multiply 20

3) 160 (12 *s.*

13

30
26

Rem. (4)
Multiply 12

13) 48 (3 *d.*
39

Rem. (9)
Multiply 4

13) 36 ($2\frac{10}{13}$ *qrs.*
26

Remains (10)

	l.	*s.*	*d.*	*qrs.*
Facit	43	12	3	$2\frac{10}{13}$

Quest. 4. Another Example may be this following, *viz.* If 14 *l.* of *Tobacco* cost 27 *s.* what will 478 *l.* cost at that rate?

Work according to the last Rule, and you will find it to amount to 921 *s.* 10 *d.* $1\frac{3}{4}$ *qrs.* and by the *5th* Rule

Rule of the 8th Chapter 921 *s*, may be reduced to 46 *l.* 1 *s.* So that then the whole worth or value of the 478 *l.* will be 46 *l.* 1 *s.* 10 *d.* $1\frac{3}{14}$ *qrs.* the whole Work followeth.

l. *s.* *l.*
If 14—27—478
27
3346
956
2|0
14) 12906 (921 (46 *l.*
126 — 8
30 12
28 12
26 (1) *s.*
14
Remains (12)
Multiply 12
24
12
14) 144 (10 *d.*
14
Remains (4)
Multiply 4
14) 16 ($1\frac{2}{14}$ *qr.*
14
Remains (2)
l. *s.* *d.* *qr.*
Facit 46—1—10—$1\frac{3}{14}$

9. In

9. In the Rule of Three it many times happeneth, that although the first and third numbers be Homogeneal (that is, of one kind) as both Money, Weight, Measure, &c. yet they may not be of one denomination, or perhaps they may both consist of many denominations, in which case you are to reduce both numbers to one denomination; and likewise your second number (if it consisteth (at any time) of divers denominations) must be reduced to the least name mentioned, or lower if you please, which being done, multiply the second and third together, and divide by the first, as is directed in the 7th Rule of this Chapter.

And note that always the Answer to the Question is in the same denomination that your second number is of, or is reduced to, as was hinted before.

Quest. 5. If 15 Ounces of Silver be worth 3 *l.* 15 *s.* what are 86 Ounces worth at that rate?

In this Question the numbers being ordered according to the 6th Rule of this Chapter, the first and third numbers are ounces, and the second number is of divers denominations, *viz.* 3 *l.* 15 *s.* which must be reduced to shillings, and the shillings multiplyed by the third number, and the product divided by the first, gives you the answer in shillings, *viz.* 430 shillings, which are reduced to 21 *l.* 10 *s.* See the Work.

oz.	*l.*	*s.*	*oz.*
If 15	—— 3	—— 15	—— 86

20

75
86

450
600

2|0 *l.* *s.*

15) 6450 (43|0 (21—10

60 4

45 3
45 2

(0) (10) *s.*

In reſolving the laſt Queſtion, the Work would have been the ſame, if you had reduced your ſecond number into pence, for then the Anſwer would have been 5160 pence, equal to 21 *l.* 10 *s.* or if you had reduced the ſecond number into farthings, the Quotient or Anſwer would have been 20640 farthings equal to the ſame, as you may prove at your leiſure.

Queſt. 6. If 8 *l.* of Pepper coſt 4 *s.* 8 *d.* what will 7 *C.* 3 *qrs.* 14 *l.* coſt?

In this Queſtion the firſt number is 8 *l.* and the third is 7 *C.* 3 *qrs.* 14 *l.* which muſt be reduced to the ſame denomination with the firſt, *viz.* into pounds, and the ſecond number muſt be reduced into pence; then multiply and divide according to the 7th Rule foregoing, and you will find the Anſwer to be 6174 pence, which is reduced into 25 *l.* 14 *s.* 6 *d.*

l. s. d. C. qrs. l.

If 8 *coſt* 4—8 *what will* 7—3—14 *coſt?*

12 4

56 31

28

252

63

882

56 *ſecond number*

5292

4410

12) 2|0) l. s. d.

8) 49392 (6174 (5114 (25—14—6

48 60 4

13 17 11

8 12 10

59 54 (14) *s.*

56 48

32 (6) *d.*

32

l. s. d.

(0) *Facit* 25—14—6

Queſt.

Queſt. 7. If 3 *C.* 1 *qr.* 14 *l.* of Raiſins coſt 9 *l.* 9 *s.* what will 6 *C.* 3 *qrs.* 20 *l.* of the ſame coſt?

Here the firſt and third numbers each conſiſt of divers denominations, but muſt be brought both into one denomination, *&c.* as you ſee in the Operation which followeth; the Anſwer is 388 *s.* which is reduced into 19 *l.* 8 *s.*

C. qr. l.	l. s.	C. qrs l.
If 3—1—14	*coſt* 9—9	*what will* 6—3—20 *coſt?*
4	20	4
13	189	27
28		28
108		216
27		56
378 *pounds*		776 *pounds*
		189 *ſecond number*
		6984
		6208
		776
		2|0) l. s.
		378) 146664 (38|8 (15—8
		1134 2
		3326 18
		3024 18
		3024 (8) *s.*
		3024
		(0)

Queſt. 8. If in 4 weeks I ſpend 13 *s.* 4 *d.* how long will 53 *l.* 6 *s.* laſt me at that rate?

Anſwer, 2238 *days* equal to 6 *years*, 48 *days*. See the Work.

If

If 13—4 *require* 4 *what will* 53—06

s. *d.*	*w.*	*l.* *s.*
12	7	20
30	28 *days*	1066
13		12
160 *pence*		2132
		1066
		12792 *pence*
		28 *second number*
		102336
		25584
		365)
16|0)	358	17|6 (2238 (6 *years*
		2190
		32
		Rem. (48) *days*
		38
		32
		61
		48
		137
		128
		Remains (96)

ye. *days*
Facit 6—48 $\frac{96}{160}$

Queſt. 9. Suppoſe the Yearly Rent of a Houſe, a Yearly Penſion, or Wages be 73 *l.* I deſire to know how much it is *per* day?

Here you are to bring the year into days, and ſay, if 365 days require 73 *l.* what will one day require?

Now when you come to multiply 73 by 1, the product is the ſame, for 1 neither multiplyeth nor divideth, and 73 cannot be divided by 365, becauſe the Diviſor

Divisor is bigger than the Dividend, wherefore bring the 73 *l.* into shillings, and they make 1460, which divide by the first number 365, and the quote is 4 shillings for the Answer, as you see in the Work.

days	*l.*	*day*
If 365 ——	73 ——	1
	20	

365) 1460 (4 *s.*
1460 *Facit* 4 *s. per* day.
(0)

Quest. 10. A Merchant bought 14 pieces of Broad Cloth, each piece containing 28 yards, for which he gave after the rate of 13 *s.* $6\frac{1}{2}$ *d. per* yard, now I desire to know how much he gave for the 14 pieces at that rate?

First, Find out how many yards are in the 14 pieces, which you will do if you multiply the 14 pieces by 28 (the number of yards in a piece) and it makes 392; then say, If 1 yard cost 13 *s.* $6\frac{1}{2}$ *d.* what will 392 yards cost? Work as followeth; and the Answer you will find to be 127400 half-pence, which reduced make 265 *l.* 8 *s.* 4 *d.* For after you have multiplyed your second and third Numbers together, the product is 127400, which (according to the seventh Rule) should be divided by the first number, but the first number is 1, which neither multiplyeth nor divideth, and therefore the Quotient or fourth number is the same with the product of the second and third, which is in half-pence, because the second number was so reduced. See the Work as followeth.

28
14
112
28
392 *yards in the* 14 *pieces.*

yd	*s.*	*d.*		*yds*				
If 1	*coſt* 13	—6½	*what will*	392	*coſt?*			
	12			325	*the ſecond number*			
	32			1960				
	13			784				
	162			1176		2|0	l.	s. d.
	2		24)	127400	(5308	(265	—8—	4
half-pen.	325			120		4		
				74		13		
				72		12		
				200		10		
				192		10		
						(8) *ſhillings*		

Facit 265 *l.* 8 *s.* 4 *d.* *Rem* (8) ½ *pence*, or 4 *d.*

Queſt. 11. A Draper bought 420 *yds* of broad-cloth, and gave for it after the rate of 14 *s.* 10 *d.* ¾ *per* Ell *Engliſh*, now I demand how much he paid for the whole at that rate?

Bring your Ell into quarters, and your given yards into quarters, the Ell is 5 quarters, and in 420 yards are 1680 quarters, then ſay, If 5 quarters coſt 14 *s.* 10 ¾ *d* (or 715 *farthings*) what will 1680 quarters coſt? *Facit* 250 *l.* 5 *s.* 0 *d.* See the Operation.

1 *El*

Ell	Yards
1	420
4	4
5 qrs.	1680 qrs.

qrs.	s.	d.	qrs.
If 5	14	10¾	1680
	12		715
	28		8400
	15		1680
	178 d.		11760
	4		96|0)
	715 qrs.		5) 1201200 (24024|0 (250 l.
			10 192
			20 482
			20 480
			12 48)240(5 s.
			10 240
			20 (0)
l.	s.		20
Facit 250	5		(0)

Queſt. 12. A Draper bought of a Merchant 50 pieces of Kerſeys, each piece containing 34 Ells *Flemiſh*, (the Ell *Flemiſh* being 3 quarters of a yard) to pay after the rate of 8 *s.* 4 *d. per* Ell *Engliſh*, I demand how much the 50 pieces coſt him at that rate?

Firſt, Find how many Ells *Flemiſh* are in the 50 pieces by multiplying 50 by 34, the product is 1700, which bring into quarters by 3, it makes 5100 quarters, then proceed, as in the laſt Queſtion, and the Anſwer you will find to be 102000 pence, or 425 *l.* Behold the Operation, as followeth.

If

s.	*d.*
8	4
12	
100 *d.*	

34
50
1700 *Ells Flemish*
3
5100 *qrs.*

qrs.	*d.*	*qrs.*
If 5	100	5100

100
24|0) *d.*
5) 510000 (10200|0 (425 *l.*

5	96
10	60
10	48
(00	120
	120
	(00)

Facit 425 *l.*

Queſt. 13. A Goldſmith bought a Wedge of Gold which weighed 14 *l.* 3 *oz.* 8 *p.w.* for the Sum of 514 *l.* 4 *s.* I demand what it ſtood him in *per* Ounce? Anſwer, 60 ſhillings, or 3 *l.* See the Work.

l.	*oz.*	*p.w.*	*l.*	*s.*	*oz.*
If 14	3	8	514	4	1
12			20 *ſhillings*		20
31			10284 *ſhillings*		20 *p.w.*
14			20 *p.w.*		
171 *oz.*		3428)	205680 (60 (3 *l.*		
20			6		
3428 *p.w.*			20568		*s.* *l.*
			(0)	(0)	*Fac.* 60 or 3
			(0)		*Queſt.*

Queſt. 14. A Grocer bought 4 *hhds* of Sugar, each weighing neat 6 *C.* 2 *qrs.* 14 *l.* which coſt him 2 *l.* 8 *s.* 6 *d. per C.* I demand the value of the 4 *hhds* at that rate?

Firſt, Find the weight of the 4 *hhds*, which you may do by reducing the weight of one of them into pounds, and multiply them by 4 (the number of *hhds*) and they make 2968 *l.* then ſay, If 1 *C.* or 112 *l.* coſt 2 *l.* 8 *s.* 6 *d.* what will 2968 *l.* coſt? *Facit* 64 *l.* 5 *s.* 3 *d.* As by the Operation,

C.	*qrs.*	*l.*
6	2	14
		4
		26
		28
		212
		53
		742 *l. in* 1 *hhd*
		4 *hogſheads*
		2968 *l. in* 4 *hhds.*

l.	*l.*	*s.*	*d.*	*l.*
If 112	2	8	06	2968
	20			582
	48			5936
	12			23744
	102			14840
	48			12) 2|0)
	582			112) 1727376 (15423 (128|5 (64 *l.*
				112 12 12
				607 34 8
				560 24 8
				473 102 (5) *ſhillings*
				448 96
				257 03
				224 60
				336 (3) *pence*
				336
				(0)

l.	*s.*	*d.*
Facit 64	5	3

Queſt.

Queſt. 15. A Draper bought of a Merchant 8 packs of Cloth, each pack containing 4 parcels, and each parcel 10 pieces, and in each piece 26 yards, and gave after the rate of 4 *l.* 16 *s.* for 6 yards, now I deſire to know how much he gave for the whole? *Anſwer*, 6656 *l.*

Firſt, Find out how many yards there were in the 8 packs, as by the following work you will find there are 8320 yards; then ſay, If 6 yards coſt 4 *l.* 16 *s.* what will 8320 yards coſt, *&c.*

8 *packs*
4
32 *parcels*
10
320 *pieces*
26
1920
640
8320 *yds*

yds	*l.*	*s.*	*yds*
If 6	4	16	8320
20			96
96			49920
			74880
			20
			6) 798720 (133120 (6656 *l.*

6	12
8	
8 19	13
18	12
18	11
18	10
7	12
6	12
12	(0)
12	
(0)	

Facit 6656 *l.*

B

By this time the Learner is (I suppose) well exercised in the Practick and Theorick of the Rule of Three Direct, but at his leisure he may look over the following Questions, whose Answers are given, but the operation purposely omitted as a Touchstone for the Learner, thereby to try his Ability in what hath been delivered in the former Rules.

Quest. 16. If 24 *l.* of Raisins cost 6 *s.* 6 *d.* what will 18 Frails cost, each weighing Neat 3 *qrs.* 18 *l.* *Answer*, 24 *l.* 17 *s.* 3 *d.*

Quest. 17. If an Ounce of Silver be worth 5 shillings, what is the price of 14 Ingots, each Ingot weighing 7 *l.* 5 *oz.* 10 *p w.* *Answer*, 313 *l.* 5 *s.*

Quest. 18. If a piece of Cloth cost 10 *l.* 16 *s.* 8 *d.* I demand how many Ells *English* there are in the same, when the Ell at that rate is worth 8 *s.* 4 *d.*? *Answer*, 26 Ells *English*.

Quest. 19. A Factor bought 84 pieces of Stuffs, which cost him in all 537 *l.* 12 *s.* at 5 *s.* 4 *d.* *per* yd. I demand how many Yards there were in all, and how many Ells *English* were contained in a piece of the same? *Answer*, 2016 yards in all, and 19$\frac{1}{5}$ Ells *English* *per* piece.

Quest. 20. A Draper bought 242 yards of Broadcloth, which cost him in all 254 *l.* 10 *s.* for 86 yards, of which he gave after the rate of 21 *s.* 4 *d.* *per* yard, I demand how many he gave *per* yard for the remainder? *Answer*, 20 *s.* 10 *d.* $\frac{45}{154}$ *per* yard.

Quest. 21. A Factor bought a certain quantity of Serge and Shalloon, which together cost him 226 *l.* 14 *s.* 10 *d.* the quantity of Serge he bought was 48 yards at 3 *s.* 4 *d.* *per* yard, and for every two yards of Serge he had 5 yards of Shalloon, I demand how many yards of Shalloon he had, and how much the Shalloon cost him *per* yard? *Answer*, 120 yards of Shalloon at 1 *l.* 16 *s.* 5$\frac{18}{120}$ *d.* *per* yard.

Quest. 22. An Oyl-man bought 3 Tun of Oyl, which cost him 151 *l.* 14 *s.* and it so chanced that it leaked out 85 gallons, but he is minded to sell it again, so as that he may be no loser by it, I demand how he must

must sell it *per* gallon? *Answer*, at 4 *s.* $6\frac{174}{677}$ *d.* p gallon.

Quest. 23. Bought 6 packs of Cloth, each pack containing 12 Cloths, which at 8 *s.* 4 *d.* *per Ell Flemish* cost 1080 *l.* I demand how many yards there were in each Cloth? *Answer*, 27 yards in each Cloth.

Quest. 24. A Gentleman hath 536 *l.* *per annum*, and his Expences are one day with another 18 *s.* 10 *d.* 3 *qrs.* I desire to know how much he layeth up at the years end? *Answer*, 191 *l.* 3 *s.* 0 *d.* 1 *qr.*

Quest. 25. A Gentleman expendeth daily one day with another 27 *s.* $10\frac{1}{2}$ *d.* and at the years end layeth up 340 *l.* I demand how much is his Yearly Income? *Answer*, 848 *l.* 14 *s.* $4\frac{1}{2}$ *d.*

Quest. 26. If I sell 14 yards for 10 *l.* 10 *s.* 00 *d.* how many Ells *Flemish* shall I sell for 283 *l.* 17 *s.* 6 *d.* at that rate? *Answer*, $504\frac{2}{3}$ *Ells Flemish.*

Quest. 27. If 100 *l.* in 12 Months gain 6 *l.* Interest, how much will 75 *l.* gain in the same time, and at the same rate? *Answer*, 4 *l.* 10 *s.*

Quest. 28. If 100 *l.* in 12 Months gain 6 *l.* Interest, how much will it gain in 7 Months at that rate? *Answer*, 3 *l.* 10 *s.*

Quest. 29. A certain Usurer put out 75 *l.* for 12 Months, and received Principal and Interest 81 *l.* I demand what rate *per Cent.* he received Interest? *Answer*, 8 *l.* *per Cent.*

Quest. 30. A Grocer bought 2 Chests of Sugar, the one weighed neat 17 *C.* 3 *qrs.* 14 *l.* at 2 *l.* 6 *s.* 8 *d.* *per C.* the other weighed neat 18 *C.* 1 *qr.* 21 *l.* at $4\frac{1}{2}$ *d.* *per l.* which he mingleth together, now I desire to know how much a *C.* weight of this mixture is worth? *Answer*, 2 *l.* 4 *s.* 3 *d.* $2\frac{1078}{4067}$ *qrs.*

Quest. 31. Two men, *viz.* *A* and *B*, departed both from one place, the one goes East, and the other West, the one travelleth 4 miles a day, the other 5 miles a day, how far are they distant the 9*th* day after their departure? *Answer*, 81 miles.

Quest.

Quest. 32. *A* flying every day 40 miles is pursued the 4th day after by *B*, posting 50 miles a day, now the Question is in how many days, and after how many miles Travel will *A* be overtaken? *Moor's Arithm. Chap. 7. Ex. 35.*

Answer, *B* overtakes him in 12 days, when they have travelled 600 miles.

11. The general Effect of the Rule of Three Direct, is contained in the definition of the same, that is, to find a fourth Number in proportion consisting of two equal Reasons as hath been fully shewn in all the foregoing Examples.

The second Effect is, by the price or value of one thing to find the price or value of many things of like kind.

The third Effect is, by the price or value of many things to find the price of one, or by the same price of many things (the said price being 1) to find the value of many things of like kind.

The fourth Effect is, by the price or value of many things, to find the price or value of many things of like kind.

The fifth Effect is, thereby to reduce any Number of Moneys, Weight, or Measure, the one sort into the other, as in the Rules of Reduction contained in the Eighth Chapter foregoing. Examples of its various Effects have been already answered.

12. The Rule of 3 Direct is thus proved, *viz.* multiply the first Number by the fourth, and note the Product, then multiply the second Number by the third, and if this Product is equal to the Product of the first and fourth, then the work is rightly performed, otherwise it is erronious. *The Proof of the Rule of Three Direct.*

So the first Question of this Chapter (whose Answer or fourth number we found to be 18 *s.*) is thus proved, *viz.* the first number is 4, which multiplyed by 18 (the fourth) produceth 72. And the second and third numbers are 12 and 6, which multiplyed together produce 72, equal to the product of the first and fourth, and therefore I conclude the work to be rightly performed.

Always observing, that if any thing remain after you have divided the product of the second and third numbers by the first, such remainder in proving the same must be added to the product of the first and fourth Numbers, whose Sum will be equal to the Product of the second and third, (the second number being of the same denomination with the fourth, and the first of the same denomination with the third.)

So the Fourth Question of this Chapter being again repeated, *viz.* If 14 *l.* of Tobacco cost 27 *s.* what will 478 *l.* cost at that Rate? The Answer (or fourth number) was 46 *l.* 01 *s.* 10 *d.* 1 *qr.* $\frac{3}{14}$, which is thus proved, *viz.* bring the fourth number into farthings, and it makes 44249, which multiplyed by the first number 14, produceth 619488 (the second which remaineth being added thereto) then (becaufe I reduce my fourth number into farthings,) I reduce my second (*viz.* 27 *s.*) into farthings, and they are 129 which multiplyed by the third number 478, their product is 619488 equal to the product of the first and fourth Numbers. Wherefore I conclude the Operation to be true. This is an infallible way to prove the *Rule of Three Direct*, and it is deduced from the 19 *Section* of the *9th Chapter* of this Book.

Thus much concerning *The single Rule of Three Direct*, and I question not but by this time the Learner is sufficiently qualified to resolve any question pertinent to this Rule, not relying upon *Fractions*, *Geometrical Magnitudes*. Those that are desirous to see the Demonstration of this Rule, let them read the *sixth Chapter* of (the ingenious) Mr *Kersey*'s Appendix to *Wingate*'s Arithmetick. Or the *sixth Chapter* of *Oughtreds* (incomparable) *Clavis Mathematicæ*: in both which Authors this Rule is largely demonstrated, being grounded upon the 19*th Prop.* of the 7*th*, and the 19*th Prop.* of the 9*th* of *Euclid. Elem.*

CHAP.

CHAP. XI.

The Single Rule of Three Inverſe.

1. THE Golden Rule, or Rule of 3 Inverſe, is when there are 3 *Numbers* given to find a fourth, in ſuch proportion to the 3 given Numbers, ſo as the fourth proceeds from the ſecond, according to the ſame Rate, Reaſon, or Proportion that the firſt proceeds from the third, or the Proportion is,

As the third Number is in proportion to the ſecond, ſo is the firſt to the fourth. *Alſted. Math. lib. 2. cap. 14.*

So if the 3 numbers given were 8, 12, and 16, and it were required to find a fourth number in an inverted proportion to theſe, I ſay that as 16 (the third Number) is the double of the firſt term or number (8) ſo muſt 12 (the ſecond number) be the double of the fourth; ſo will you find the fourth term or number to be 6. And as in the Rule of 3 *Direct*, you multiply the ſecond and third together, and divide their Product for a fourth proportional Number.

2. In the Rule of 3 *Inverſe*, you muſt multiply the ſecond term by the firſt (or firſt term by the ſecond) and divide the product thereof by the third term, ſo the quotient will give you the 4*th* term ſought in an Inverted *Proportion*. The ſame order being obſerved in this Rule, as in the Rule of 3 *Direct*, for placing and diſpoſing of the given numbers, and after your numbers are placed in order, that you may know whether your Queſtion be to be reſolved by the Rule *Direct* or *Inverſe*, obſerve the general Rule following.

3. When your Queſtion is ſtated, and your numbers orderly diſpoſed, Conſider in the firſt place whether the fourth term or number ſought, ought to be more or leſs than the ſecond term; which you may eaſily do: And if it is required to be more, or greater than the ſecond term, then the leſſer *Extream* muſt be your Diviſor; but if it require leſs, then the biggeſt *Extream*

tream must be your Divisor, (in this Case the first a third numbers are called *Extreams* in respect of the cond,) and having found out your *Divisor*, you m know whether your Question belong to the Rule *Di* or *Inverse*; for if the third term be your Divisor, th it is *Inverse*, but if the first term be your Divisor, th it is a *Direct* Rule. As in the following Questions.

Quest. 1. If 8 Labourers can do a certain piece work in 12 days, in how many days will 16 Labo rers do the same? *Answer*, in 6 days.

Having placed the numbers according to the Rule of the 10*th* Chapter, I consider that if 8 men can finish the work in 12 days, 16 men will do it in lesser (or fewer days, than 12,) therefore the biggest Extream must be the Divisor, which is 16, and therefore it is the Rule of 3 *Inverse*, wherefore I multiply the first and second numbers together, *viz.* 8 by 12, and their product is 96, which divided by 16, quotes 6 days for the *Answer*, and in so m days will 16 Labourers perform a piece of work, w 8 can do it in 12 days.

lab.	*days*	
8	12	
	8	
16)	96	(6 d
	96	
	(0)	
	Facit 6 *days.*	

Quest. 2. If when the measure (*viz.* a peck) of Wh cost 2 shillings, the penny Loaf weighed (according the Standard, Statute, or Law of *England*) 8 Ounce demand how much it will weigh when the peck worth 1 *s.* 6 *d.* according to the same rate or prop tion? *Answer*, 10 *oz.* 13 *p.w* 8 *gr.*

Having placed and reduced the given numbers acc ding to the 6 and 9 Rules of the 10*th* Chapter, I c sider, that at 1 *s.* 6 *d. per* peck, the penny Loaf weigh more than at 2 *s. per* peck; for as the p decreaseth, the weight increaseth, and as the price creaseth, so the weight diminisheth, wherefore bec the first term requireth more than the second, the l Extream must be the Divisor, 1 *s.* 6 *d.* or 18 *d.* having finished the work, I find the *Answer* to be 10

p. w. 8 *gr.* and ſo much will the penny Loaf weigh when the peck of Wheat is worth 1 *s.* 6 *d.* according to the given rate of 8 ounces, when the peck is worth 2 ſhillings, the work is plain in the following operation.



Queſt. 3. How many pieces of Money or Merchandiſe at 20 *s. per* piece are to be given or received for 240 pieces, the value or price of every piece being 12 ſhillings? *Anſwer*, 144. For if 12 *s.* require 240 pieces, then 20 ſhillings will require leſs; therefore the biggeſt Extream muſt be the Diviſor, which is the third Number, *&c.* See the Work.

s. pieces. s.
If 12—240—20
12

480
240

2|0) 288|0 (144 *pieces at* 20 s. *per piece.*
2

8
8

8
8

(0)

Queſt. 4. How many yards of 3 quarters broad are required to double, or be equal in meaſure to 30 yards, that are 5 quarters broad? *Anſwer*, 50 yards, For ſay, if 5 quarters wide require 30 yards long, what length will three quarters broad require? Here I conſider that 3 quarters broad will require more yards than 30, for the narrower the Cloath is, the more in length will go to make equal meaſure with a broader piece.

qrs —— *long* —— *qrs*
5 30
5
3) 150 (50 *yds*
15
(0)

Queſt. 5. At the Requeſt of a Friend I lent him 200 *l.* for 12 months, promiſing to do me the like Courteſie at my Neceſſity; but when I came to requeſt it of him, he could let me have but 150 *l.* now I deſire to know how long I may keep this Money to make plenary ſatisfaction for my former kindneſs to my Friend? *Anſwer*, 16 months. I ſay, if 200 *l.* require 12 months, what will 150 *l.* require? 150 *l.* will require more time than 12 months, therefore the leſſer *Extream* (*viz.* 150) muſt be the Diviſor, multi-

ply and divide, and you will find the fourth inverted Proportional to be 16, and ſo many months I ought to keep the 150 *l.* for ſatisfaction.

Queſt. 6. If for 24 *s.* I have 1200 *l.* weight carried 36 miles, how many miles ſhall 1800 *l.* be carried for the ſame money? *Anſwer*, 24 miles.

Queſt. 7. If for 24 *s.* I have 1200 *l.* carried 36 miles, how many pound weight ſhall I have carried 24 miles for the ſame money? *Anſwer*, 1800 *l.* weight.

Queſt. 8. If 100 Workmen in 12 days finiſh a piece of work or ſervice, how many Workmen are ſufficient to do the ſame in 3 days? *Anſwer*, 400 Workmen.

Queſt. 9. A Colonel is beſieged in a Town in which are 1000 Soldiers, with proviſion of Victuals only for 3 months, the Queſtion is, how many of his Soldiers muſt he diſmiſs, that his Victuals may laſt the remaining Soldiers 6 months? *Anſwer*, 500 he muſt keep, and diſmiſs as many.

Queſt. 10. If wine worth 20 *l.* is ſufficient for the Ordinary of 100 men, when the Tun is ſold for 30 *l.* how many men will the ſame 20 pounds worth ſuffice when the Tun is worth 24 *l*? *Anſwer*, 125 men.

Queſt. 11. How much Pluſh is ſufficient to line a Cloak which hath in it 4 yards of 7 quarters wide, when the Pluſh is but 3 quarters wide? *Anſwer*, $9\frac{1}{3}$ yards of Pluſh.

Queſt. 12. How many yards of Canvas that is Ell wide, will be ſufficient to line 20 yards of Say, that is 3 quarters wide? *Anſwer*, 12 yards.

Queſt. 13. How many yards of Matting that is two foot wide, will cover a Floor that is 24 foot long, and 20 foot broad? *Anſwer*, 240 foot.

Queſt. 14. A Regiment of Soldiers conſiſting of 1000, are to have new Coats, and each Coat to contain 2 yards, 2 quarters of Cloth, that is 5 quarters wide, and they are to be lined with Shalloon that is 3 quarters wide, I demand how many yards of Shalloon will line them? *Anſwer*, $16666\frac{2}{3}$ quarters of yards, or $4166\frac{2}{3}$ yards.

Queſt. 15. A Meſſenger makes a Journey in 24 days, when the day is 12 hours long, I deſire to know in how many days he will go the ſame when the day is 16 hours long? *Anſwer*, in 18 days.

Queſt. 16. Borrowed of my Friend 64 *l.* for 8 months, and he hath occaſion another time for to borrow of me for 12 months, I deſire to know how much I muſt lend to make good his former kindneſs to me? *Anſwer*, 42 *l.* 13 *s.* 04*d.*

4. The general Effect of the Rule of 3 *Inverſe* is contained in the definition of the ſame, that is, to find a fourth term in a Reciprocal Proportion, inverted to the Proportion given.

The ſecond Effect, is by two prices, or values of two ſeveral pieces of Money or Merchandize known, to find how many pieces of the one price is to be given for ſo many of the other. And conſequently to reduce and exchange one ſort of Money, or Merchandize into another. Or contrarywiſe to find the price unknown of any piece given to exchange in Reciprocal Proportion.

The third Effect, is, by two differing prices of a meaſure of Wheat bought or ſold, and the weight of the Loaf of Bread, made anſwerable to one of the prices of the meaſure given, to find out the weight of the ſame Loaf anſwerable to the other price of the ſaid meaſure given. Or contrariwiſe by the two ſeveral weights of the ſame prized Loaf, and the price of the meaſure of Wheat anſwerable to one of thoſe Weights given, to find out the other price of the meaſure anſwerable to the other weight of the ſame Loaf.

The fourth Effect, is, by two lengths, and one breadth of two Rectangular Planes known, to find out another breadth unknown. Or by two breadths and one length given, to find out another length unknown in an inverted proportion.

The fifth Effect, is, by double time and a capital ſum of money borrowed or lent, to find out another capital ſum anſwerable to one of the given Times

or

r otherwise, by two capital sums, and a time answerble to one of them given to find out a time answerble to the other capital sum in Reciprocal Reason.

The sixth Effect is, by two differing Weights of Carriage, and the distance of the places in Miles or in Leagues given, to find another distance in miles answerable to the same price of payment: Or otherwise by two distances in miles, and the weight answerable to one of the distances (being carried for a certain price) to find out the weight answerable to the other distance for the same price.

The seventh Effect is by double Workmen, and the time answerable to one of the numbers of Workmen given, to find out the time answerable to the other number of Workmen, in the performance of any work or service. Or contrariwise, by double time and the Workmen answerable to one of those times given, to find out the number of Workmen answerable to the other time, in the performance of any work or service.

Also by a double price of Provision, and the number of Men, or other Creatures nourished for a certain time, answerable to one of the prices of Provision given, to find out another Number of Men or other Creatures answerable to the other price of the provision for the same time. Or contrariwise by two numbers of men or other Creatures nourished, and one price of provision answerable to one of the numbers of Creatures given, to find out the other price of the same provision answerable to the other number of Creatures, both being supposed to be nourished for the same, *&c.* As in the foregoing Examples is fully declared.

To prove the Operation of the Rule of 3 Inverse, multiply the third and fourth terms together and note their product; and multiply the first and second together, and if their product is equal to the product of third and fourth, then is the work truly wrought, but if it falleth out otherwise, then it is erronious.

As in the first Question of this Chapter, 16 (the third *number*) being multiplied by 6 (the fourth *number*)

the product is 96, and the product of 8 (the first number) multiplyed by 12 (the second number) is 96, equal to the first product, which proves the work to be right.

And Note, that if in Division any thing remain, such remainder must be added to the product of the third and fourth terms, and if the Sum be equal to the product of the first and second (the homogeneal terms being of one denomination) the work is right.

CHAP. XII.

The Double Rule of Three Direct.

WE have already delivered the Rules of *Single Proportion*, and we come now to lay down the Rules of *Plural Proportion.*

1. *Plural Proportion*, is when more Operations in the Rule of Three than one, are required before a Solution can be given to the Question propounded. Therefore in Questions that require Plurality in *Proportion*, there are always given more than three numbers.

2. When there are given 5 numbers, and a sixth is required in proportion thereunto, then this sixth proportion is said to be found out by the double Rule of 3, as in the Question following, *viz.*

If 100 *l.* in 12 months gain 6 *l.* Interest, how much will 75 *l.* gain in 9 months?

3. Questions in the double Rule of three may be resolved either by two single Rules of Three, or by one single Rule of Three, compounded of the five given Numbers.

4 The double Rule of 3 is either *Direct*, or else *Inverse.*

5. The double Rule of 3 *Direct*, is when unto 5 given Numbers, a sixth proportional may be found out by two single Rules of Three *Direct.*

6 The five given Numbers in the double Rule of Three

Three consist of 2 parts, *viz.* First, a Supposition, and Secondly, of a *Demand*; the Supposition is contained in the three first of the five given Numbers, and the Demand lies in the two last; as in the Example of the second Rule of this Chapter; *viz.* If 100 *l.* in 12 months gain 6 *l.* Interest, what will 75 *l.* gain in 9 months? Here the Supposition is expressed in 100, 12, and 6; for it is said, if (or suppose) 100 *l.* in 12 months gain 6 *l.* Interest, and the Demand lyeth in 75 and 9; for it is demanded how much 75 *l.* will gain in 9 months?

7. When your Question is stated, the next thing will be to dispose of the given Numbers in due order and place, as a preparative for Resolution; which that you may do, First, observe which of the given Numbers in the Supposition is of the same Denomination with the Number required; for that must be the second number (in the first operation) of the single Rule of 3, and one of the other Numbers in the Supposition (it matters not which) must be the first Number, and that Number in the Demand which is of the same Denomination with the first, must be the third number, which three Numbers being thus placed, will make one perfect Question in the single Rule of three, as in the forementioned Example: First, I consider that the Number required in the Question is the Interest or Gain of 75 *l* therefore that number in the Supposition which hath the same name (*viz.* 6 *l.* which is the Interest or Gain of 100 *l.*) must be the second Number in the first Operation, 100—6—75 and either 100 or 12 (it matters not which) must be the first Number; but I will take 100, and then for the third Number, I put that Number in the Demand which hath the same Denomination with 100, which is 75, (for they both signifie pounds principal) and then the Numbers will stand as you see in the Margent.

But

But if I had for the first *number* put the other *number* in the Supposition, *viz.* 12, which signifieth 12 months, then the third *number* must have been 9, which is that *number* in the Demand which hath the same Denomination with the first, *viz.* 9 months, and then they will stand as in the margent.

There yet remain two *numbers* to be disposed of, and those are, one in the Supposition, and another in the Demand; that which is of the Supposition, I place under the first of the three *numbers*, and the other which is in the Demand I place under the third number, and then 2 of the *terms* in the suppositon will stand (one over the other) in the first place, and the 2 *terms* in the Demand will stand (one over the other) in the third place, as in the margent.

12	6	9
100	6	75
12		9

Or thus,

12	6	9
100		75

8. Having disposed, or ordered the *numbers* given according to the last Rule, we may proceed to a resolution, and first I work with the three uppermost *numbers*, which according to the first disposition are 100, 6, and 75, which is as much as to say, If 100 *l.* require 6 *l.* (Interest) how much will 75 *l.* require? which by the third Rule of the eleventh Chapter I find to be *Direct*, and by the 7 and 8 Rules of the tenth Chap. I find the fourth *Proportional number* to be 4 *l.* 10 *s.* so that by the foregoing single Question I have discovered how much Interest 75 *l.* will gain in 12 mon. the operation whereof followeth on the left hand under the letter *A*; and having discovered how much 75 *l.* will gain in 12 months we may by another question easily discover how much it will gain in 9 months, for this fourth *number* (thus found) I put in the middle between the two lowest *numbers* of the five, after they are placed according to the seventh Rule of this Chapter; and then it will be a second *number*, in another Question in the Rule of Three,

m	*l.*	*s.*	*m.*

the *numbers* being 12—4—10—9 the first and third

numbers

numbers being of one Denomination, *viz.* both months, and may be thus expreſſed, if 12 months require 4 *l.* 10 *s.* Intereſt, what will 9 months require? And by the third Rule of the 11*th.* Chapter I find it to be the *Direct* Rule, and by working according to the directions laid down in the 7, 8, and 9 Rules of the 10*th* Chapter, I find the fourth *Proportional number* to the laſt ſingle Queſtion to be 03 *l.* 07 *s.* 06 *d.* which is the ſixth *Proportional number* to the 5 given *numbers*, and is the Anſwer to the general Queſtion. The work of the laſt ſingle Queſtion is expreſſed on the right ſide of the page under the letter *B*, as followeth,

100——6——75

A

	l.	l.	l.
If	100	6	75

75

30.

42

l. s.

1|00) 4|50 (4--10

4

Rem. (50)

Mult. 20

1|00) 10|00 (10 *s.*

	l.	s.
Facit	4	10

12 B

Then ſay,

	m.	*l.*	*s.*	*m.*
If	12	4	10	9

20.

90 *ſhillings.*

12

180

90

1080 *pence.*

9

12) 2|0 l. s. d.

12) 9720 (810(6|7 (3--7--6

96 72 7 *s.*

12 90

12 84

(0) (6) *pence.*

	l.	s.	d.
Facit.	3	7	6

So

So that by the foregoing Operation I conclude that if 100 *l.* in 12 months gain 6 *l.* Intereſt, 75 *l.* will gain 3 *l.* 7*s.* 6 *d.* in 9 months after the ſame rate.

The Anſwer would have been the ſame if the 5 given *Numbers* had been ordered according to the ſecond method, *viz.* as you ſee in the Margent.

12	6	9
100		75

For firſt, I ſay, if 12 months gain 6 *l.* what will 9 months gain? This Queſtion I find to be *Direct* by the 3*d* Rule of the 11*th* Chapter, and by the 7 and 8 Rules of the 10*th* Chapter, I find the fourth Proportional Number to theſe three to be 4 *l.* 10 *s.*

Thus have I found out what is the Intereſt of 100 *l.* for 9 months, and I am now to find the Intereſt of 75 *l.* for 9 months; to effect which, I make this 4th Number (found as before) to be my ſecond Number in the next Queſtion, and ſay, If 100 *l.* require 4 *l.* 10 *s.* what will 75 *l.* require? This Queſtion I find (by the ſaid third Rule of the eleventh Chapter) to be *Direct*, and by the ſaid 7*th*, 8*th*, and 9*th* Rules of the tenth Chapter, I find the Anſwer to be as before, *viz.* 3 *l.* 7 *s.* 6 *d.*

This Rule hath been ſufficiently explained by the foregoing Example, ſo that the Learner may be able to reſolve the following (or any other) Queſtions pertinent to the double Rule of 3 *Direct*, whoſe Anſwers are there given, but the Operation purpoſely omitted to try the Learners ability in the knowledge of what hath been before delivered.

Queſt. 2. A ſecond Example in this Rule may be as followeth, *viz.* A Carrier receiving 42 ſhillings for the Carriage of 300 weight 150 miles, I demand how much he ought to receive for the Carriage of 7 *C.* 3 *qrs.* 14 *l.* 50 miles at that rate? *Anſwer*, 36 *s.* 9 *d.*

Queſt. 3. A Regiment of 936 Soldiers eat up 351 quarters of Wheat in 168 days, I demand how many quarters of Wheat 11232 Soldiers will eat in 56 days at that rate? *Anſwer*, 1404 *qrs.*

Queſt. 4. If 40 Acres of Graſs be mowed by 8 men in 7 days, how many Acres ſhall be mowed by 24 men in 28 days? *Anſwer*, 480 Acres.

Queſt.

Queſt. 5. If 48 buſhels of Corn (or other ſeed) yield 576 buſhels in 1 year, how much will 240 buſhels yield in 6 years at that rate? That is to ſay, if there were ſowed 240 buſhels every one of the 6 years? *Anſwer*, 17280 buſhels.

Queſt. 6. If 40 ſhillings is the Wages of 8 men for 5 days, what ſhall be the Wages of 32 men for 24 days? *Anſwer*, 768 ſhillings, or 38 *l.* 8 *s.*

Queſt. 7. If 14 Horſes eat 56 buſhels of Provender in 16 days, how many buſhels will 20 Horſes eat in 24 days? *Anſwer*, 120 buſhels.

Queſt. 8. If 8 Cannons in 1 day ſpend 48 barrels of Powder, I demand how many barrels 24 Cannons will ſpend in 12 days at that rate? *Anſwer*, 1728 barrels.

Queſt. 9. If in a Family, conſiſting of 7 perſons, there are drunk out 2 Kilderkins of Beer in 12 days, how many Kilderkins will there be drunk out in 8 days by another Family conſiſting of 14 Perſons? *Anſwer*, 48 Gallons, or 2 Kilderkins and 12 Gallons.

Queſt. 10. An *Uſurer* put 75 *l.* out to receive Intereſt for the ſame, and when it had continued 9 months, he received for Principal and Intereſt 78 *l.* 7 *s.* 6 *d.* I demand at what rate *per Cent. per Annum*, he received intereſt? *Anſwer*, at 6 *l. per Cent. per Annum.*

CHAP. XIII.

The Double Rule of Three Inverſe.

1. THE Double Rule of 3 *Inverſe*, is, when a Queſtion in the Double Rule of 3 is reſolved by 2 Single Rules of 3, and one of thoſe Single Rules falls out to be *Inverſe*, or requires a fourth number in *Proportion Reciprocal* (for both the Queſtions are never *Inverſe*.)

2. In all Queſtions of the Double Rule of 3 (as well *Inverſe* as *Direct*) you are (in the diſpoſing of the 5 given

numbers) to obſerve the ſeventh Rule of the 12*th*. Chapter, and in reſolving of it by two ſingle Rules obſerve to make choice of your *Numbers* for the firſt and ſecond ſingle Queſtions according to the directions given in the eighth Rule of the ſame Chapter, as in the Example following, *viz.*

Queſt. 1. If 100 *l.* Principal in 12 months gain 6 *l.* Intereſt, what Principal will gain 3 *l.* 7 *s.* 6 *d.* in 9 months?

This Queſtion is an Inverſion of the firſt Queſtion of the 12*th* Chapter, and may ſerve for a proof thereof.

In order to a Reſolution, I diſpoſe of the 5 given *Numbers* according to the 7*th* Rule of the laſt Chapter, and being ſo diſpoſed, will ſtand as followeth.

12——100——9
6 l. s. d.
3—7—6

Or thus,

l. s. d.
6——100——3—7—6
12 9

Here obſerve, that according to the eighth Rule of the twelfth Chapter, the firſt Queſtion, If you take it from the 5 *Numbers*, (as they are ordered or placed firſt) will be, If 12 months require 100 *l* principal, what will 9 months require to make the ſame Intereſt? This (according to the third Rule of the 11 Chapter) is *Inverſe*, and the anſwer will be found (by the 2 Rule of the 11*th* Chapter) to be 133 *l.* 6*s.* 8*d.* the ſecond queſtion then will be, If 6 *l.* Intereſt, require 133 *l.* 6 *s.* 8 *d.* principal, how much principal will 3 *l.* 7 *s.* 6 *d.* require? This is a direct Rule, and the anſwer in a direct *proportion* is 75 *l.* See the Work.

First

First I say,

```
   m.      l.      m.
If 12——100——9
          12
        ————  l.   s.  d.
     9) 1200 (133—6—8
        ...
         9
        ————
         30
         27
        ————
          30
          27
        ————
          (3)
          20
        ————
        9) 60 (6 s.
           54
        ————
          (6)
          12
        ————
        9) 72 (8 d.
           72
        ————
          (0)
```

Then

Then I say,

l.	*l.*	*s.*	*d.*	*l.*	*s.*	*d.*
If 6	133	6	8	3	7	6
240	20			20		
1440 *d.*	2666			67		
	12			12		
	5340			140		
	2666			67		
	32000			810 *d.*		
	810					
	320000					
	256					
	24|0					
144|0)	25602000|0 (1800|0 (75 *l.*					
	.... ..					
	144	168				
	1152	120				
	1152	120				
	(0)	(0)				

So that by the foregoing Work I find that if 6 *l.* Interest be gained by 100 *l.* in 12 months, 3 *l.* 7 *s.* 6 *d.* will be gained by 75 *l.* in nine months.

But if the resolution had been found out by the Numbers as they are ranked in the second place, then the second Question in the single Rule would have been *Inverse*, and the first Question *Direct*, and the conclusion the same with the first method, *viz.* 75 *l.*

Quest. 2. If a Regiment consisting of 936 Soldiers, can eat up 351 quarters of Wheat in 168 days, how many Soldiers will eat up 1404 quarters in 56 days at that rate? *Answer*, 11232 Soldiers.

Quest. 3. If 12 Students in 8 Weeks spend 48 *l.* I demand how many Students will spend 288 *l.* in 18 Weeks? *Answer*, 32 Students.

Quest.

Quest. 4. If 48 *l.* serve 12 Students 8 Weeks, how many Weeks will 288 *l.* serve 4 Students? *Answer*, 144 Weeks.

Quest. 5. If when the bushel of Wheat cost 3 *s.* 4 *d.* the peny Loaf weigheth 12 ounces, I demand the weight of the Loaf worth 9 *d.* when the bushel cost 10 *s.* *Answer*, 36 *ounces.*

Quest. 6. If 48 Pioneers in 12 days cast a Trench 24 *yards* long, how many Pioneers will cast a Trench 168 *yards* long in 16 days? *Answer*, 252 Pioneers.

Quest. 7 If 12 *C.* weight being carried 100 miles cost 5 *l.* 12 *s.* I desire to know how many *C.* weight may be carried 150 miles for 12 *l.* 12 *s.* at that rate? *Answer*, 18 *C.*

Quest. 8. If when Wine is worth 30 *l. per Tun*, 20 pounds worth is sufficient for the ordinary of 100 men, how many men will 4 *l.* worth suffice when it is worth 24 *l. per Tun?* *Answer*, 25 men.

Quest. 9. If 6 men in 24 days mow 72 Acres, in how many days will 8 men mow 24 Acres? *Answer*, in 6 days.

Quest. 10. If when the Tun of Wine is worth 30 *l.* 100 men will be satisfied with 20 *l.* worth, I desire to know what the Tun is worth when 4 *l.* worth will satisfie 25 men at the same rate? *Answer*, 24 *l. per Tun.*

CHAP. XIV.

The Rule of Three composed of five Numbers.

1. THE Rule of Three Composed, is, when Questions (wherein there are 5 Numbers given to find a 6th in proportion thereunto) are resolved by one single Rule of 3 composed of the 5 given Numbers.

2. When Questions may be performed by the double Rule of 3 Direct, and it is required to resolve them by the Rule of 3 composed, (first order or rank your Numbers according to the 7th Rule of the 12th Chapter, then)

The

The Rule is

Multiply the Terms or (Numbers) that ſtand one over the other, in the firſt place, the one by the other, and make their product the firſt term in the Rule of Three Direct, then multiply the terms that ſtand one over the other, in the third place, and place their product for the third term in the Rule of Three Direct, and put the middle term of the three uppermoſt for a ſecond term; then having found a fourth proportional, direct to theſe three, this fourth proportional ſo found, ſhall be the Anſwer required.

So the firſt Queſtion of the 12*th* Chapter being propoſed. *viz.* If 100 *l.* in 12 months gain 6 *l.* Intereſt, what will 75 *l.* gain in 9 months? The Numbers being ranked (or placed) as is there directed and done.

Then I multiply the two firſt terms, 100 and 12, the one by the other, and their product is 1200 (for the firſt term;) then I multiply the two laſt terms 75 and 9 together, and their product is 675, for the third term. Then I ſay, as 1200 is to 6, ſo is 675 to the Anſwer, which by the Rule of Three Direct will be found to be 3 *l.* 7 *s.* 6 *d.* as was before found.

3. But if the Queſtion be to be anſwered by the double Rule of Three Inverſe, then (having placed the five given terms as before) multiply the lowermoſt term of the firſt place, by the uppermoſt term of the third place, and put the product for the firſt term; then multiply the uppermoſt term of the firſt place, by the lowermoſt term of the third place, and put the product for the third time, and put the ſecond term of the three higheſt Numbers for the middle term to thoſe two, then if the inverſe proportion is found in the uppermoſt three numbers, the 4*th* Proportional Direct to theſe three ſhall be the anſwer; ſo the firſt Queſtion of the 13*th* Chapter being ſtated, *viz.* If a 100*l.* Principal in 12 months gain 6 *l.* Intereſt, what Principal will gain 3 *l.* 7 *s.* 6 *d.* in 9 months? State the Numbers as is there directed in the firſt order, *viz.*



then reduce the 6 *l.* and 3 *l.* 7 *s.* 6 *d.* into pence, the 6 *l.* is 1440 *d.* and 3 *l.* 7 *s.* 6 *d.* is 810 *d.* then multiply 1440 by 9, the product is 12960 for the firſt term in the Rule of Three Direct, and multiply 810 by 12, the product is 9720 for the third term, then I ſay, As 12960 is to 100 *l.* ſo is 9720 to the Anſwer, *viz.* 75 *l.* as before. But if the terms had been placed after the ſecond order, *viz.*



then the Inverſe Proportion is found in the loweſt Numbers, and having compoſed the Numbers for a ſingle Rule of Three as in the ſecond Rule foregoing, then the Anſwer muſt be found by a ſingle Rule of Three Inverſe; for here it falls out to multiply 810 by 12 for the firſt Number, and 1440 by 9 for the third Number, and then you muſt ſay, As 9720 is to 100 *l.* ſo is 12960 to the Anſwer, which by Inverſe Proportion will be found to be 75 *l.* as before.

The Queſtions in the 12th and 13th Chapters may ſerve for thy farther experience.

CHAP. XV.

Single Fellowſhip.

1. FELLOWSHIP is that Rule of Plural Proportion, whereby we ballance Accompts depending

pending between divers Perſons having put together a general Stock, ſo that they may every man have his proportional part of Gain, or ſuſtain his proportional part of Loſs.

2. The Rule of Fellowſhip is either ſingle, or it is double.

3. The ſingle Rule is when the Stocks propounded are ſingle Numbers without any reſpect or relation to time, each Partner continuing his Money in Stock for the ſame time.

4. In the ſingle Rule of Fellowſhip, the proportion is as the whole Stock of all the Partners is in proportion to the total Gain or Loſs, ſo is each Mans particular ſhare in the Stock, to his particular ſhare in the Gain or Loſs. Therefore take the Total of all the Stocks for the firſt term in the Rule of Three, and the whole Gain or Loſs for the ſecond term, and the particular Stock of any one of the Partners for the third term, then multiply and divide according to the 7th Rule of the 9th Chapter, and the 4th proportional Number is the particular loſs or gain of him whoſe Stock you made your ſecond number, wherefore repeat the Rule of 3 as often as there are particular Stocks, or Partners in the queſtion, and the 4th terms produced upon the ſeveral Operations are the reſpective Gain or Loſs of thoſe particular Stocks given; as in the Examples following.

Queſt. 1. Two Perſons, *viz.* A and B, bought a Tun of Wine for 29 *l.* of which A paid 12 *l.* and B paid 8 *l.* and they gained in the Sale thereof 5 *l.* now I demand each mans ſhare in the Gains according to his Stock?

Firſt, I find the Sum of their Stocks, by adding them together, *viz.* 12 *l.* and 8 *l.* which are 20 *l.* then according to this Rule I ſay firſt, If 20 *l.* (the Sum of their Stocks) require 5 *l.* the total Gain, how much will 12 *l.* (the Stock of A) require? Multiply and Divide by the 7th Rule of the ninth Chapter, and the Anſwer is 3 *l.* for the ſhare of A in the gains;

12	
8	
20 *l.*	

gains; then again I say, If 20 *l.* require 5 *l.* what will 8 *l.* require? The Answer is 2 *l.* which is the *gain* of B. So I conclude that the share of A in the gain is 3 *l.* and the share of B in the gain is 2 *l.* which in all is 5 *l.*

l. l. l.
If 20 —— 5 —— 12
12

20) 60 (3 l.
60

(0)

l. l. l.
If 20 —— 5 —— 8
8

20) 40 (2 l.

Quest. 2. Three Merchants, *viz.* A, B, and C, enter upon a joint Adventure, A put into the common stock 78 *l.* B put in 117 *l.* and C put in 234 *l.* and they find (when they make up their Accompts) that they have gained in all 264 *l.* now I desire to know each Mans particular share in the gains?

First I add their particular stocks together, and their Sum is 429 *l.* then say, If 429 *l.* gain 264 *l.* what will 78 *l.* gain? and what 117 *l.* and what will 234 *l.* (the Stocks of A, B, and C,) gain? Work by 3 several Rules of 3, and you will find that

	l.
78	
117	
234	
Sum 429	

		l.
The Gain of	A	48
	B	72
	C	144
	Sum	264

Quest

Queſt. 3. Four Partners, *viz.* A, B, C, and D, between them built a Ship which coſt 1730 *l.* of which A paid 346 *l.* B 519 *l.* C 692 *l.* and D 173 *l.* and her Freight for a certain Voyage is 370 *l.* which is due to the Owners or Builders, I demand each mans ſhare therein according to his Charge in building her.

Anſwer,

	l.
A	74
B	111
C	148
D	37
Sum	370

Queſt. 4. A, B, and C, enter Partnerſhip for a certain time, A put into the common ſtock 364 *l.* B put in 482 *l.* C put in 500 l. and they gained 867 *l.* now I demand each mans ſhare in the gain proportionable to his Stock.

Anſwer,

	l.	s.	d.
A	234	09	3 1 3/4 5/6 2/6
B	310	09	5 1 3/4 5/6 2/6
C	322	01	3 1 3/4 9/6 0/6
Sum	867	00	0

5. To prove the Rule of *Single Fellowſhip*, add each mans particular gain or loſs together, and if the total Sum is equal to the general gain or loſs, then is the Work rightly performed, but otherwiſe it is erronious. Example, In the firſt Queſtion of this Chapter, the *Anſwer* was that the gain of A was 3 *l.* and the gain of B 2 *l.* which added together make 5 *l.* equal to the totalgaingiven.

The Proof of the Rule of Single Fellowſhip.

If in finding out the *particular ſhares* of the ſeveral *Partners*, any thing remain after Diviſion is ended, ſuch remainders muſt be added together, (they being all Fractions of the ſame Denomination) and their ſum divided by the common Diviſor in each Queſtion (*viz.* the total ſtock) and the quotient add to the *particular gains*, and then if the total Sum is equal to the total Gain the work is right, otherwiſe not.

As in the fourth Queſtion, the Remainders were 354, 62, and 930, which added together make 1346, which divided by 1346, (the ſum of their Stocks) the Quotient is 1 *d.* which I add to the pence, *&c.* and the ſum of their ſhares is 867 *l.* equal to the total Gain; wherefore I conclude the work is right.

CHAP. XVI.

Double Fellowſhip.

1. DOUBLE Fellowſhip is when ſeveral Perſons enter into *Partnerſhip* for unequal time, that is, when every Mans *particular* ſtock hath relation to a *particular* time.

2. In the double Rule of Fellowſhip, multiply each *particular* ſtock by its reſpective time, and having added the ſeveral products together make their ſum the firſt *number* (or *term*) in the Rule of 3, and the total gain or loſs the ſecond number, and the product of any ones particular ſtock by his time, the third *term*, and the 4th *number* in *proportion* thereunto is his *particular* gain or loſs, whoſe product of ſtock and time is your third *number*,

Then repeat (as in Single Fellowſhip) the Rule of 3, as often as there are Products or (Partners) and the 4 *terms* thereby invented are the *numbers* required.

Example.

Queſt. 1. A and B enter *Partnerſhip*, A put in 40 *l.* for 3 months, B put in in 75 *l.* for 4 months, and they

gained 70 *l.* now I demand each mans ſhare in the gains, proportionable to his ſtock and time? *Anſwer*, A 20 *l.* B 50 *l.*

To reſolve this Queſtion, I firſt multiply the ſtock of A, (*viz.* 40 *l.*) by its time (3 months) and the product is 120, then I multiply the ſtock of B by its time (*viz.* 75 by 4) and it produceth 300, which I add to the Product of A his Stock and Time, and the ſum is 420. Then by the Rule of 3 Direct, I ſay, As 420 (the Sum of the products) is to 70 (the total gain) ſo is 120 (the product of A his ſtock and time) to 20 *l.* (the ſhare of A in the gains) and ſo is 300 (the product of B his ſtock and time) to 50 *l.* (the ſhare of B in the gains). And ſo much ought each to have for his ſhare.

	l.	l.
	40	75
	3	4
A	120	B 300
		120
Sum		420

Queſt. 2. A, B, and C, make a Stock for 12 Months, A put in at firſt 364 *l.* and 4 Months after that he put in 40 *l.* B put in at firſt 408 *l.* and at the end of 4 Months he took out 86 *l.* C put in at firſt 148 *l.* and 3 months after he put in 86 *l.* more, and 5 months after that he put in 100 *l.* more, and at the end of 12 months their gain is found to be 1436 *l.* I deſire to know each mans ſhare in the gains according to his ſtock and time?

Firſt, I conſider, that the whole time of their Partnerſhip is 12 months. Then I proceed to find out the ſeveral products or ſtock and time as followeth.

A had at firſt 364 *l.* for 4 months, wherefore their Product is	1456
Then he put in 40 *l.* which with the firſt Sum makes 404 *l.* which continued the remainder of the time, *viz.* 8 months, and their Product is	3232
The Sum of the Products of the ſtock and time of A is	4688

B had

B had 408 *l.* in 7 months, whose product is	2856
And then took out 86 *l.* therefore he left in Stock 322 *l.* which continued the rest of the time, *viz.* five months, whose product is	1610
The sum of the products of the stock and time of B is	4466.
C put in 148 *l.* for 3 months, whose product being multiplyed is	444
Then he put in 86 *l.* which added to the first, (*viz.* 148) makes 234 *l.* which lay in stock 5 months, their product is	1170
Then he put in 100 *l.* more, so then he had in stock 334 *l.* which continued the remainder of the time, (*viz.* 4 months) which multiplyed together produce	1336
The sum of the Product of the money and time of C is	2950
B	4466
A	4688
The Total Sum of all the product is	12104

Then *I* say, as 12104 is to 1436 (the total gain) so is 4688 to the *share* of A in the gains, *&c.* go on as in the foregoing Examples, and you will find their *shares* in the gain to be as followeth, *viz.*

Answer,

		l.	s.	d.
The share of A	is	556	03	6 $\frac{6}{11}$
B		529	16	9 $\frac{1}{11}$
C		349	19	8 $\frac{4}{11}$
Sum		1436	00	0

*Queſt.*3. Three Graſiers, A, B, and C, take a piece of Ground for 46 l. 10 s. in which A put in 12 Oxen for 8 months, B put in 16 Oxen for 5 months, and C put 18 Oxen for 4 months, now the queſtion is, what ſhall each man pay of the 46 l. 10 s. for his ſhare in that charge?

Anſwer,

		l.	s.
A	ſhall pay	18	00
B		15	00
C		13	10
		46	10

3. The proof of this Rule is the ſame with that of *Single Fellowſhip*, laid down in the 5th Rule of the 5th Chapter; and note that,

If a loſs be ſuſtained inſtead of gain amongſt *Partners*, every mans ſhare to be born in the loſs is to be found after the ſame method as their gain, whether their Stocks be for equal or unequal time.

CHAP. XVII.

Alligation Medial.

1. THE Rule of Alligation is that Rule in plural proportion, by which we reſolve Queſtions, wherein is a compoſition or mixture of divers ſimples, as alſo it is uſeful in the compoſition of Medicines both for quantity, quality, and price. And its ſpecies are two, *viz.* Medial and Alternate.

2. Alligation Medial is when having the ſeveral quantities and prices of ſeveral ſimples propounded, we diſcover the mean price or rate of any quantity of the mixture compounded of thoſe ſimples, and the proportion is,

As

As the ſum of the ſimples to be mingled is to the total value of all the ſimples, ſo is any part or quantity of the compoſition or mixture to its mean Rate or Price.

Queſt. 1. A Farmer mingleth 20 buſhels of Wheat at 5 *s. per* buſhel, and 36 buſhels of Rye at 3 *s. per* buſhel, with 40 buſhels of Barley, at 2 *s. per* buſhel, now I deſire to know what one buſhel of that mixture is worth?

To reſolve this Queſtion add together the given quantities and alſo their values, which is 96 buſhels, whoſe total value is 14 *l.* 8 *s.* as appeareth by the Work following; for,

buſh.		*l.*	*s.*
20	*of Wheat at* 5 s. per *Buſhel, is*	5	0
36	*of Rye at* 3 s. per *Buſhel, is*	5	8
40	*of Barley at* 2 s. per *Buſhel, is*	4	0
The Sum of the given quantities is	96, *and their value is*	14	8

Then ſay by the Rule of 3 Direct, If 96 buſhels coſt (or is worth) 14 *l.* 8 *s.* what is 1 buſhel worth?

b.	l.	s.	b.
96	14	8	1
	20		
	288		

96) 288 (3 *s.*

288

(0)

facit 3 *s. per buſhel.*

Queſt. 2. A Vintner mingleth 15 Gallons of Canary at 8 *s. per* gallon, with 20 gallons of Malaga at 7 *s.* 4 *d. per* gallon, with 10 gallons of Sherry at 6 *s.* 8 *d. per* gallon, and 24 gallons of White-wine at 4 *s. per* gallon, now I demand what a gallon of that mixture is worth? Work as in the laſt Queſtion, and you will find the Anſwer to be 6 *s.* 2 *d.* 2 *qrs.* $\frac{48}{69}$.

Queſt. 3 A Grocer hath mingled 3 C. of Sugar at 36 *s. per* C. with 3 C. of Sugar at 3 *l.* 14 *s.* 8 *d. per* C. and with 6 C. at 1 *l.* 17 *s.* 04 *d. per* C. I deſire to know the price of a hundred weight of that mixture? *Anſwer*, 2 *l.* 11 *s.* 4 *d.*

3. The proof of this Operation is by the price of any quantity of the mixture to find out the total value of the whole compoſition, and if it is equal to the total value of the ſeveral ſimples, the Work is right, otherwiſe not. As in the firſt Example, the anſwer to the queſtion was that 3 *s.* is the price of one buſhel; wherefore I ſay by the Rule of Proportion, If 1 buſhel be 3 ſhillings, what is 96 buſhels? *Anſwer*, 14 *l.* 8 *s.* which is the total value of the ſeveral ſimples, wherefore the Work is right.

The Proof of Allig. Medial.

CHAP. XVIII.

Alligation Alternate.

1. ALligation Alternate is when there are given the particular prices of ſeveral ſimples, and thereby we diſcover ſuch quantities of thoſe ſimples, as being mingled together ſhall bear a certain rate propounded.

2. When ſuch a queſtion is ſtated, place the given prices of the ſimples one over the other, and the propounded price of the compoſition againſt them in ſuch ſort that it may repreſent a Root, and they ſo many branches ſpringing from it, as in the following example.

Queſt. 1. A certain Farmer is deſirous to mix 20 buſhels of Wheat at 5 *s.* or 60 *d. per* buſhel, with Rye at 3 *s.* or 36 *d. per* buſhel, and with Barley at 2 *s.* or 24 *d. per* buſhel, and Oats at 1 *s.* 6 *d. per* buſhel, and deſireth to mix ſuch a quantity of Rye, Barley and Oats with the 20 buſhels of Wheat, as that the whole compoſition may be worth 2 *s.* 8 *d.* or 32 *d. per* buſhel.

The

The Prices of the ſimples being placed according to the laſt Rule, with the price of the compoſition propounded as a root to them will ſtand as followeth.

32 { 60 pence. 36 24 18

3. Having thus placed the given Numbers, you are to link or combine the ſeveral rates of the ſimples the one to the other, by certain Arches, in ſuch a ſort that one that is leſſer than the root (or mean rate) may be linked or coupled to another that is greater than the mean rate, ſo the queſtion laſt propounded will ſtand.

1. *Thus,*



2. *Or Thus,*

3. *Or Thus.*

4 Then take the difference between the root and the ſeveral branches, and place the difference of each againſt the number or branch, with which it is coupled or linked, and having taken all the Differences and placed them as aforeſaid, then thoſe Differences ſo placed will ſhew you the number of each ſimple to be taken to make a compoſition to bear the mean rate propounded.

So the branches of the laſt queſtion being linked together as in the firſt manner, I ſay the difference between 32 and 60, is 28, which I put againſt 18, becauſe 60 is linked with 18, then the difference between 32 and 36 is 4, which I



put againſt 24 becauſe 36 is linked or coupled with 24, then I ſay the difference between 32 and 24 is 8, which I place againſt 36 (for the reaſon aforeſaid) then I ſay the difference between 32 and 18 is 14, which I place againſt 60; and then the Work will ſtand as you ſee in the margent.

So I conclude that a compoſition made of 14 buſhels of Wheat at 60 *d. per* buſhel, and 8 buſhels of Rye at 36 *d. per* buſhel, and 4 buſhels of Barley at 24 *d. per* buſhel, and 28 buſhels of Oats at 18 *d. per* buſhel, will bear the mean price of 32 *d.* or 2 *s.* 8 *d. per* buſhel. And here obſerve that in this compoſition there is but 14 buſhels of Wheat; but I would mingle 20 buſhels, and this kind (or rather caſe) of Alligation Alternate, (*viz.*) when there is given a certain quantity of one of the ſimples, and the quantities of the reſt ſought to mingle with this given quantity, (that the whole may bear a price propounded) is called Alternation partial.

And the proportion to find out the ſeveral quantities to be mingled with the given quantity is as followeth, *viz.*

As the difference annexed to the branch that is the value of an Integer of the given quantity, is to the other particular differences, ſo is the quantity given to the ſeveral quantities required.

So here, how to find out ſo much Rye, Barley and Oats as muſt be mingled with the 20 buſhels of Wheat, I ſay by the ſingle Rule of 3 Direct, if 14 buſhels of Wheat require 8 buſhels of Rye, what will 20 buſhels of Wheat require? *Anſwer*, $11\frac{6}{7}$ buſhels of Rye.

Again, if 14 buſhels of Wheat require 4 buſhels of Barley, what will 20 buſhels of Wheat require? *Anſwer*, $5\frac{4}{7}$ buſhels of Barley. Again I ſay, if 14 buſhels of Wheat require 28 buſhels of Oats, what will 20 buſhels of Wheat require? *Anſwer*, 40 buſhels of Oats.

And now I ſay, that 20 buſhels of Wheat mingled with $11\frac{6}{7}$ buſhels of Rye, and $5\frac{4}{7}$ buſhels of Barley, and 40 buſhels of Oats, each bearing the Rates as aforeſaid, will make a compoſition or heap of Corn that may yield 32 *d. per* buſhel.

But

But if the branches had been coupled according to the ſecond order, or manner, the differences would have been thus placed, *viz.* the differences between 32 and 60 is 28, which I ſet againſt 24, becauſe 60 is linked thereto; and the difference between 32 and 36 is 4, which I ſet againſt 18,



and the difference betwixt 32 and 24 is 8, which I ſet againſt 60; then the difference between 32 and 18 is 14, which I ſet againſt his yoke-fellow 36, and then I conclude that if you mix 8 buſhels of Wheat with 14 buſhels of Rye, 28 buſhels of Barley, and 4 buſhels of Oats, each bearing the foreſaid prices, the whole mixture may be ſold for 32 *d. per* buſhel, as by the work in the margent.

You ſee by this work, we have found how many buſhels of Rye, Barley and Oats, ought to be mixed with 8 buſhels of Wheat, and to find out how many of each ought to be mixt with 20 buſhels of Wheat, I ſay, as 8 is to 14, ſo is 20 to 35 buſhels of Rye. As 8 is to 28, ſo is 20 to 70 buſhels of Barley. As 8 is to 4, ſo is 20 to 10 buſhels of Oats, whereby I conclude, that if to 20 buſhels of Wheat I put 35 buſhels of Rye, 70 buſhels of Barley, and 10 buſhels of Oats, bearing each the foreſaid prices *per* buſhel, that then a buſhel of this mixture will be worth 32 *d.* or 2*s.* 8*d.*

And if the branches had been linked as you ſee in the third place, where each branch bigger than the root, is linked to two that are leſſer than the root, then in this caſe you muſt have placed the ſeveral differences between the root and branches, againſt thoſe two with which each is coupled, as firſt the difference between 32 and 60 is 28, which I put againſt 24 and 18 becauſe it is coupled.

with them both, then the difference between 32 and 36 is 4, which I ſet likewiſe againſt 24 and 18, becauſe 36 is linked to them both, then the difference between 32 and 24 is 8, which I put againſt 60 and 36, becauſe 24 is linked to them both, then the difference between 32 and 18 is 14, which I put againſt 60 and 36, the yoke-fellows of 18.

Laſtly, I draw a line behind the differences, and add differences which ſtand againſt each branch, and put the ſum behind the ſaid line againſt its proper branch, as you ſee in the Margent.

And now by this work I find that 22 buſhels of the Wheat mingled with 22 buſhels of Rye, and 32 buſhels of Barley, and 32 buſhels of Oats, each bearing the ſaid price will make a mixture bearing the mean rate of 32 *d. per* buſhel.

And to find how much of each of the reſt muſt be mingled with 20 buſhels of Wheat, I ſay,

As 22 is to 22, ſo is 20 to 20 buſhels of Rye. As 22 is to 32, ſo is 20 to $29\frac{2}{3}$ buſhels of Barley. As 22 is to 32, ſo is 20 to $29\frac{2}{3}$ buſhels of Oats.

Whereby you ſee the queſtions of Alligation Alternate will admit of more true Anſwers than one; for we have found three ſeveral Anſwers to this firſt Queſtion.

The Proof of Alternation partial.

Queſtions of Alternation partial are proved the ſame way with Queſtions in Alligation medial, which you may ſee in the 3*d* Rule of the 17*th* Chapter.

Queſt. 2. A Grocer hath 4 ſorts of Sugar, *viz.* of 12 *d. per l.* of 10 *d. per l.* of 6 *d per l.* and of 4 *d. per l.* and he would have a compoſition worth 8 *d. per l.* the whole quantity whereof ſhould contain 144 *l.* made of theſe 4 ſorts, I demand how much of each he muſt take?

Queſtions of this Nature are reſolved by that part of Alligation alternate called by Arithmeticians Alternation total, *viz.* where there is given the ſum, and prices of ſeveral ſimples to find out how much of each ſimple ought to be taken to make the ſaid ſum or quantity,

quantity, ſo that it may bear a certain Rate propounded.

To reſolve this Queſtion I place the ſeveral prices of the ſimples and mean rate propounded, and link them together, as is directed in the 2 and 3 Rules of this Chapter, and place the differences between the root and branches according to the 4*th* Rule of this Chapter, which will then ſtand one of theſe three ways, *viz.*

First.

12.

Second.



12

Third.

24

5. Then add the ſeveral differences together, which I have done, and the ſums of the firſt and ſecond order are 12 *l.* and of the third 24 *l.* as you may ſee above, but it is required that there ſhould be 144 *l.* of the compoſition, therefore to find the quantity of each ſimple, to make the whole compoſition 144 *l.* obſerve this general Rule, *viz.*

As the ſum of the differences is to the ſeveral differences, ſo is the total quantity of the compoſition to the quantity of each ſimple.

So to find how much of each ſort of Sugar I ought to take to make 144 *l.* at 8 *d. per l.* I ſay,

l.

As 12 is to 4, ſo is 144 to 48 *l.* at 12 *d per l.*
As 12 is to 2, ſo is 144 to 24 *l.* at 10 *d. per l.*
As 12 is to 2, ſo is 144 to 24 *l.* at 6 *d. per l.*
As 12 is to 4, ſo is 144 to 48 *l.* at 4 *d. per l.*

Whereby

Whereby I find that 48 *l.* at 12 *d. per l.* and 24 *l.* at 10 *d. per l.* and 24 *l.* at 6 *d. per l.* and 48 *l.* at 4 *d. per l.* will make a compoſition of Sugar containing 144 *l.* worth 8 *d. per l.*

But as the branches are linked in the ſecond order, the anſwer will be 24 *l.* at 12 *d. per l.* and 48 *l.* at 10 *d. per l.* and 48 *l.* at 6 *d. per l.* and 24 *l.* at 4 *d. per l.* to make the ſaid quantity, and to bear the ſaid price.

And if you had worked as the branches are linked after the third order, then you would have found the quantity of 36 *l.* of each.

Queſt. 3. A Vintner hath 4 ſorts of Wine, *viz.* Canary at 10 *s. per* Gallon, Malaga at 8 *s. per* Gallon; Rheniſh-wine at 6 *s. per* Gallon; and White-wine at 4 *s. per* Gallon, and he is minded to make a Compoſition of them all of 60 Gallons that may be worth 5 ſhillings *per* Gallon, I deſire to know how much of each he muſt have?

The numbers of terms being ranked according to the ſecond Rule of this Chapter, the branches will be linked as followeth, and will admit of no other manner of coupling, becauſe there is but one branch that is leſſer than the Root, therefore all the reſt muſt be linked unto it; and the differences between the Root and the three firſt branches, *viz.* 10, 8, and 6, which are 5, 3, and 1, muſt be ſet againſt 4 becauſe they are all coupled with it, and the difference between the Root, (*viz.* 5.) and 4, which is 1, muſt be ſet againſt the 3 other, becauſe it is linked to them all; ſo I find 1 gallon of Canary, 1 gallon of Malaga, 1 gallon of Rheniſh-wine, and 9 gallons of White-wine, prized as above being mingled together, will be worth 5 *s. per* gallon, the Sum being 12 gallons, but there muſt be 60 gallons; wherefore I ſay,

As 12 is to 1, ſo is 60 to 5 gallons of Canary.
As 12 is to 1, ſo is 60 to 5 gallons of Malaga.
As 12 is to 1, ſo is 60 to 5 gallons of Rheniſh.
As 12 is to 9, ſo is 60 to 45 gallons of White-wine.

So

So that 5 gallons of Canary, 5 gallons of Malaga, 5 gallons of Rheniſh, and 45 gallons of White-wine mingled together, will be in all 60 gallons, worth 5 *s.* *per* gallon, which was required.

Queſt. 4. A Goldſmith hath Gold of 4 ſeveral ſorts of fineneſs, *viz.* of 24 Carects fine, and of 22 Carects fine, of 20 Carects fine, and of 15 Carects fine. And he would mingle ſo much of each with alloy, that the whole maſs of 28 ounces of Gold ſo mingled may bear 17 Carects fine. I demand how much of each he muſt take, the ſecond and third Rules of this Chapter being obſerved, (for inſtead of the alloy I put 0, becauſe it bears no fineneſs, but it makes a branch in the Operation) the terms may be alligated and the differences added any of theſe 4 ways following, *viz.* *Read Chap. 2. def. 2. of this Book.*

Firſt thus,

Sum 56

Secondly thus,

Sum 56

Thirdly thus,

Sum 41

Fourthly

Fourthly thus,

24	2,	17	19
22	2,	17	19
17 < 20	2,	17	19
15	7, 5,	3,	15
0	7, 5,	3,	15
	Sum		87

More ways may be given for the Alligating, or linking of the Terms in this Queſtion, but theſe are ſufficient for the Induſtrious, and it ſhall alſo ſuffice to give an anſwer to the queſtion as the terms are link'd the firſt way, not doubting but the ingenious Practitioner will be able at his leiſure to find Anſwers to the otker 3 ways, *viz.*

	oz.	*p.w.*	*car.*
As 56 is to 17, ſo is 28 to	8 ——	10	of 24
As 56 is to 2, ſo is 28 to	10 ——	00	of 22
As 56 is to 19, ſo is 28 to	9 ——	10	of 20
As 56 is to 18, ſo is 28 to	4 ——	00	of 15
As 56 is to 10, ſo is 28 to	5 ——	00	of alloy.

Thus much well practiſed and underſtood is ſufficient for the underſtanding of Alligation.

In Queſtions of Alternation Total, the Anſwer given is true, when the ſum of each of the quantity of ſimples found, agrees with the Sum or Quantity propounded, as in the laſt Queſtion, the Anſwer was 8 *oz.* 10 *p.w.* of 24 Carects fine, 10 *oz.* of 22 Carects fine, 9 *oz.* 10 *p.w.* of 20 Carects fine, 4 *oz.* of 15 Carects fine, and 5 *oz.* of Alloy, which added together make 28 *oz.* the quantity propounded.

The proof of Alternation Total.

CHAP. XIX.

Reduction of Vulgar Fractions.

1. WHat a Vulgar Fraction is, and its parts and ſeveral kinds, hath been already ſhewed in the 19, 20, 21, 22, 23, 24, and 31 definitions of the firſt

firſt Chapter of this Book, which the Learner is deſired diligently to obſerve before he proceeds.

2. To reduce a Vulgar Fraction (which diſcovereth the principal knowledge of Fractions, and therefore ought greatly to be regarded) we ſhall diſcover plainly under theſe eight ſeveral Heads (or Rules) following, *viz.*

1. To reduce a mixt number into an improper Fraction.
2. To reduce a whole number into an improper Fraction.
3. To reduce an improper Fraction into its equivalent whole (or mixt) number.
4. To reduce a Fraction into its loweſt terms equivalent to the Fraction given.
5. To find the value of a Fraction in the known parts of Coyn, Weight, Meaſure, *&c.*
6. To reduce a compound Fraction to a ſimple one of the ſame value.
7. To reduce divers Fractions having unequal denominators, to fractions of the ſame value, having an equal denominator.
8. To reduce a Fraction of one denomination to another of the ſame value.

I. *To reduce a mixt Number to an improper Fraction.*

The Rule is, *Vide Chap. 1. defin. 31.*

Multiply the Integral part (or whole Number) by the denominator of the Fraction, and to the Product add the Numerator, and that Sum place over the Denominator for a new Numerator; ſo this new Fraction ſhall be equal to the mixt number given. As for Example.

1. Reduce $18\frac{3}{7}$ into an improper Fraction, multiply the whole number 18 by 7 the denominator, and to the Product add the numerator 3, the ſum is 129, which put over the denominator 7, and it makes $\frac{129}{7}$ for the Anſwer, as followeth

$18\frac{3}{7}$

$18\frac{3}{7}$
7

129
facit

129
7

2. Reduce $183\frac{5}{21}$ to an improper *fraction*, *facit* $3845\frac{8}{21}$.
3. Reduce $56\frac{12}{25}$ to an improper *fraction*, *facit* $1424\frac{12}{25}$.

II. *To reduce a whole Number to an improper Fraction.*

The Rule is,

Multiply the given *Number*, by the intended *denominator*, and place the product for a *numerator* over it. As for *Example*. *Vide Chap.* 1. *defin.* 23.

1. Let it be required to reduce 15 into a Fraction whose denominator shall be 12. To effect which, I multiply 15 by the intended denominator (12) the product is 180, which I place over 12 as a numerator, and it makes $\frac{180}{12}$ which is equal to 15, as was required; as *per* Margent.

15
12
30
facit $\frac{180}{12}$ 15
180

2. Reduce 36 into an improper Fraction whose denominator shall be 26, *facit* $\frac{936}{26}$.
3. Reduce 135 into an improper Fraction whose denominator shall be 16, *facit* $\frac{2160}{16}$.

III. *To reduce an improper Fraction into its equivalent whole or mixt number.*

The Rule is,

Divide the Numerator by the Denominator, and the Quotient is the whole number equal to the fraction, and if any thing remain, put it for a Numerator over the Divisor, Example. 1. Reduce

1. Reduce $43\frac{6}{8}$ into its equivalent mixt number, divide the numerator 436 by the denominator 8, and the Quotient is 54, and 4 remains, which put for a Numerator over the Divisor 8, the Answer is $54\frac{4}{8}$, as followeth,

8) 436 (54$\frac{4}{8}$
40
36
32
4

facit $54\frac{4}{8}$.

2. Reduce $34\frac{76}{15}$ to a mixt number, *facit* $231\frac{11}{15}$.

3. Reduce $51\frac{76}{136}$ to a mixt number, *facit* $114\frac{72}{136}$.

IV. *To Reduce a Fraction into its lowest terms equivalent to the Fraction given.*

The Rule is,

1. If the *numerator* and *denominator* are even *numbers*, take half of the one, and half of the other as often as may be, and when either of them falls out to be an odd number, then divide them by any number that you can discover will divide both *numerator* and *denominator* without any Remainder; and when you have thus proceeded as low as you can reduce them, then this new *fraction* so found out shall be the *fraction* you desire, and will be in value equal to the given *fraction*. Example.

1. Let it be required to reduce $\frac{192}{336}$ into its lowest terms. First, I take the half of the *Numerator* 192 and it is 96 then half of the *Denominator*, and it is 168, so that now it is brought to $\frac{96}{168}$, and next to $\frac{48}{84}$, and by halfing still to $\frac{24}{42}$, and their half is $\frac{12}{21}$, and now I can no longer half it, because 21 is an odd *number*, wherefore I try to divide them by 3, 4, 5, 6, *&c.* and I find 3 divides them both without any remainder, and brings them to $\frac{4}{7}$, as per margent.

192	96	48	24	12	4
336	168	84	42	21	7

So

So I conclude $\frac{4}{7}$ thus found to be equal in value the given *fraction* $\frac{192}{336}$.

2. What is $\frac{1086}{1184}$ in its lowest terms? *Answer* $\frac{7}{8}$.

3. What is $\frac{1342}{1586}$ in its lowest terms? *Answer*, $\frac{11}{13}$.

There is yet another way more excellent than the former to reduce a *fraction* into its lowest terms, and that is by finding a common Measurer, *viz.* the greatest *number* that will divide the *numerator* and *denominator* without any remainder, and by that means reduce a *fraction* to its lowest terms at the first work; and to find out this common measurer divide the *denominator* by the *numerator*, and if any thing remains divide your Divisor thereby; and if any thing yet *remains*, then divide your last Divisor by it; do so until you find nothing *remains*; then this last Divisor shall be the greatest common measurer, which will divide both *numerator* and *denominator*, and reduce them into their lowest terms at one Work.

Vide Ought. Cla. Matth. Cap. 7.

Example.

4. Reduce $\frac{228}{304}$ into its lowest terms by a common measurer. To effect which, I divide the *denominator* 304 by the *numerator* 228 and there remains 76, then I divide 228 (the first Divisor) by 76 (the remainder) and it quotes 3, and nothing *remains*; wherefore the last Divisor 76 is the common measurer, by which I divide the *numerator* of the given *Fraction*, *viz.* 228, it quotes 3 for a new *numerator*, then I divide the *denominator* 304 by 76 and it quotes 4 for a new *denominator*, that now I have found $\frac{3}{4}$ equal to $\frac{228}{304}$.

5. Reduce $\frac{6048}{7392}$ into its lowest terms by a common measurer, *facit* $\frac{9}{11}$.

6. Reduce $\frac{3081}{20382}$ into its lowest terms by a common measurer, *facit* $\frac{13}{86}$.

A Compendium.

Note that if the *numerator* and *denominator* of a *fraction*, and each with a Cypher or Cyphers, then cut off as many Cyphers from the one as from the other, and the remaining figures will be a *fraction* of the same value, *viz.* $\frac{3400}{7100}$ will be found to be reduced to $\frac{34}{71}$ by

by cutting off the 2 Cyphers from the numerator and denominator, with a dash of the Pen, thus, $\frac{14}{71}|\frac{00}{00}$, and $\frac{46}{700}$, will be $\frac{46}{7}|\frac{0}{0}$, thus $\frac{46}{7}|\frac{0}{0}$, *&c.*

V. *To find the Value of a Fraction in the known parts of Coyn, Weight, &c.*

The Rule is,

Multiply the *numerator* by the parts of the next inferiour *denomination* that are equal to an Unit of the same *denomination* with the *Fraction*, then divide that Product by the *denominator*, and the quote gives you its value in the same parts you multiplied by, and if any thing remain multiply it by the parts of the next inferiour *denomination*, and divide as before, do so till you can bring it no lower, and the several quotients will give you the value of the *fraction* as was required, and if any thing at last remain, place it for a *numerator* over the former *denominator*; some few Examples will make the Rule plain.

1. What is the value of $\frac{27}{29}$ *l. Sterling*? To answer this Question I multiply the numerator 27 by 20 (the shillings in a pound) the product is 540, which I divide by 29 (the denominator) and the quotient is 18 *s.* and there remains 18, which I multiply by 12 pence, and the product (216) I divide by the denominator 29, the quotient is 7 *d.* and 13 remains, which I multiply by 4 Farthings, the product is 52, which I still divide by 29, the quotient is 1 Farthing, and there remaineth 23, which I put for a Numerator over the Denominator 29, so I find the value of $\frac{27}{29}$ *l.* to be 18 *s.* 7 *d.* 1 *qr.* $\frac{23}{29}$, as by the following Operation, and after the same manner are the values of the Fractions in the several Examples following found out.

$\frac{27}{29}$ *l.*

$\frac{27}{29}$ *l.*

27
Multiply 20
---
29) 540 (18 *s.* 7 *d.* $1\frac{23}{29}$ *qr.*
29

250
232

Remains (18)
Multiply 12

36
18
---
29) 216 (7 *d.*
203

Remains (13)
Multiply 4
---
qr.
29) 52 ($1\frac{23}{29}$
29

Remains (23).

s.	*d.*	*qr.*
Facit 18	7	$1\frac{23}{29}$

2. What is the value of $\frac{11}{17}$ *l Sterling ? facit* 14 *s.* 8 *d.*
3. What is the value of $\frac{28}{137}$ *l. Sterling ? facit* 4 *s.* 1 *d.* $\frac{17}{137}$.
4. What is $\frac{16}{31}$ *C.* weight ? *facit* 3 *qrs.* 1 *l.* 5 *oz.* $\frac{7}{31}$.
5. What is $\frac{16}{131}$ *l. Troy* weight ? *facit* 3 *oz.* 5 *p. w.* 22 $\frac{18}{131}$ *gr.*
6. What is $\frac{41}{365}$ of a year ? *Answer*, 299 *days* 7 *hou.* 12 *min.*

VI.

VI. *To Reduce a compound Fraction to a ſimple one of the ſame value.*

What a compound Fraction is, hath been ſhewed in ap. 1. Definition 24, and to reduce it to a ſimple ction of the ſame value.

The Rule is,

Multiply the Numerators continually, and place the product for a new Numerator, then multiply the ominators continually, and place the laſt product a new denominator. So this ſingle Fraction ſhall be al to the compound Fraction given. *Example.*

. Reduce $\frac{2}{3}$ of $\frac{3}{5}$ of $\frac{5}{8}$ to a ſimple Fraction.

Multiply the Numerators 2, 3, and 5, together, they ke 30 for a new Numerator; then I multiply the ominators 3, 5, and 8, together, and their product 20 for a denominator, ſo the ſimple Fraction is , and cutting off the Cyphers, it is $\frac{30}{120}$ equal to $\frac{1}{4}$ he fourth Rule foregoing.

5	3
3	2
15	6
8	5
120	30

Facit $\frac{30}{120}$ or $\frac{3}{12}$ or $\frac{1}{4}$.

. What is $\frac{7}{10}$ of $\frac{5}{9}$ of $\frac{4}{7}$ of $\frac{11}{12}$? *Anſwer,* $\frac{1540}{7560}$ or $\frac{77}{378}$ in its leaſt terms.

. What is $\frac{11}{12}$ of $\frac{13}{4}$ of $\frac{2}{39}$? *Anſwer,* $\frac{3003}{4680}$.

y this you may know how to find the value of a mpound Fraction, *viz.* firſt reduce it to a ſimple , and then find out his value by the 5th Rule fore-ng.

VI. *Exam-*

Example.

What is the value of $\frac{3}{4}$ of $\frac{5}{6}$ of $\frac{9}{10}$ of a pound? *Anſwer*, 11 *s.* 3 *d.*

VII. *To reduce Fractions of unequal Denominators to Fractions of the ſame value, having equal Denominators.*

The Rule is,

Multiply all the Denominators together, and the Product ſhall be the Common Denominator. Then multiply each Numerator into all the Denominators except its own, and the laſt Product put for a Numerator over the Denominator found out as before. So this new Fraction is equal to that Fraction, whoſe Numerator you multiplyed into the ſaid Denominators. Do ſo by all the Numerators given, and you have your deſire.

Example.

1. Reduce $\frac{3}{4}$, $\frac{4}{5}$, $\frac{5}{6}$, and $\frac{7}{8}$, to a common Denominator. Multiply the Denominators 4, 5, 6, and 8, together continually, and the product is 960 for the common Denominator; then multiply the Numerator 3 into the Denominators, 5, 6, and 8, and the product is 720, which is a Numerator to 960 (found as before) ſo $\frac{720}{960}$ is equal to the firſt Fraction $\frac{3}{4}$, then I proceed to find a new Numerator to the ſecond Fraction, *viz.* $\frac{4}{5}$, and I multiply 4 (into all the Denominators except its own; *viz.*) into 4, 6, and 8, which produceth $\frac{768}{960}$ equal to $\frac{4}{5}$, then multiply the Numerator 5 into the denominators 4, 5, and 8, the product is $\frac{800}{960}$ equal to $\frac{5}{6}$. Then multiply the numerator 7 into the denominators 4, 5, and 6, the product is $\frac{840}{960}$ equal to $\frac{7}{8}$ and the work is done; ſo that for $\frac{3}{4}$, $\frac{4}{5}$, $\frac{5}{6}$, and $\frac{7}{8}$, I have $\frac{720}{960}$, $\frac{768}{960}$, $\frac{800}{960}$, $\frac{840}{960}$.

2. Reduce $\frac{11}{12}$, $\frac{14}{15}$, and $\frac{19}{21}$ into a common denominator, *faciunt* $\frac{5544}{7920}$, $\frac{7392}{7920}$, $\frac{7315}{7920}$, and $\frac{7344}{7920}$.

VIII.

III. *To reduce a Fraction of one Denomination to another.*

1. This is either Aſcending, or Deſcending. Aſcending when a Fraction of a ſmaller is brought to a greater Denomination, and Deſcending when a Fraction of a greater Denomination is brought lower.

2. When a Fraction is to be brought from a leſſer to greater Denomination, then make of it a Compound raction by comparing it with the intermediate Denominations between it, and that you would have it educed to, then (by the *6th* Rule foregoing) reduce our Compound to a ſimple Fraction, and the Work done. Example,

Queſt. 1. It is required to know what part of a ound *ſterling* $\frac{5}{7}$ of a peny is?

To reſolve this, I conſider that 1 *d.* is $\frac{1}{12}$ of a ſhilng, and a ſhilling is $\frac{1}{20}$ of a pound; wherefore $\frac{5}{7}d.$ $\frac{5}{7}$ of $\frac{1}{12}$ of $\frac{1}{20}$ of a pound, which by the ſaid *6th* Rule find to be $\frac{5}{1680}$ of a *l. ſterling* of *Engliſh* Money.

Queſt. 2. What part of a pound *Troy* weight is $\frac{4}{5}$ of peny weight? *Anſwer*, $\frac{4}{5}$ of $\frac{1}{20}$ of $\frac{1}{12}$ *l.* equal to $\frac{4}{1200}$ *l. Troy.*

3. When a Fraction is to be brought from a greater o a leſſer denomination, then multiply the Numerator y the parts contained in the ſeveral denominations etwixt it; and that you would reduce it to; then lace the laſt product over the denominator of the iven Fraction. Example,

Queſt. 3. I would reduce $\frac{3}{5}$ *l.* to the Fraction of a eny; to do which I multiply the Numerator 3 by o and 12, the product is 720, which I put over the enominator 5, it makes $\frac{720}{5}$ of a peny, equal to $\frac{3}{5}$ *l.*

Queſt. 4. What parts of an Ounce *Troy* is $\frac{5}{12}$ *l*? *nſwer*, $\frac{5}{144}$ *oz.*

CHAP.

CHAP. XX.

Addition of Vulgar Fractions.

1. IF your Fractions to be added have a common Denominator, then add all the Numerators together, and place their sum for a Numerator to the common Denominator, which new Fraction is the Sum of all the given Fractions; and if it be improper, reduce it to a whole or mixt Number, by the 3*d* Rule of the 19*th* Chapter.

Queſt. 1. What is the Sum of $\frac{7}{24}$, $\frac{9}{24}$, $\frac{16}{24}$ and $\frac{14}{24}$?

The Denominators are equal, *viz.* every one is 24, wherefore add the Numerators together, *viz.* 7, 9, 16 and 14, their Sum is 46, which put over the Denominator 24, it makes $\frac{46}{24}$ the Sum of the given Fractions, which will be reduced to the mixt Number $1\frac{22}{24}$, or $1\frac{11}{12}$.

2. But if the Fractions to be added have unequal Denominators, then reduce them to a common Denominator by the 7*th* Rule of the 19*th* Chap. and then add the Numerators together, and put the Sum over the common Denominator, *&c.* as before in the laſt Example.

Queſt. 2. What is the Sum of $\frac{3}{5}$, $\frac{7}{8}$, $\frac{9}{10}$, and $\frac{11}{12}$?

The Fractions reduced to a common Denominator are $\frac{2880}{4800}$, $\frac{4200}{4800}$, $\frac{4320}{4800}$, and $\frac{4400}{4800}$, the Sum of their Numerators is 15800, which put over the common Denominator, makes $\frac{15800}{4800}$ or $\frac{158}{48}$ equal to the mixt number $3\frac{14}{48}$, or $3\frac{7}{24}$ for the Sum required,

Queſt. 3. What is the Sum of $\frac{13}{17}$, $\frac{21}{49}$, and $\frac{36}{47}$? *Anſwer,* $1\frac{3754}{3911}$,

3. If you are to add mixt numbers together, then add the fractional parts as before, and if their Sum be an improper Fraction reduce it to a mixt number, and add its Integral part to the Integral parts of the given mixt Numbers, and the Work is done.

Queſt. 4. What is the ſum of $13\frac{3}{4}$ and $24\frac{1}{3}$?

First

First add the *fractions* $\frac{3}{4}$ and $\frac{5}{8}$, the sum is $1\frac{11}{32}$, then add this integer 1, to 13 and 24, their sum is 38, and put after it the *fraction* $\frac{11}{32}$ it is $38\frac{11}{32}$ for the *Answer*, or it is $38\frac{3}{8}$.

Queſt. 5. What is the ſum of $48\frac{3}{7}$, $64\frac{5}{8}$ and $130\frac{3}{4}$? *Facit* $243\frac{181}{224}$, or $243\frac{45}{56}$.

4. If any of the *fractions* to be added is a Compound *fraction*, it muſt firſt be reduced to a ſimple *fraction* by the *6th* Rule of Chapter 19, and then add it to the reſt, according to the *2d* Rule of this Chapter. Example,

Queſt. 6. What is the ſum of $\frac{3}{4}$, $\frac{5}{6}$, and $\frac{7}{8}$ of $\frac{3}{4}$ of $\frac{5}{6}$?

Reduce $\frac{7}{8}$ of $\frac{3}{4}$ of $\frac{5}{6}$ into a ſimple *fraction*, and it is $\frac{105}{192}$, which reduced with the other two, and added are $2\frac{600}{768}$.

Queſt. 7. What is the ſum of $\frac{11}{12}$ and $\frac{3}{4}$ of $\frac{4}{5}$ of $\frac{5}{6}$? *Anſwer*, $1\frac{5}{12}$.

5. If the *fractions* to be added are not of one denomination, they muſt be ſo reduced, and then proceed as before.

Queſt. 8. What is the ſum of $\frac{3}{4}$ *l.* and $\frac{5}{6}$ *s.*

Of the given *fractions* here; one is of a pound and the other the *fraction* of a ſhilling; and before you can add them together, you muſt reduce $\frac{5}{6}$ *s.* to the *fraction* of a pound as the other is (by the *8th* Rule of Chapter 19.) and it makes $\frac{5}{120}$ *l.* then $\frac{3}{4}$ *l.* and $\frac{5}{120}$ *l.* will be found to be $\frac{380}{480}$ *l.* or $\frac{38}{48}$ *l.* by the *7th* Rule of Chapter 19, and in its loweſt terms $\frac{19}{24}$ *l.* by the *4th* Rule of Chapter 19.

It would have been the ſame, if (by the latter part of the *8th* Rule of Chapter 19) you had reduced $\frac{3}{4}$ *l.* to the *fraction* of a ſhilling, which you would have found to have been $\frac{60}{4}$ *s.* which added to $\frac{5}{6}$ *s.* by the ſaid *17th* Rule of the laſt Chap. the ſum is 15 *s.* $\frac{20}{24}$, which is equal to the ſum found as before, *viz.* $\frac{19}{24}$ *l.* for (by the *5th* Rule of Chapter 19) the value of $\frac{19}{24}$ *l.* will be found to be 15 *s.* 10 *d.* and ſo will 15 *s.* $\frac{20}{24}$ be found to be juſt as much.

Queſt. 9. What is the Sum of $\frac{2}{5}$ *l.* $\frac{3}{5}$ *s.* and $\frac{3}{5}$ *d.* *Anſwer*, $\frac{259100}{600000}$ or $\frac{25995}{60000}$ *l.* or in its loweſt terms $\frac{519}{1200}$ *l.*

CHAP. XXI.

Subtraction of Vulgar Fractions.

1. THE Rules in Addition for reducing the given Fractions to one *denomination*, are here to be obſerved; for before *Subtraction* can be made, the *fractions* muſt be reduced to a common *denominator*, then *ſubtract* one *Numerator* from the other, and place the *remainder* over the common *denominator*, which *fraction* ſhall be the exceſs or difference between the given *fractions*. Example,

Queſt. 1. What is the difference between $\frac{3}{4}$ and $\frac{5}{7}$? The given *fractions* are reduced to $\frac{21}{28}$ and $\frac{20}{28}$, then *ſubtract* the *numerator* 20 from the *numerator* 21, and there remains 1, which being put over the *denominator* 28, makes $\frac{1}{28}$ for the anſwer or difference between $\frac{3}{4}$ and $\frac{5}{7}$.

Queſt. 2. What is the difference between $\frac{5}{6}$ and $\frac{3}{5}$ of $\frac{5}{8}$?

Reduce the compound *fraction* $\frac{3}{5}$ of $\frac{5}{8}$ to a ſimple *fraction*, then proceed as before, and the anſwer is $\frac{110}{240}$ equal to $\frac{11}{24}$.

2. When a *fraction* is given to be *ſubtracted* from a whole *number*, *ſubtract* the *numerator* from the *denominator*, and put the *remainder* for a *numerator* to the given *denominator*, and *ſubtract* an Unit (for that you borrowed) from the whole number, and the remainder place before the *fraction* found as before, which mixt number is the remainder or difference ſought. Example,

Queſt. 3. Subtract $\frac{7}{10}$ from 48.

Anſwer, $47\frac{3}{10}$; for if you ſubtract 7 (the *numerator*) from 10 (the *denominator*) there remains 3, which put over 10 is $\frac{3}{10}$ and 1 (I borrowed) from 48 reſts 47, to which join $\frac{3}{10}$ and it makes $47\frac{3}{10}$ for the exceſs.

Queſt. 4. Subtract $\frac{13}{21}$ from 57, remains $56\frac{8}{21}$

3. If

3. If it is required to ſubtract a *fraction* from a mixt number, or one mixt number from another, reduce the fractions to a common denominator, and if the fraction to be ſubtracted be leſſer than the other, then ſubtract the leſſer numerator from the greater, and that is a numerator for the common denominator; then ſubtract the leſſer integral part from the greater, and the remainder with the remaining *fraction* thereto annexed, is the difference required between the two given mixt numbers. Example,

Queſt. 5. Subtract $26\frac{3}{7}$ from $54\frac{5}{6}$.

Firſt, Subtract $\frac{3}{7}$, *viz.* $\frac{18}{42}$ from $\frac{5}{6}$, *viz.* $\frac{35}{42}$, the remainder is $\frac{17}{42}$ then 26 from 54 remaineth 28, to which annex $\frac{17}{42}$, it makes $28\frac{17}{42}$ for the *Anſwer*.

4. But if the *fraction* to be ſubtracted is greater than the *fraction* from whence you ſubtract, then having firſt reduced the Fraction to a common denominator, take the numerator of the greater Fraction out of the denominator, and add the remainder to the numerator of the leſſer Fraction, and their Sum is a new numerator to the common denominator, which fraction note, then (for the 1 you borrowed) add 1 to the integral part to be ſubtracted, and ſubtract it from the greater number, and to the remainder annex the fraction you noted before, ſo this new mixt number ſhall be the difference ſought. Example.

Queſt. 6. Subtract $14\frac{3}{4}$ from $27\frac{5}{7}$.

The fractions reduced are, *viz.* equal to $\frac{21}{28}$, and $\frac{4}{7}$ equal to $\frac{16}{28}$, now I ſhould ſubtract $\frac{21}{28}$ from $\frac{16}{28}$, but I cannot, therefore I ſubtract 21 from 28 reſts 7, which added to 16 (the leſſer numerator) makes 23 for a numerator to 28; *viz.* $\frac{23}{28}$, then I come to the integral parts 14 and 29, and ſay, 1 that I borrowed and 14 is 15, which taken from 29 there reſts 14, to which annexing $\frac{23}{28}$ it is $14\frac{23}{28}$ for the remainder or difference between $14\frac{3}{4}$ and $29\frac{5}{7}$.

Queſt. 7. Subtract $36\frac{9}{10}$ from $74\frac{4}{5}$, *facit* $37\frac{49}{50}$.

CHAP. XXII.

Multiplication of Vulgar Fractions.

IF the Multiplicand and Multiplier are ſimple (or ſingle) Fractions, then multiply the numerators together for a new numerator, and the denominators for a new denominator, which new Fraction is the product required.

Queſt. 1. What is the product of $\frac{5}{7}$ by $\frac{9}{11}$? *facit* $\frac{45}{77}$.

For the numerators 5 and 9 being multiplyed make 45, and the denominators 7 and 11 being multiplyed make 77.

Queſt. 2. What is the product of $\frac{18}{25}$ by $\frac{21}{30}$? *fac.* $\frac{378}{750}$.

2. If the Fractions to be multiplyed are mixt numbers, reduce them to improper Fractions by the 1*ſt* Rule of the 19*th* Chapter, then proceed as before.

Queſt. 3. What is the product of $48\frac{3}{5}$ by $13\frac{5}{8}$?

The given mixt numbers being reduced to improper Fractions, are $48\frac{3}{5}$ equal to $\frac{243}{5}$, and $13\frac{5}{8}$ equal to $\frac{109}{8}$, now $\frac{243}{5}$ multiplyed by $\frac{109}{8}$ according to the firſt Rule of this Chapter, produceth $\frac{26487}{40}$ or $672\frac{27}{40}$.

Queſt. 4. What is the product of $430\frac{6}{10}$ by $18\frac{3}{7}$? *facit* $5554\frac{24}{70}$ or $7935\frac{24}{70}$.

3. If a compound Fraction is to be multiplyed by a ſimple Fraction, firſt reduce the compound Fraction into a ſimple Fraction, then multiply the one by the other, as is taught above.

Queſt. 5. What is the product of $\frac{16}{21}$ by $\frac{5}{4}$ of $\frac{5}{7}$ of $\frac{4}{5}$?

The Compound Fraction $\frac{3}{4}$ of $\frac{5}{7}$ of $\frac{4}{5}$ reduced is $\frac{60}{140}$ or $\frac{6}{14}$ which multiplyed by $\frac{16}{21}$ produceth $\frac{96}{294}$, which in its loweſt terms is $\frac{16}{49}$ for the Anſwer.

And if the Multiplicand and Multiplyer are both compound fractions, reduce them both to ſimple ones, then multiply theſe new fractions as before, ſo have you the product.

Queſt. 6. What is the product of $\frac{3}{4}$ of $\frac{2}{3}$ by $\frac{3}{5}$ of $\frac{1}{2}$?

Anſwer, $\frac{18}{120}$ in its loweſt terms $\frac{3}{20}$.

Queſt. 7. What is the product of $\frac{2}{3}$ of $\frac{3}{4}$ by $\frac{3}{5}$ of $\frac{5}{8}$?

Anſwer,

Answer, $\frac{6}{3}\frac{0}{6}$ or $\frac{6}{3}$ or in its least terms $\frac{1}{6}$.

4. If a Fraction be to be multiplyed by a whole number, put under the given whole number an Unit for a denominator, whereby it will be an improper Fraction, then multiply these Fractions as before. Example.

Quest. 8. What is the product of 24 by $\frac{2}{3}$?

Answer, $\frac{48}{3}$. for 24 by putting an Unit under it will be $\frac{24}{1}$, and $\frac{24}{1}$ by $\frac{2}{3}$ produceth $\frac{48}{3}$ or 16.

Quest. 9. What is the product of 36 by $\frac{9}{11}$? *Answer*, $\frac{324}{11}$ or $29\frac{5}{11}$.

CHAP. XXIII.

Division of Vulgar Fractions.

1. IF the Dividend and the Divisor are both simple Fractions, then multiply the numerator of the dividend into the denominator of the Divisor, and the product is a new numerator, and multiply the denominator of the Dividend into the Numerator of the Divisor, and the product is a new denominator, which new Fraction thus found, is the Quotient you desire. Example.

Quest. 1. What is the Quotient of $\frac{5}{8}$ divided by $\frac{3}{5}$?

Answer, $\frac{25}{24}$ or $1\frac{1}{24}$, for 1*st* I multiply (5) the Numerator of the Dividend into (5) the denominator of the Divisor, and the product (25) is a numerator for the Quotient, then I multiply (8) the denominator of the dividend into (3) the numerator of the Divisor, and the product (24) I put in the quotient for a denominator, so I find $\frac{25}{24}$ is the quotient sought.

$$\frac{3}{5}\overline{)\frac{5}{8}}\left(\frac{25}{24}\right.$$

Quest. 2. What is the quotient of $\frac{10}{14}$ divided by $\frac{2}{7}$?

Answer, $\frac{140}{28}$ equal to $\frac{5}{7}$ in its lowest terms.

2. But if you would divide a simple Fraction by a compound, or a compound by a simple, first reduce

ſuch compound to a ſimple Fraction, then go on as before.

Queſt. 3. What is the Quotient of $\frac{3}{10}$ divided by $\frac{3}{4}$ of $\frac{2}{3}$? *Anſwer*, $\frac{36}{60}$ or $\frac{3}{5}$, firſt reduce $\frac{3}{4}$ of $\frac{2}{3}$ into a ſimple Fraction, and it is $\frac{6}{12}$, by which $\frac{3}{10}$ being divided, the Quotient is $\frac{36}{60}$, equal in its leaſt terms to $\frac{3}{5}$. And if the Dividend and Diviſor be both compound Fractions, reduce them both to ſimple Fractions, then divide the one by the other as in Rule 1. beforegoing

Queſt. 4. What is the quote of $\frac{2}{3}$ of $\frac{3}{4}$ divided by $\frac{2}{5}$ of $\frac{5}{6}$?

Anſwer. $\frac{180}{120}$ or $\frac{18}{12}$ or $1\frac{6}{12}$ or $1\frac{1}{2}$ in its loweſt terms.

3. If the Dividend, or Diviſor, or both are mixt numbers, reduce them to improper Fractions, and perform Diviſion as you were taught before. Example,

Queſt. 5. What is the quote of $12\frac{3}{4}$ divided by $21\frac{4}{5}$?

Anſwer, $\frac{255}{436}$, for $12\frac{3}{4}$ is equal to $\frac{51}{4}$, and $21\frac{4}{5}$ is equal to $\frac{109}{5}$, and the quote of $\frac{51}{4}$ divided by $\frac{109}{5}$ is as before $\frac{255}{436}$.

4. If you divide a Fraction by a whole number, or a whole number by a Fraction, make the whole number an improper Fraction, by putting an Unit for a denominator to it, as was taught in Rule 4. of Chap. 22. and then perform Diviſion as before was taught. Example,

Queſt. 6. What is the quote of 8 divided by $\frac{3}{5}$?

Anſw. $\frac{40}{3}$ which is equal to $13\frac{1}{3}$, being reduced as is before directed. See the Work in the Margent.

$$\frac{3}{5}\Big)\ \frac{8}{1}\ \Big(\frac{40}{3} \text{ or } 13\tfrac{1}{3}.$$

Queſt. 7. What is the quotient of $\frac{3}{5}$ divided by 8? *Anſwer*, $\frac{3}{40}$, as *per* Margent.

$$\frac{8}{1}\Big)\ \frac{3}{5}\ \Big(\frac{3}{40}$$

CHAP.

CHAP. XXIV.

The Rule of Three Direct in Vulgar Fractions.

1. AS in the *Rule of* 3 in whole *Numbers*, ſo likewiſe in *Fractions*, you muſt ſee that the *Fractions* of the firſt and third places be of the ſame denomination.

2. See that if any of the given *Fractions* be compound, that they be reduced to ſimple of the ſame Value.

3. If there are given mixt numbers, reduce them to improper Fractions by the firſt Rule of Chap. 19.

4. If any of the three terms is a whole number, make it an improper Fraction by conſtituting a Unit for its denominator.

Having reduced your Fraction as is directed in the 4 laſt *Rules*, then proceed to a Reſolution which is performed the ſame way as in whole numbers, reſpect being had to the Rules delivered for the working of Fractions, *viz.* multiply the 2*d* and 3*d* Fraction together, according to the 1 Rule of Chap. 22. and divide the product by the firſt Fraction, according to the 1 Rule of Chap. 23. and the Quotient is the Anſwer.

Or (which is better)

5. Multiply the numerator of the firſt Fraction into the denominators of the ſecond and third, and the product is a new denominator, then multiply the denominator of the firſt Fraction into the numerators of the ſecond and third, and the product is a new numerator; which new Fraction is the 4*th* proportional or anſwer, which (if it is an improper Fraction) muſt be reduced to a whole or mixt number by the third Rule of Chap. 19. Examples,

Queſt. 1. If $\frac{3}{4}$ yards of Cloth coſt $\frac{5}{8}$ *l.* what will $\frac{1}{10}$ yards coſt?

Having placed the given Fractions according to the 6 Rule of Chap. 10. I proceed to the reſolution, and firſt I multiply the numerator of the firſt Fraction (3)

into 8 and 10, the denominators of the second and third fractions and the product is 240 for a denominator, then I multiply 4 the denominator of the first fraction into 5 and 9 the Numerators of the second and third fractions the product is 180 for a Numerator, which Numerator 180 and denominator 240 make $\frac{180}{240}$ *l.* for the Answer, equal to $\frac{3}{4}$ *l.* or 15 *s.*

yds.	*l.*	*yds.*	*l.*
3	5	9	180
4	8	10	240
	l.		*l.*
facit	180	equal to	3
	240		4

Queſt. 2. If $\frac{2}{5}$ *l.* buy $\frac{5}{6}$ *yds* of Cloth, what will $\frac{11}{12}$ *yds* coſt at that rate?

Anſwer, $1\frac{32}{80}$ *l.* equal to $1\frac{1}{5}$ *l.* or 14 *s.* 8 *d.*

Queſt. 3. If $\frac{7}{8}$ *l.* coſt $\frac{3}{4}$ *s.* what will $\frac{8}{9}$ *s.* buy?

Anſwer, $\frac{224}{168}$ *l.* equal to $1\frac{1}{7}$ *l.*

Queſt. 4. If $\frac{3}{5}$ of an Ell of Holland coſt $\frac{1}{3}$ of a pound, how much will $12\frac{2}{3}$ Ells coſt at that rate?

Anſwer, $\frac{190}{27}$ equal to $7\frac{1}{27}$ *l.*

In reſolving the laſt queſtion and the two next, obſerve the third Rule of this Chapter foregoing.

Queſt. 5. If $\frac{9}{10}$ of a *C.* coſt 284 *s.* what will $7\frac{1}{4}$ *C.* coſt at that rate?

Anſwer, $2366\frac{2}{3}$ *s.* or 118 *l.* 6 *s.* 8 *d.*

Queſt. 6. If $3\frac{3}{4}$ *yds* of Velvet coſt $3\frac{5}{8}$ *l.* how much will $10\frac{1}{2}$ *yds* coſt at that rate?

Anſwer, $11\frac{3}{5}\frac{7}{2}$ *l.*

Queſt. 7. If 3 *yds* of Broad Cloth coſt $2\frac{4}{5}$ *l.* what will $14\frac{3}{7}$ *yds* coſt?

Anſwer, 13 *l.* 9 *s.* 4 *d.*

In working the laſt queſtion and the 4 next, obſerve the 4*th* Rule of this Chap. foregoing.

Queſt. 8. If 14 *l.* of Pepper coſt 14 *s.* $6\frac{3}{5}$ *d.* I demand the price of $73\frac{3}{4}$ *l.*

Anſwer, 3 *l.* 16 *s.* $7\frac{43}{5}$ *d.*

Queſt. 9. If 1 *l.* of Cochenele coſt 1 *l.* 5 *s.* what will $36\frac{7}{10}$ *l.* coſt?

Anſwer, 45 *l.* 17 *s.* 6 *d.*

Queſt. 10. If one yard of Broad-cloth coſt $15\frac{5}{8}$ *s.* what will 4 pieces, each containing $27\frac{3}{7}$ yards at that rate?

Anſwer, 85 *l.* 14 *s.* $3\frac{3}{7}$ *d.*

Queſt. 11. A Mercer bought $3\frac{1}{2}$ pcs of ſilk, each pc. qt. $24\frac{3}{4}$ Ells at 6 *s.* $0\frac{3}{4}$ *d. per* Ell, I demand the value of $3\frac{1}{2}$ pcs at that rate?

Anſwer, 26 *l.* 3 *s.* $4\frac{3}{4}$ *d.*

In reſolving the 4 next queſtions obſerve the 8. Rule of Chap. 19.

Queſt. 12. If $\frac{2}{3}$ of an ounce of Silver coſt 2 *s.* I demand the price of $11\frac{3}{5}$ *l.* at that rate?

Anſwer, 35 *l.*

Queſt. 13. If $5\frac{5}{7}$ *l.* of Gold is worth 205 *l.* 14 *s.* $3\frac{3}{7}$ *d.* what is 1 grain worth at that rate?

Anſwer, $1\frac{1}{2}$ *d.*

Queſt. 14. If $\frac{3}{4}$ yds of Silk is worth $\frac{3}{4}$ of $\frac{5}{8}$ *l.* what is the price of $15\frac{3}{5}$ Ells *Flemiſh*?

Anſwer, 9 *l.* 12 *s.* 6 *d.*

Queſt. 15. If $\frac{2}{3}$ of $\frac{3}{4}$ of a pound of Cloves coſt 6 *s.* $2\frac{2}{7}$ *d.* what coſt the *C.* weight at that rate?

Anſwer, 69 *l.* 6 *s.* 8 *d.*

Note that when the Anſwers to the Queſtions in this and the next Chap. are given in Fractions, they are given in their loweſt terms.

CHAP. XXV.

The Rule of Three Inverſe in Fractions.

1. IT hath been already taught (in the third Rule of the 11*th* Chap.) how to diſcover when the 4*th* proportional number (to the 3 given numbers) is to be found out by a Rule of 3 Direct, and when by a Rule of Three Inverſe, to which Rule the Learner is now referred.

2. When (in Fractions) you find a queſtion to be ſolved by the Rule of 3 Inverſe, *viz.* when the third Term is the Diviſor, (then having reduced the terms

exactly according to the Rules in Chap. 24.) multiply the numerators of the 3 Fractions into the denominators of the second and first Fractions, and the product is a new denominator, then multiply the denominator of the third Fraction into the numerators of second and first Fractions, and the product is a new numerator, which new Fraction thus found is the answer to the question.

Quest. 1. If $\frac{3}{4}$ of a yard of Cloth that is 2 *yds* wide will make a Garment, how much of any other Drapery, that is $\frac{3}{5}$ of a yard wide will make the same Garment?

Answer, $2\frac{1}{2}$ yards.

Quest. 2. Lent my Friend 46 *l.* for $\frac{4}{5}$ of a year, how much ought he to lend me for $\frac{7}{12}$ of a year?

Answer, $63\frac{3}{7}$ *l.*

Quest. 3. If $\frac{2}{3}$ of a yard of Cloth that is $2\frac{1}{3}$ yards wide will make any Garment, what breadth is that Cloth, when $1\frac{3}{4}$ yards will make the same Garment?

Answer, $\frac{28}{35}$ of a yard wide.

Quest. 4. How many inches in length of a board that is 9 Inches broad will make a foot square?

Answer, 16 inches in length.

Quest. 5. If when the Bushel of Wheat cost $4\frac{3}{4}$ *s.* the peny Loaf weigheth $10\frac{3}{5}$ Ounces, what will it weigh when the bushel cost $8\frac{9}{12}$ *s*?

Answer, $5\frac{1}{2}\frac{8}{6}\frac{4}{4}$ Ounces.

Quest. 6. If 12 men can mow $24\frac{1}{2}$ Acres in $10\frac{3}{5}$ days, in how many days will 6 men do the same?

Answer, In $21\frac{1}{5}$ days.

CHAP. XXVI.

Rules of Practice.

1. IN the single Rule of 3, when the first of the 3 Numbers in the Question (after they are disposed according to the 6*th* Rule of Chap. 10) happeth to

to be an Unit (or 1) that Queſtion many times may be reſolved far more ſpeedily than by the Rule of 3, which kind of Operation is commonly called Practice, and indeed it is of excellent uſe amongſt Merchants, Tradeſmen and others, by reaſon of its ſpeedineſs in finding a reſolution to ſuch kind of Queſtions.

2. The chiefeſt Queſtion reſolvable by theſe brief Rules may be comprehended under the ſeveral general heads or caſes following, *viz*,

When the given price of the Integer conſiſts,
1. *Of farthings under* 4.
2. *Of pence under* 12.
3. *Of pence and farthings.*
4. *Of ſhillings under* 20.
5. *Of ſhillings, pence and farthings.*
6. *Of pounds.*
7. *Of pounds, ſhillings, pence and farthings.*

It would be very convenient for the Practical Arithmetician to have by heart the ſeveral products of the Nine Digits multiplyed by 12, for his ſpeedy reducing pence into ſhillings, or ſhillings into pence, which he may gain by the following Table.

12 Times	is
1	12
2	24
3	36
4	48
5	60
6	72
7	84
8	96
9	108

3. Shillings are practically reduced into pounds thus, *viz.* cut off the figure ſtanding in the place of Units with a daſh of the pen and note it for ſhillings, then draw a line under the given Number, and take half-

half of the remaining figures (after the first is cut off) and set them under the line, and they are so many pounds, but if the last figure is odd, then take the lesser half, and add 10 to the figure so cut off (as before) for shillings, as if I were to reduce 43658 shillings into pounds, first I cut off the last figure (8) for shillings, then I take half of the remaining figures (4365) thus half of 4 is 2, which I put under the line, then ½ of 3 is 1, and because 3 is an odd number, I make the next figure 6 to be 16, and I go on, saying, ½ of 16 is 8, and then ½ of 5 is 2, which is the last figure, wherefore because 5 is an odd number, I add 10 to the 8 I cut off, and it makes 18 *s.* so that I find it to be 2182 *l.* 18 *s.* as *per* Margent.

4365	8
l.	*s.*
2182	18

4. It is likewise convenient that the Learner be acquainted with the practical Tables following, the first containing the Aliquot (or even) parts of a shilling, the second containing the Aliquot parts of a pound.

The even parts of a shilling.	*d.*	*s.*
	6	½
	4	⅓
	3	¼
	2	⅙
	1½	⅛
	1	1/12

The even parts of a pound.	*s.*	*d.*	*l.*
	10	00	½
	6	08	⅓
	5	00	¼
	4	00	⅕
	3	04	⅙
	2	06	1/10
	2	00	1/12
	1	08	1/15
	1	00	1/20

Case

Case 1.

5. When the price of the Integer is a Farthing, then take the ſixth part of the given Number, which will be ſo many three-half-pences, and if any thing Remains it is farthings, by the *7th* Rule of Chap. 9. then conſider that three-half-pence is $\frac{1}{8}$ of a ſhilling, wherefore take the eighth part of them for ſhillings, and if any thing remain they are ſo many 3 half pence, which reduce into pounds by the third Rule foregoing. Example, What comes 67486 *l.* to, at a Farthing *per l.* Firſt, I take $\frac{1}{6}$ of 67486 and it is 11247 three-half-pence and 4 farthings, or one peny; then $\frac{1}{8}$ of 11247 is 1405 *s.* and 7 remains, which is 7 three half-pence, or $10\frac{1}{2}$ *d.* which with the 4 farthings before make $11\frac{1}{2}$ *d.* and 1405 ſhillings, which by the 3 Rule is 70 *l.* 5 *s.* In all 70 *l.* 5 *s.* $11\frac{1}{2}$ *d.* for the *Anſwer.* See the Work following.

	l.	*qr.*
$\frac{1}{6}$	67486 *at* $\frac{1}{4}$ *per l.*	
	d.	
$\frac{1}{8}$	11247 — 1	
$\frac{1}{2\,0}$	1405 — $10\frac{1}{2}$	
	l. *s.* *d.*	
	70 — 5 — $11\frac{1}{2}$ *facit.*	

Other Examples follow.

$\frac{1}{6}$	8576 *l. at* 1 *qr.*	
$\frac{1}{8}$	1429 — 2 *qrs.*	
$\frac{1}{2\,0}$	1718 — 8 *d.*	
	l. *s.* *d.*	
	8 — 13 — 8 *facit*	

$\frac{1}{6}$	6380 *l. at* 1 *qr.*	
$\frac{1}{8}$	1063 — 2 *qrs.*	
$\frac{1}{2\,0}$	1312 — 11 *d.*	
	l. *s.* *d.*	
	6 — 12 — 11 *facit*	

6. When

6. When the price of the Integer is 2 farthings, then take the third part of the given Number for ſo many three-half-pences, and the remainder (if any) is half-pence, then take the eighth part of that for ſhillings, as before, *&c.*

Examples.

$\frac{1}{3}$	7368 *l. at* 2 *qrs.*	8347 *l. at* 2 *qrs.*
$\frac{1}{8}$	2456	2782——2 *qrs.*
$\frac{1}{2\,0}$	30|7	34|7——9 *d.* $\frac{1}{2}$.
	l. s.	l. s. d.
	15——7 *facit*	17—7—9$\frac{1}{2}$ *facit*

7. When the price of the Integer is 3 farthings, then take half the given Number for three-half-pence, (and if any thing remain it is 3 farthings) then take the eighth of that for ſhillings, as before, *&c.*

Examples.

$\frac{1}{2}$	4736 *l. at* 3 *qrs.*	5425 l. *at* 3 *qrs.*
$\frac{1}{8}$	2368	2712——3 *qrs.*
$\frac{1}{2\,0}$	29|6	33|9
	l. s.	l. s. d. qrs.
	14—16 *facit*	16---19-0--3 *fa.*

Caſe 2.

8. When the given price of the Integer, is a part, or parts of a ſhilling (*viz.* pence) divide the given Number of Integers (whoſe value is ſought) by the denominator, of the fraction repreſenting the even part, and the quote is ſhillings (always minding the 7*th* Rule of the 5*th* Chap.) and thoſe ſhillings may be reduced into pounds by the 3*d* Rule of this Chapter. Example, Let it be required to find the value of 438 *l.*

at

at 3 *d. per l.* I conſider 3 *d.* is $\frac{1}{4}$ of a ſhilling, and 438 *l.* will coſt ſo many 3 pences, wherefore I divide 438 by 4 the denominator of $\frac{1}{4}$, and the quote is 109 ſhillings, and 2 remains, which is 2 three-pences or 6 *d.* the whole value is 5 *l.* 9 *s.* 6 *d.* as by the following work appeareth.

$\frac{1}{4}$	438 *l.* at 3 *d.*
$\frac{1}{20}$	10|9——6

l. s. d.
facit 5—9—6

More Examples follow.

$\frac{1}{2}$	l. d. 3574 *at* 6 *per l.*
$\frac{1}{20}$	17817

facit 89 *l.* 7 *s.*

$\frac{1}{6}$	l. d. 5316 *at* 2 *per l.*
$\frac{1}{20}$	8816

facit 44 *l.* 6 *s.*

$\frac{1}{4}$	l. d. 438 *at* 4 *per l.*
$\frac{1}{20}$	1416

facit 7 *l.* 6 *s.*

$\frac{1}{8}$	l. d. 6389 *at* $1\frac{1}{2}$ *per l.*
$\frac{1}{20}$	7918——7 *d.* $\frac{2}{3}$

facit 39 *l.* 18 *s.* 7 *d.* $\frac{1}{2}$

$\frac{1}{4}$	l. d. 879 *at* 3 *per l.*
$\frac{1}{20}$	2119— 9 *d.*

facit 10 *l.* 19 *s.* 9 *d.*

$\frac{1}{12}$	l. d. 818 *at* 1 *per l.*
$\frac{1}{20}$	618—— 2 *d.*

facit 3 *l.* 8 *s.* 2 *d.*

9. If the price of the Integer be pence under 12, and yet not an even part, then it may be divided into even parts, and ſo the parts of the given Number taken

ken accordingly, and added together, as if it were 5 *d.* which is 3 *d.* and 2 *d.* *viz.* $\frac{1}{4}$ and $\frac{1}{6}$ of a ſhilling, firſt take $\frac{1}{4}$ of the given number, and then $\frac{1}{6}$ thereof, and add them together, and their Sum is the Anſwer in ſhillings, ſtill obſerving Rule 7. of Chap. 9. for the remainders, (if any be) then bring the ſhillings into pounds by the 3 Rule foregoing. Likewiſe 7 *d.* is $\frac{1}{3}$ and $\frac{1}{4}$, ſo 9 *d.* is $\frac{1}{2}$ and $\frac{1}{4}$, and 10 *d.* is $\frac{1}{2}$ and $\frac{1}{3}$, and 11 *d.* is $\frac{1}{3}$ and $\frac{1}{3}$ and $\frac{1}{4}$ of a ſhilling, or elſe many times your work may be ſhortned thus, *viz.* when the ſaid given price is to be divided into even parts of a ſhilling or of a pound, after you have taken the firſt even part, the other may be an even part of that part, as in the next Example, where is given 439 *l.* at 5 *d. per l.* now I may divide it thus, *viz.* into 4 *d.* and 1 *d.* and 4 *d.* being $\frac{1}{3}$ of a ſhilling, and 1 *d.* being $\frac{1}{4}$ of 4 *d.* I firſt take $\frac{1}{3}$ of 439 *l.* and it gives 146 *s.* 4 *d.* and for the 1 *d.* I take $\frac{1}{4}$ of 146 *s.* 4 *d.* which is 36 *s.* 7 *d.* which in all comes to 9 l. 2 *s.* 11 *d.* Examples follow.

	l.	d.
	439 *at*	5 *per l.*
$\frac{1}{3}$	146	4
$\frac{1}{4}$	36	7
	18|2	11
	9 *l.* 2 *s.* 11 *d.* *facit*	

	ells	d.
	587 *at*	7 *per ell*
$\frac{1}{3}$	195	8
$\frac{1}{4}$	146	9
	34|2	5
	17 *l.* 2 *s.* 5 *d.* *facit*	

	yds	d.
	417 *at*	9 *per yd*
$\frac{1}{2}$	208	6
$\frac{1}{2}$	104	3
	31|2	9
	15 *l.* 12 *s* 9 *d.* *facit*	

	ells	d.
	386 *at*	10
$\frac{1}{2}$	193	
$\frac{1}{5}$	128	8
	32|1	8
	16 *l.* 1 *s.* 8 *d.* *facit*	

	yds. d.	
	836 *at* 8 *per yd*	
$\frac{1}{3}$	278——8	
$\frac{1}{3}$	278——8	
	5517——4	
	27*l.* 17*s.* 4*d. facit*	

	l. d.	
	534 *at* 11	
$\frac{1}{2}$	178	
$\frac{1}{3}$	178	
$\frac{1}{4}$	133——6	
	4819——6	
	24 *l.* 9 *s.* 6 *d. facit*	

Case 3.

10. When the price of the Integer is pence and farthings, if it make an even part of a ſhilling, work as before, but if they are uneven, as peny farthing, peny three farthings, 2 *d.* 1 *qr.* or 2 *d.* 3 *qrs.* 3 *d.* 3 *qrs.* or the like, then firſt work for ſome even part, and then conſider what part the reſt is of that even part, and divide that quotient thereby, then add them together, and reduce them to pounds as before. Example, 3470 *l* at 1 *d.* 1 *qr. per l.* firſt I work for the peny by dividing 3470 by 12, for 1 *d.* is $\frac{1}{12}$ of a ſhilling, and the quote is 289 *s.* 2 *d.* then I conceive that one farthing is the $\frac{1}{4}$ of a peny, and the value at one farthing, will be $\frac{1}{4}$ of the value at 1 peny, and therefore I take $\frac{1}{4}$ of 289 *s.* 2 *d.* which is 72 *s.* 3 *d.* 2 *qrs.* and add them together, and they are 18 *l.* 1 *s.* 5 *d.* 2 *qrs.* as by the Margent. Other Examples of the ſame nature follow.

	l. *qrs.*		
$\frac{1}{12}$	3470 *at* 5		
$\frac{1}{4}$	289——2		
	72——3——2		
$\frac{1}{240}$	36|1——5——2		
	18——1——5 $\frac{1}{2}$		
	l.	*s.*	*d.*

	l.	d.
$\frac{1}{12}$	4360 *at* 1 $\frac{1}{4}$	
$\frac{1}{4}$	363	4
	90	10
	45|4	2
	l.	*s.* *d.*
	22	14 2 *facit*

	yds	d.
$\frac{1}{8}$	573 *at* 1 $\frac{3}{4}$	
$\frac{1}{6}$	71	7 $\frac{1}{2}$ *d.*
	11	11 $\frac{1}{4}$
	8|3	6 $\frac{3}{4}$
	l.	*s.* *d.*
	facit 4	3 6 $\frac{3}{4}$

$\frac{1}{6}$	485 *l. at* 2 $\frac{1}{4}$ *d.*	
$\frac{1}{8}$	80	10 *d.*
	10	1 $\frac{5}{4}$
	9|0	11 $\frac{3}{4}$
	4 *l.* 10 *s.*	11 $\frac{3}{4}$ *d.*

$\frac{1}{2}$	130 *yds* at 7 $\frac{1}{2}$	
$\frac{1}{4}$	260	
	65	
$\frac{1}{20}$	32|5	
	16 *l.* 5 *s.* *facit*	

$\frac{1}{6}$	654 *l.* at 2 $\frac{1}{2}$ *d.*	
$\frac{1}{4}$	109	
	27	3 *d.*
	13|6	3
	6 *l.* 16 *s.*	3 *d.*

$\frac{1}{2}$	137 *yds* at 10 $\frac{1}{2}$ *d.*	
$\frac{1}{2}$	68	6 *d.*
$\frac{1}{2}$	34	3
$\frac{1}{2}$	17	1 $\frac{1}{2}$
$\frac{1}{20}$	11|9	10 $\frac{1}{2}$ *d.*
	5 *l.* 19 *s.*	10 $\frac{1}{2}$ *facit*

Case 4.

11. When the price of the Integer is 2 *s.* then cut off the figure in the place of Units of the given number, and double it for ſhillings, and the figures on the other hand are pounds. Example, 436 *yds* at 2 *s.* *per yd.* cut off the laſt figure 6 and double it, it makes 12 ſhillings, and the other 2 figures, *viz.* 43, are ſo many pounds, ſo that their value is 43 *l.* 12 *s.* as *per* Margent.

43\|6

43 *l.* 12 *s.*

12. Hence

12. Hence it is evident that when the given price of an Integer is an even number of ſhillings, then if you take half of that even number of ſhillings, and multiply the given number of Integers thereby, doubling the firſt figure of the product, and ſetting it apart for ſhillings, the reſt of the product will be pounds, which pounds and ſhillings is the value ſought. Example, What coſt 536 *yds* at 8 *s. per yd*? To reſolve which, I take $\frac{1}{2}$ of 8 *s.* (the price of a *yd*) which is 4, and multiply 536 thereby, ſaying, 4 times 6 is 24, then I double the firſt figure 4, makes 8 for ſhill. and carry 2 to the next product, *&c.* I find the reſt of the product to be 214, which I note for pounds, ſo the value of 536 *yds* at 8 *s. per yd* is 214 *l.* 8 *s.* as *per* Margent. More Examples follow.

536 *yds at* 8 *s.*
4
214 *l.* 8 *s.*

56 *yds* at 6 s *per yd.*	420 *yds* at 12 s. *per yd.*
16 l. 16 s. *facit.*	252 l. *facit.*
123 *yds* at 4 s. *per yd.*	326 *yds* at 14 s. *per yd.*
24 l. 12 s. *facit.*	228 l. 4 s. *facit.*
48 *ells* at 8 s. *per ell.*	48 *yds* at 16 s. *per yd.*
19 l. 4 s. *facit.*	38 l. 8 s. *facit.*
84 *yds* at 10 s. *per yd.*	52 *yds* at 18 s. *per yd.*
42 l. *facit.*	46 l. 16 s. *facit.*

13. If the given price of the Integer is an odd number of ſhillings, then work firſt for the even number of ſhillings by the laſt Rule, and for the odd ſhilling take $\frac{1}{2}$ of the given Number of Integers according to the 3 Rule of this Chapter, and add them together, and you have your deſire. Examples follow.

yds.	*s.*		*ells*	*s.*
422	*at* 3 *per yard*		431	*at* 13
l.	*s.*		*l.*	*s.*
42	4		258	12
21	2		21	11
63	6 *facit.*		280	03 *facit.*

ells.	*s.*		*ells.*	*s.*
516	*at* 7 *per ell*		324	*at* 17 *per ell.*
l.	*s.*		*l.*	*s.*
154	16		259	04
25	16		16	04
180	12 *facit.*		275	08 *facit.*

14. Except when the given price of the Integer is 5 *s.* for then it is sooner answered by taking $\frac{1}{4}$ of the given Number whose value is sought, as in the following Example.

	yds	*s.*			*ells*	*s.*
$\frac{1}{4}$	436	*at* 5 *per yd.*		$\frac{1}{4}$	206	at 5 *per ell.*
109 *l.*	*facit.*			51 *l.*	10 *s.*	*facit.*

Case 5.

15. When the given price of an Integer is shillings and pence, or shillings, pence and farthings; then if the shillings and pence be an even part of a pound, divide the given number of Integers, whose value you seek by the denominator of that Fraction representing that even part. As for Example, what is the price of 384 *yards* at 6 *s.* 8 *d.* *per yard?* Here I consider that 6 *s.* 8 *d.* is $\frac{1}{3}$ of a pound, where-

wherefore I divide 384 by 3, and the quote is the Answer, *viz.* 128 *l.* so that 384 *yds*, at 6 *s.* 8 *d. per yd*, amounts to 128 *l.* as *per* Margent, still observing the 7*th* Rule of the 5*th* Chapter.

$\frac{1}{3}$	384
	128 *l. facit.*

More Examples follow.

$\frac{1}{3}$	438 *tlls at* 6 *s.* 8 *d.*
	146 *l. facit.*
$\frac{1}{6}$	525 *at* 3 *s.* 4 *d.*
	87 *l.* 10 *s. facit.*

$\frac{1}{8}$	443 *yds at* 2 *s.* 6 *d*
	55 *l.* 7 *s.* 6 *d. facit.*
$\frac{1}{12}$	726 *yds at* 1 *s.* 8 *d.*
	60 *l.* 10 *s. facit.*

16. When the given value of the Integer is shillings and pence, and not an even part of a pound, yet many times it may be divided into parts (*viz.* 6 *s.* 6*d.* is 4 *s.* and 2 *s.* 6 *d.* for the 4 *s.* work according to the 12*th* Rule foregoing, and for the 2 *s.* 6 *d.* take the eighth part of the given Number and add them together, then their sum is the value required.)

So 8 *s.* 6 *d.* will be divided into 6 *s.* and 2 *s.* 6 *d.* and the price of the given Number may be found out as before, *&c.* Examples follow.

	yds	*s.*	*d.*
	386 at	8	—8
$\frac{1}{2}$	128 *l.*	—13	—4
$\frac{1}{10}$	38	—12	—0
	167*l.*	5*s.*	4*d. facit*

	tlls	*s.*	*d.*
s.	427 at	8	—6
6	128 *l.*	— 2	—0
$\frac{1}{8}$	53	— 7	—6
	181*l.*	9*s.*	6*d. facit*

	tlls	*s.*	*d.*
	540 at	5	—4
$\frac{1}{10}$	54 *l.*	—	0
$\frac{1}{6}$	90	—	0
	144 *l. facit.*		

	yds	*s.*	*d.*
$\frac{1}{3}$	386 at	14	—8
	4		
	154 *l.*	— 8	—0
	128	—13	—4
	283*l.*	1*s.*	4*d. facit*

17. When

17. When the given price of the Integer is ſhillings and pence, and you cannot readily divide them according to the laſt Rule, then multiply the given number whoſe value you ſeek by the number of ſhillings in the price of the Integer, and then for the pence work by the 8*th* Rule foregoing, then add the Numbers together, and their Sum is the value ſought in ſhillings; as for Example, what is the value of 392 *yds* at 6 *s.* 9 *d. per yd?* Here 6 *s.* 9 *d.* cannot be made any even part, nor indeed can it be divided into even parts of a pound, wherefore I multiply the given number of *yards* 392 by 6, for the 6 *s.* the product is 2352 ſhillings, then for the 9 *d.* I divide it into 6 *d.* and 3 *d.* and work for them by the 8*th* Rule foregoing, and at laſt add the ſhillings together, they make 2646 *s.* and by the 3 Rule they are reduced to 132 *l.* 6 *s.* the value of 392 *yds* at 6 *s.* 9 *d. per yard.* See the work following.

	yds.	*s.*	*d.*
	392	*at* 6	—— 9
	6		
	2352		
½	196		
⅓	98		
½ of ⅓	264	6	
	132 *l.* 6 *s. facit.*		

Other Examples follow.

s.	*l.*	*s.*	*d.*
	430 *at* 4	——	10
	4		
4	1920		
½	240		
⅓	160		
	2320		
	116 *l. facit.*		

s.	*ells.*	*s.*	*d.*
	732 *at* 12	——	7
	12		
⅓	8784		
¼	244		
	183		
	9211		
	460 *l.* 11 *s. facit.*		

18. When

18. When the given price of the Integer is ſhillings, pence and farthings, then multiply the given number of Integers by the number of ſhillings contained in the value of the Integer, and for the pence and farthings follow the 10*th* Rule of this Chapter.

Examples.

	yds.	*s.*	*d.*
	438	*at* 8	—— 6 ¾
	8		
	3504		
½ ⅛	219		
	27	— 4 ½	*d.*
	375	10 — 4 ½	
	fac. 187 *l.* 10 *s.* 4 ½ *d.*		

	ells	*s.*	*d.*
	370	*at* 14	—— 2 ¾
	14		
	1480		
	370		
	5180		*d.*
⅙	61	——	8
¼	15	——	5
½	7	——	8 ½
	526	4 ——	9 ⅓
	fac. 263 *l.* 34 *s.* 9 *d.* ⅓		

	ells	*s.*	*d.*
	136	*at* 9	—— 2 ½
	9		
	1224	——	0
⅙	22	——	8
¼	5	——	8
	1252	——	4
	fac. 62 *l.* 12 *s.* 4 *d.*		

	ells	*s.*	*d.*
	431	*at* 2	—— 4 ½
	2		
	862		
¼	107	——	9 *d.*
⅛	53	——	10 ½
	1021	3 ——	7 ½
	facit 51 *l.* 3 *s.* 7 ½ *d.*		

Caſe

Case 6.

19. When the given value of the Integer is pounds, then multiply the Number of Integers whose value is sought by the price of the Integer, and the product is the answer in pounds.

Examples.

C.	l.		C.	l.
42	at 2	per C.	13	at 8 per C.
84	l. facit.		104	l. facit.

C.	l.		C.	l.
30	at 3	per C.	48	at 12 per C.
90	l. facit.		576	l facit.

Case 7.

20. If the price of the Integer is pounds and shillings, then for the pounds work as in the last Rule, and for the shillings as in the 12 and 13 Rules before-going; then add the Numbers produced from them both, and the Sum is the value sought.

Examples.

	C.	l.	s.
	46	at 2	—4
2 l.	92	s.	
4 s.	9	—4	
	101	l. 4 s.	facit.

	gross	l.	s.
	58	at 3	—7
3 l.	174	s.	
6 s.	17	—8	
1 s.	2	—18	
	194	l. 6 s.	facit

	gross	l.	s.
	82	at 4	—10
4 l.	328		
10 s.	41		
	369	l.	facit

	gross	l.	s.
	26	at 3	—15
3 l.	78		
14 s.	18	—4	
1 s.	1	—6	
	97	l. 10 s.	facit

21. When

21. When the given price of an Integer consists of pounds, shillings, and pence, with farthings, then work for the shillings, pence, and farthings, first according to the 18 Rule of this Chapter, and find the total value of the given Number, as if there were no pounds, then work with the pounds according to the 19 Rule of this Chapter, and add the Numbers thus found, and their Sum is the total value required.

Examples of this Rule follow.

	C l. s. d.	C l. s. d.
	213 at 1—13—4 $\frac{3}{2}$	37 at 3—8—10 $\frac{2}{2}$
	639	296 d. | 8 s.
	213	18—6 | 6 d.
13 s.	2769 d.	9—3—— | 3 d.
3 d.	53——3	4—7 $\frac{1}{2}$ | 1 $\frac{1}{2}$ d.
1 $\frac{1}{2}$ d.	26——7 $\frac{1}{2}$	3218—4 $\frac{1}{2}$ d.
	28418——10 $\frac{1}{2}$	16 l. 8 s. 4 $\frac{1}{2}$ d.
11.	142 l. 08 s. 10 $\frac{1}{2}$ d.	111 | 3 l.
	213	127 l. 8 s. 4 $\frac{1}{2}$ d. *fac.*
	355 l. 8 s. 10 $\frac{1}{2}$ d. *facit*	

	gross l. s. d.	*gross* l. s. d.
	416 at 2—9—3 $\frac{3}{4}$	48 at 3—15—11 $\frac{2}{3}$
9 s.	3744	240
3 d.	104	48
$\frac{3}{4}$ d.	26	720 | 15 s.
	38714	24 | 6 d.
	193 l. 14 s.	16 | 4 d.
2 l.	832	6 | 1 $\frac{1}{2}$ d.
	1025 l. 14 s. *facit*	76|6
		38—6
		144 | 3. l.
		182 l. 6 s. *facit.*

22. When there is given the value of an Integer, and it is required to know the value of many such Integers together, with $\frac{1}{4}$ or $\frac{1}{2}$ or $\frac{3}{4}$ of an integer, then first (by the former Rules) find out the Value of the given number of Integers, and then for $\frac{1}{4}$ of an Integer take $\frac{1}{4}$ of the given value of the integer, or for $\frac{1}{2}$ take $\frac{1}{2}$ of the given value of the integer, and for $\frac{3}{4}$ first take the $\frac{1}{2}$ of the given value, and then $\frac{1}{2}$ of that $\frac{1}{2}$, setting each part under the precedent, then adding them together, their Sum will be the required value of the Integers and their parts. Example; what is the value of $116\frac{1}{2}$ *yds* at 4 *s.* 6 *d. per yard?* To give an Answer, first I work for the value of 116 *yds.* by the 15*th.* Rule foregoing, and then for the $\frac{1}{2}$ *yd.* I take $\frac{1}{2}$ of 4 *s.* 6 *d.* which is 2 *s.* 3*d.* and add to the rest found as before, then is that Sum the total value of $116\frac{1}{2}$ *yds.* at 4 *s.* 6 *d. per yd.* which I find to amount to 26*l.* 4 *s.* 3 *d.* as by the work in the Margent.

yds.	*s.*	*d.*
$116\frac{1}{2}$ *at*	4	6

11 *l.* 12 *s.*	2 *s.*
14—10 *d.*	2 *s.* 6 *d.*
2—3	$\frac{1}{2}$ *yd.*

26—4—3 *facit*

Other Examples follow.

$324\frac{1}{4}$ *yds. at* 4 *s.* 10 *d.*

1296	4 *s.*
162	6 *d.*
108	4 *d.*
1—$2\frac{1}{2}$ *d.*	$\frac{1}{4}$ *yd.*

156 | 7 *s.* | $2\frac{1}{2}$ *d.*

78 *l.* 7 *s.* $2\frac{1}{2}$ *d. facit.*

228 *ells at* 12 *s.* 11 *d.*

2736	12 *s.*
76	4 *d.*
76	4 *d.*
57	3 *d.*
6—$5\frac{1}{3}$ *d.*	$\frac{1}{2}$ *ell.*
3—$2\frac{3}{4}$ *d.*	$\frac{1}{4}$ *ell.*

295 | 4—8 | 4 *d.*

147 *l.* 14 *s* $8\frac{1}{4}$ *d. facit.*

$720\frac{1}{2}$ *yds. at* 6 *s.* 8 *d.*

240 *l.* 3 *s.* 4 *d. facit.*

C.	*qrs.*	*l.*	*l.*	*s.*	*C.*
28	3	14 *at*	1	10	
28 *l.*				1*l.*	
14 *l.*				10*s.*	
00	1	5 *s.*		$\frac{1}{2}$*C.*	
		7 *s.* 6 *d.*		$\frac{1}{4}$*C.*	
		3 *s.* 9 *d.*		14*l.*	

43 *l.* 6 *s.* 3*d. facit.*

Many

Many more queſtions may be ſtated, and ſeveral other Rules of Practice may be ſhewn according to the method of divers Authors, but what hath been delivered here are ſufficient for the practical Arithmetician in all Caſes whatſoever.

CHAP. XXVII.

The Rule of Barter.

1. BArter is a Rule amongſt Merchants, which (in the exchanging of one Commodity for another) informs them ſo to proportion their Rates as that neither may ſuſtain loſs.

2. To reſolve Queſtions in Barter, it will not be difficult to him that is acquainted with the Golden Rule, or Rule of 3, it being altogether uſed in reſolving ſuch Queſtions.

Queſt. 1. Two Merchants, (*viz.* A and B) *Barter*, A hath 13*C.* 3 *qrs.* 14 *l.* of Pepper at 2 *l.* 16 *s. per C.* and B hath Cotton at 9 *d. per l.* I demand how much Cotton B muſt give A for his Pepper?

Anſwer, 9 *C.* 1 *qr.*

Firſt, find by the Rule of 3, or the Rules of Practice foregoing, how much the Pepper is worth, ſaying,

If 1 *C.* coſt 2 *l.* 16 *s.* what will 13 *C.* 3 *qrs.* 14 *l.* coſt?

Anſwer, 38 *l.* 17 *s.*

Secondly, By the Rule of 3 ſay, If 9 *d.* buy 1 *l.* of Cotton, how much will 38 *l.* 17 *s.* buy?

Anſwer, 9¼ *C.* and ſo much Cotton muſt B give to A for 13 *C.* 3 *qrs.* 14 *l.* of Pepper at 2 *l.* 16 *s. per Cent.* when the Cotton is worth 9 *d. per l.*

Queſt. 2. Two Merchants (A and B) *barter*, A hath Ginger worth 1 *l.* 17 *s.* 4 *d. per C.* but in *barter* he will have 2 *l.* 16 *s. per C.* B hath Nutmegs worth 5 *l.* 12 *s. per C.* now I demand how B muſt rate his Nutmegs *per C.* to make his gain in *barter* equal to that of A?

Anſwer, 8 *l.* 8 *s.*

Say, By the Rule of 3, If 1 *l.* 17 *s.* 4 *d.* require 2 *l.* 16 *s.* in *barter*, what will 5 *l.* 12 *s.* require in *barter*?

Facit, 8 *l.* 8 *s.*

Queſt. 3. A and B *barter*, A hath 120 yards of Broad-cloth worth 6 *s. per yd.* but in *barter* he will have 8 *s. per yd.* B hath Shalloon worth 4 *s. per yd.* Now I demand how many *yds* of Shalloon B muſt give A for his Broad-cloth, making his gain in *barter* equal to that of A?

Anſwer, 180 *yds* of Shalloon.

Firſt (as in the laſt queſtion) find out how B ought to ſell his Shalloon in *barter*, *viz.* ſay if 6 *s.* require 8 *s.* what will 4 *s.* require?

Anſwer, 5 *s.* 4 *d.*

Thus you ſee that B muſt ſell his Shalloon in *barter* at 5 *s.* 4 *d.* if A ſell his Broad-cloth at 8 *s. per yd.*

It remaineth now to find out how much Shalloon B muſt give for 120 yards of broad-cloth, which after the ſame method uſed to reſolve the firſt queſtion of this Chapter is found to be 180, and ſo many *yds* of Shalloon muſt B give A for the 120 *yds* of broad-cloth.

Queſt. 4. A and B *bartered*, A had 14 *C.* of Sugar worth 6 *d. per l.* for which B gave him 1 *C.* 3 *qrs.* of Cinnamon, I demand how B rated his Cinnamon *per l.*

Anſwer, 4 *s. per l.*

Queſt. 5. A and B *barter*, A hath 4 Tun of Brandy worth 37 *l.* 16 *s.* ready money, but in *barter* he hath 50 *l.* 8 *s. per* Tun, and A giveth B 21 *C.* 2 *qrs.* 11½ *l.* of Ginger for his 4 Tun of Brandy, I deſire to know how B ſold his Ginger in *barter per C.* and how much it was worth in ready money.

Anſwer,

Anſwer, For 9 *l.* 6 *s.* and 8 *d.* in *barter*, and it was worth 7 *l. per Cent.* in ready money.

Queſt. 6. A and B *barter*. A hath 320dozen of Candles at 4 *s.* 6 *d. per* dozen, for which B giveth him 30 *l.* in money, and the reſt in Cotton at 8 *d. per l.* I demand how much Cotton he muſt give him more than the 30 *l.*

Anſw. 11 *C.* 1 *qr.*

Queſt. 7. A and B *barter*, A hath 608 yards of broad cloth worth 14 *s. per yd*, for which B giveth him 125 *l.* 12 *s.* ready money, and 85 *C.* 2 *qrs.* 24 *l.* of Bees Wax, now I deſire to know how he reckoned his Wax *per C.*

Anſwer 3 *l.* 10 *s. per C.*

CHAP. XXVIII.

Queſtions in Loſs and Gain.

Queſt. 1. A Merchant bought 436 yards of broad-cloth for 8 *s.* 6 *d. per* yard, and ſelleth it again at 10 *s.* 4 *d. per* yd. now I deſire to know how much he gained in the Sale of the 436 yards?

Anſwer, 39 *l.* 19 *s.* 4 *d.*

Firſt find out by the Rule of Three, or by practice how much the Cloth coſt him at 8 *s.* 6 *d per yd.* which I find to be 185 *l.* 6 *s.* then by the ſame Rule find out how much he ſold it for, *viz.* 225 *l.* 5 *s.* 4 *d.* then ſubtract 185 *l.* 6 *s.* which it coſt him, from 225 *l.* 5 *s.* 4 *d.* which he ſold it for, and there remaineth 39 *l.* 19 *s.* 4 *d.* for his gain in the Sale thereof.

Otherwiſe it may ſooner be reſolved thus, firſt find out how much he gained *per yd. viz.* ſubtract 8 *s.* 6 *d.* which he gave *per yd* from 10 *s.* 4 *d.* which he ſold it for *per yd*, the remainder is 1 *s.* 10 *d.* for his gains *per yd*, then ſay,

If 1 *yd.* gain 1 *s.* 10 *d.* what will 436 *yds.* gain? the *Anſw.* by Practice, or the Rule of Three is 39 *l.* 19 *s.* 4 *d.* as was found before.

Queſt. 2. A Draper bought 124 *yds.* of Holland cloth, for which he gave 31 *l.* I deſire to know how he muſt ſell it *per yd.* to gain 10 *l.* 6 *s.* 8 *d.* in the whole Sale of the 124 *yds?* *Anſwer*, at 6 *s.* 8 *d.* *per yard.*

Add the price which it coſt him, (*viz.* 31 *l.*) to his intended gain, (*viz.* 10 *l.* 6 *s.* 8 *d.*) the ſum is 41 *l.* 6 *s.* 8 *d.* then ſay,

If 124 *yds* require 41 *l.* 6 *s.* 8 *d.* what will 1 *yd.* require? By the Rule of Three I find the Anſwer 6 *s.* 8 *d.*

Queſt. 3. A Grocer bought 3 *C.* 1 *qr.* 14 *l.* of Cloves, which coſt him 2 *s.* 4 *d.* *per l.* and ſold them for 52 *l.* 14 *s.* I deſire to know how much he gained in the whole? *Anſwer*, 8 *l.* 12 *s.*

Queſt. 4. A Draper bought 86 Kerſeys for 129 *l.* I demand how he muſt ſell them *per* piece to gain 15 *l.* in laying out 100 *l.* at the rate? *Anſwer*, 1 *l.* 14 *s.* 6*d.* *per* piece; for,

As 100 *l.* is to 115 *l.* ſo is 129 *l.* to 148 *l.* 7 *s.*

So that by the proportion above, I have found how much he muſt receive for the 86 Kerſeys to gain after the rate of 15 *l.* *per C.* then to find how he muſt ſell them *per* piece. I ſay,

As 86 pieces are to 148 *l.* 7 *s.* ſo is 1 piece to 1 *l.* 14 *s.* 6 *d.* which is the number ſought.

Queſt. 6. A Grocer bought 4¼ *C.* of Pepper for 15 *l.* 17 *s.* 4 *d.* and (it proving to be damnified) is willing to loſe 12 *l.* 10 *s.* *per Cent.* I demand how he muſt ſell it *per l.* Anſwer, 7 *d.* *per l.*

Subtract 12 *l.* 10 *s.* the loſs of 100 *l.* from 100 l. and there remains 87 *l.* 10 *s.* then ſay,

As 100 *l.* is to 87 *l.* 10 *s.* ſo is 15 l. 17 *s.* 4 *d.* to 13 *l.* 17 *s.* 8 *d.* ſo much as he muſt ſell it all for to loſe after the rate propounded, then to know how he muſt ſell it *per l.* I ſay,

As 13 *l.* 17 *s.* 6 *d.* is to 4¼ *C.* ſo is 1 *l.* to 7 *d.*

Queſ

Queſt. 6. A Plummer ſold 10 Fodder of Lead (the Fodder containing $19\frac{1}{2}$ *C.*) for 204 *l.* 15 *s.* and gained after the rate of 12 *l.* 10 *s. per* 100 *l.* I demand how much it coſt him *per C.*? *Anſwer*, 18 *s.* 8 *d.*

To reſolve this queſtion add 12 *l.* 10 *s.* (the Gain *per Cent.*) to 100 *l.* and it makes 112 *l.* 10 *s.* then ſay,

As 112 *l.* 10 *s.* is to 100 *l.* ſo is 204 *l.* 15 *s.* to 182 *l.*

Which 182 *l.* is the Sum it coſt him in all, then reduce your 10 fodders to half hundreds, and it makes 390, then ſay,

As 390 half hundreds is to 182 *l.* ſo is 2 half hundreds to 18 *s.* 8 *d.* the price of 2 half hundreds, or one *C.* weight, and ſo much it ſtood him in *per C.* weight.

Queſt. 7. A Merchant bought 8 Tuns of Wine, which being ſophiſticated, he ſelleth for 400 *l.* and loſeth after the rate of 12 *l.* in receiving a 100 *l.* now I demand how much it coſt him *per* Tun? and how he ſelleth it *per* Gallon to loſe after the ſaid rate? *Anſwer*, it coſt 56 *l. per* Tun, and he muſt ſell it at 3 *s.* 11 *d.* $2\frac{10}{21}$ *qrs. per* Gallon to loſe 12 *l.* in receiving 100 *l.*

To reſolve this queſtion I conſider in the firſt place, that in receiving 100 *l.* he loſeth 12 *l.* therefore 100 *l.* comes in for 112 *l.* laid out, wherefore to find how much he laid out for the whole, I ſay,

As 100 *l.* is to 112 *l.* ſo is 400 *l.* to 448 *l.* and ſo much the 8 Tun coſt him, then to find how much it coſt *per* Tun, I ſay,

As 8 is to 448 *l.* ſo is 1 to 56 *l.* the price it coſt *per* Tun.

Now to find how he muſt ſell it *per* Gallon, reduce the 8 Tuns into Gallons, they make 2016, then ſay,

As 2016 Gallons is to 400 *l.* ſo is 1 Gall. to 3 *s.* 11 *d.* $2\frac{10}{21}$ *qrs.* the price he muſt ſell it at *per* Gallon to loſe as aforeſaid.

Queſt. 8. A Merchant bought 8 Tuns of Wine, which being ſophiſticated, he is willing to ſell for 400 *l.* and loſeth at that rate 12 *l.* in laying out 100 *l.* upon the ſame, now I demand how much it coſt him *per* Tun?

Here I conſider that for 100 *l.* laid out, he receiveth but 88 *l.* therefore to find what the 8 Tuns coſt him, I ſay,

As 88 *l.* is to 100 *l.* ſo is 400 *l.* to $454\frac{6}{11}$ the price it all coſt him, then to find how much *per* Tun, I ſay,

As 8 is to $454\frac{6}{11}$ *l.* ſo is 1 to $56\frac{2}{11}$, or 56 *l.* 16 *s.* 4 *d.* $1\frac{3}{11}$ *qr.* *per* Tun.

CHAP. XXIX.

Equation of Payments.

1. EQuation of Payments, is that Rule amongſt Merchants whereby we reduce the times for payment of ſeveral Sums of Money, to an equated time for the payment of the whole Debt without Damage to Debtor or Creditor, and

The Rule is,

2. Multiply the ſums of each particular payment by its reſpective time, then add the ſeveral products together, and their Sum divide by the total debt, and the quotient thence ariſing is the equated time for the payment of the whole debt. Example,

Queſt. 1. A is indebted to B in the ſum of 130 *l.* whereof 50 *l.* is to be paid at 2 months, and 50 *l.* 4 months, and the reſt at 6 months, now they agree to make one payment of the total Sum, the queſtion is what the equated time for payment without damage to Debtor or Creditor?

To

To resove this Question I multiply each payment by its time, *viz.*

50 *l.* *multiplyed by* 2 *mon. produceth* ——— 100
50 *l.* *multiplyed by* 4 *mon. produceth* ——— 200
30 *l.* *multiplyed by* 6 *mon. produceth* ——— 180

The Sum of the product is ——— 480

Then I divide 480 (the Sum of the Products) by 130 (the total Debt) and the Quotient is $3\frac{9}{13}$ months for the time of paying the whole Debt.

Quest. 2. A Merchant hath owing him 1000 *l.* to be paid as followeth, *viz.* 600 *l.* at 4 months, 200 *l.* at 6 months, and the rest (which is 200 *l.*) at 12 months, and he agreeth with his Debtor to make one payment of the whole, I demand the time of payment without damage to Debtor or Creditor?

600 *l.* *multiplyed by* 4 *months is* ——— 2400
200 *l.* *multiplyed by* 6 *months is* ——— 1200
200 *l.* *multiplyed by* 12 *months is* ——— 2400

The Sum of the Product is ——— 6000

and the Sum of the products (6000) being divided by the whole Debt (1000 *l.*) quotes 6 months for the time of payment of the whole debt.

3. The truth of this Rule is thus manifest, if the interest of that Money which is paid (by the equated time) after it is due, be equal to the interest of that money which (by the equated time) is paid so much sooner than it is due at any rate *per C.* then the Operation is true, otherwise not. Example. *The Proof of the Rule of Equation of payments.*

In the last Quest. 600 *l.* should have been paid at 4 months, but it is not discharged till 6 months (that is two months after it is due) wherefore its interest for 2 months at 6 *per C. per Annum* is 6 *l.* and then

200 *l.* was to be paid at 6 months, which is the equated time for its payment, therefore no intereſt is reckoned for it, but 200 *l.* ſhould have been paid at 12 months, but it is to be paid at 6 months, which is 6 months ſooner than it ought, wherefore the intereſt of 200 *l.* for 6 months is 6 *l.* (accompting 6 *l. per Cent. per Annum*) which is equal to the intereſt of 600 *l.* for 2 months, wherefore the work is right.

Queſt. 3. A Merchant hath owing him a certain ſum to be diſcharged at 3 equal payments, *viz.* $\frac{1}{3}$ at two months, $\frac{1}{3}$ at four months and $\frac{1}{3}$ at 8 months, the queſtion is, what is the equated time for the payment of the whole Debt?

In queſtions of this nature, (*viz.* where the Debt is divided into equal or unequal parts) each of the parts is to be multiplyed by its time, and the ſum of the product is the Anſwer,

$\frac{1}{3}$ *Multiplyed by* 2 *mon. produceth* $\frac{2}{3}$
$\frac{1}{3}$ *Multiplyed by* 4 *mon. produceth* $1\frac{1}{3}$
$\frac{1}{3}$ *Multiplyed by* 8 *mon. produceth* $2\frac{2}{3}$

The Sum of the Product is $4\frac{2}{3}$.

which is $4\frac{2}{3}$ months for the equated time of payment.

If inſtead of the fractions (repreſenting the parts) you had wrought by the numbers themſelves (repreſented by thoſe parts) according to the firſt and ſecond Examples, it would have been the ſame Anſwer, as ſuppoſe the debt had been 90 *l.* then $\frac{1}{3}$ of it is 30 *l.* for each payment, *viz.* at 2, 4, and 8 months, then

30 *l. Multiplyed by* 2 *mon. produceth* 60
30 *l. Multiplyed by* 4 *mon. produceth* 120
30 *l. Multiplyed by* 8 *mon. produceth* 240

The Sum of the product is 420

which divided by 90 (the whole debt) quoteth $4\frac{60}{90}$ or $4\frac{2}{3}$ months as before.

Queſt.

Queſt. 4. A Merchant oweth a Sum of money to be paid $\frac{1}{2}$ at 5 months, and $\frac{1}{4}$ at 8 months, and $\frac{1}{4}$ at 10 months, and he agreeth with his Creditor to make one total payment; I demand the time, without dammage to Debtor or Creditor? Work as in the laſt Queſtion, and you will find the Anſwer to be 7 months.

Queſt. 5. A is indebted to B 640 *l.* Whereof he is to pay 40 *l.* preſent Money, and 350 *l.* at 3 months, and the reſt (*viz.* 250 *l.*) at 8 months, and they agree, to make an Equated time for the whole Payment; now I demand the time?

In queſtions of this Nature, (*viz.* where there is ready money paid) you are (in Multiplying) to neglect the money that is to be paid preſent, and work with the reſt as is before directed, and divide the ſum of the products by the whole Debt, and the Quote is the Anſwer: For here 40 *l.* is to be paid preſent, and hath no time allowed, and according to the Rule it ſhould be multiplyed by its time, which is (0) therefore 40 times 0 is 0, which neither augmenteth nor diminiſheth the Dividend; wherefore (to proceed according to direction) I ſay,

350 *by* 3 *Months produceth* ——— 1050
250 *by* 8 *Months produceth* ——— 2000

The Sum of the product is ——— 3050

which divided by 640, the whole Debt, the Quote is $4\frac{42}{64}$ Months, the time of Payment.

Queſt. 6. A is indebted to B in a certain Sum, $\frac{1}{2}$ whereof is to be paid preſent Money, $\frac{1}{3}$ at 6 months, and the reſt at 8 Months; now I demand the equated time for the payment of it all?

Anſwer, $3\frac{1}{3}$ months is the time of payment.

Queſt. 7. A is indebted to B 120 *l.* whereof $\frac{1}{3}$ is to be paid at 3 months, $\frac{1}{4}$ at 6 months, and the reſt at 9 months; what is the Equated time for the payment of the whole Sum?

Anſwer,

Anſwer, At 6 $\frac{1}{4}$ months.

Queſt. 8. A is indebted to B 420 *l.* which is due at the end of 6 months, but A is willing to pay him 140 *l.* preſent, provided he can have the remainder forborn ſo much the longer to make ſatisfaction for his kindneſs, which is agreed upon, I deſire to know what time ought to be allotted for the payment of the 280 *l.* remaining?

To reſolve this queſtion, firſt, find out what is the intereſt of 140 *l.* for the time it was paid before it was due, at *6 per Cent.* (or any other rate) (*viz.* 6 months) and you will find it to be 4 *l.* 4 *s.* Then it is evident that the remaining 280 *l.* muſt be detained ſo much longer than 6 months as the while it may eat out that intereſt, *viz.* 4 *l.* 4 *s.* which is thus found out, *viz.* Firſt, ſee what is the Intereſt of 280 *l.* for a month, or any other time; but here we will take one month, and its Intereſt, for one month is 28 *s.*

Then by the Rule of Three, ſay,

As 28 *s.* is to 1 month; ſo is 84 *s.* to 3 months; ſo that the 280 *l.* remaining muſt be kept 3 months, beyond its firſt time of payment, (*viz.* 6 months) which added thereto, makes 9 months, at the end of which time A ought to make payment of the remainder.

CHAP. XXX.

EXCHANGE.

1. THE Rule of Exchange informeth Merchants how to exchange Moneys, Weights, or Meaſures of one Countrey into (or for) the Moneys, Weights, or Meaſures of another Country, and when the Rate, Reaſon, or proportion betwixt the Money, Weights, or Meaſures of different Countreys is known, it will not be difficult for the practitioner that is well acquainted with the Rule of proportion (or Rule of Three) to reſolve any Queſtion wherein it is required to

to Exchange a given quantity of the one kind into the ſame value of another kind.

2. In Queſtions of Exchange there is always a compariſon made between the Coyns, *&c.* of two Countries (or kinds) or of more.

3. In Queſtions where there is a compariſon made between two things (whether they be Moneys, Weights, *&c.*) of different kinds or (Countries) there may be a ſolution found by a ſingle Rule of Three, as may appear by the following Example.

Queſt. 1. A Merchant at *London* delivered 370 *l. Sterling*, to receive the ſame at *Paris* in *French* Crowns; the Exchange $3\frac{1}{3}$ *French* Crowns *per* pound *Sterling*. I demand how many *French* Crowns ought he to receive?

In placing the numbers obſerve the 6th Rule of the 10th Chapter, which being done, the given numbers will ſtand thus,

l.	*Crowns*	*l.*
1	$3\frac{1}{3}$	370

and being reduced according to the Rules of the 24th Chapter, will ſtand thus;

l.	*Crowns*	*l.*	*Crowns*
As $\frac{1}{1}$	is to $\frac{10}{3}$	ſo is $\frac{370}{1}$	to $1233\frac{1}{3}$.

So that I conclude he ought to receive $1233\frac{1}{3}$ *French* Crowns at *Paris* for 370 *l.* delivered at *London*.

Queſt. 2. A Merchant delivered at *Amſterdam* 587 *l. Flemiſh* to receive the value thereof at *Naples* in Ducats; the Exchange $4\frac{4}{5}$ Ducats *per l. Flemiſh*. I demand how many Ducats he ought to receive?

The proportion is as followeth.

l.	*Ducats*	*l.*	*Ducats.*
As $\frac{1}{1}$	is to $\frac{24}{5}$	ſo is $\frac{587}{1}$	to $2817\frac{3}{5}$

So I find he ought to receive $2817\frac{3}{5}$ Ducats at *Naples* for the 587 *l. Flemiſh* delivered at *Amſterdam*.

Queſt. 3. A Merchant at *Florence* delivereth 3478 Ducatoons, to receive the value at *London* in pence, the Exchange $53\frac{1}{2}$ pence *Sterling per* Ducatoon; I demand how much *Sterling* he ought to receive?

The

The Proportion for Reſolution is,

As $\overset{\text{Duc.}}{\frac{1}{2}}$ is to $\overset{\text{d.}}{107\frac{1}{2}}$ ſo is $\overset{\text{Duc.}}{347\frac{8}{1}}$ to $\overset{\text{d.}}{186073}$

which is equal to 775 *l.* $6\frac{1}{1\frac{1}{2}}$ for the Anſwer.

I might here (according to the Cuſtom of Arithmetical Writers) lay down Tables for the Reduction of Foreign Coyns to *Engliſh*; but by Reaſon of their Inſtability (for they continue not at a conſtant ſtandard, as our *Sterling* Money doth, but are ſometimes raiſed, and ſometimes depreſſed) I ſhall forbear.

4. When there is a Compariſon made between more than two different Coyns, Weights, or Meaſures, there ariſeth ordinarily two different caſes from ſuch a Compariſon.

1. When it is required to know how many pieces of the firſt Coyn, Weight, or Meaſure are equal in value to a known number of pieces of the laſt Coyn, Weight, or Meaſure.

2. When it is required to find out how many pieces of the laſt Coyn, Weight, or Meaſure are equal in Value to a given Number of the firſt ſort of Coyn, Weight, or Meaſure.

An Example of the firſt Caſe may be this, V I Z.

Queſt. 4. If 150 pence at *London* are equal to 3 Ducats at *Naples*, and $4\frac{4}{5}$ Ducats at *Naples* make $34\frac{1}{2}$ Shillings at *Bruſſels*, then how many pence at *London* are equal to 138 Shillings at *Bruſſels*? *Facit* 960 *d.*

This Queſtion may be reſolved at two ſingle Rules of Three; for firſt I ſay,

If $\frac{3}{1}$ Ducats at *Naples* make 150 Pence *London*, how many Pence will $4\frac{4}{5}$ Ducats make?

Anſwer, 240 Pence.

By the foregoing Proportion, we have diſcovered that $4\frac{4}{5}$ Ducats at *Naples* make 240 Pence at *London*:

London: And by the Tenour of the Queſtion we ſee that $4\frac{4}{5}$ Ducats at *Venice* make $34\frac{1}{2}$ ſhillings at *Bruſſels*, therefore 240 *d.* at *London* are equal to $34\frac{1}{2}$ *s.* at *Bruſſels*, (for the things that are equal to one and the ſame thing are alſo equal to one another) wherefore we have a way laid open to give a ſolution to this Queſtion by another Single Rule of Three, whoſe proportion is,

As $34\frac{1}{2}$ ſhillings at *Bruſſels* is to 240 pence at *London*, ſo is 138 ſhillings at *Bruſſels* to 960 pence at *London*, which is the Anſwer to the Queſtion.

An Example of the ſecond Caſe may be thus, V I Z.

Queſt. 5. If 40 *l. Averdupois* weight at *London* is equal to 36 *l.* weight at *Amſterdam*, and 90 *l.* at *Amſterdam* makes 116 *l.* at *Dantzick*, then how many pounds at *Dantzick* are equal to 112 *l.* of *Averdupois* weight at *London*?

Anſwer, $129\frac{3}{5}\frac{3}{5}$ pounds at *Dantzick*.

This Queſtion is likewiſe anſwered at two ſingle Rules of Three, *viz.* Firſt, I ſay,

As 36 *l.* at *Amſterdam* is to 40 *l.* at *Lond.*

So is 90 *l.* at *Amſterdam* to 100 *l.* at *Lond.*

And by the queſtion you find that 90 *l.* at *Amſterdam* is 116 *l.* at *Dantzick*, and therefore 100 *l.* at *London* is likewiſe equal thereunto, wherefore again, I ſay,

As 100 *l.* at *London* is to 116 *l.* at *Dantzick*;

So is 112 *l.* at *London* to $129\frac{3}{5}\frac{3}{5}$ *l.* at *Dantzick*.

By which I find that $129\frac{3}{5}\frac{3}{5}$ at *Dantzick* are equal to 112 *l. Averdupois* weight at *London*.

5. There is a more ſpeedy way to reſolve ſuch Queſtions as are contained under the two Caſes before-mentioned, laid down by Mr. *Kerſey* in the third Chapter of his Appendix to Mr *Wingate*'s Arithmetick, where he hath given two Rules for the Reſolution of the Queſtions pertinent to the two ſaid Caſes.

6. But I ſhall lay down a general Rule for the ſolution of both Caſes; and firſt, let the Learner obſerve the following Directions in placing of the given terms, *viz.*

7. Let

7. Let there be made two Columns, and in theſe Columns ſo place the given terms one over the other, as that in the ſame Column there may not be found two terms of the ſame kind one with the other.

Having thus placed the terms, the General Rule is,

Obſerve which of the ſaid Columns hath the moſt terms placed in it, and multiply all the Terms therein continually, and place the laſt product for a Dividend; then multiply the terms in the other Column continually, and let the laſt product be a Diviſor, then divide the ſaid Dividend by the ſaid Diviſor, and the Quotient then ariſing is the Anſwer to the Queſtion.

So the Example of the firſt of the ſaid Caſes being again repeated, *viz.* if 150 pence at *London* make 3 Ducats at *Naples*, and $4\frac{4}{5}$ Ducats at *Naples* make $34\frac{1}{2}$ ſhillings at *Bruſſels*, then how many pence at *London* are equal to 138 ſhillings at *Bruſſels*?

The terms being placed according to the 7th Rule will ſtand as followeth.

	A	B	
Pence at Lond.	150	3	*Ducats at Na.*
Ducats at Na.	$4\frac{4}{5}$	$34\frac{1}{2}$	*Shill. at Bruſſ.*
Shill. at Bruſſ.	138		

having thus placed the Terms that in either Column there is two terms of one kind, then obſerve that the Column under A hath moſt terms in it, therefore they muſt be multiplyed together for a Dividend; *viz.* 150 mult. by $4\frac{4}{5}$ produceth $720\frac{0}{5}$ which multiplyed by 138 produceth $4968\frac{0}{5}$ for a Dividend, then in the Column under B, there are 3 and $34\frac{1}{2}$ which multiplied together, produce $207\frac{0}{2}$ for a Diviſor; then having divided $4968\frac{0}{5}$ by $207\frac{0}{2}$ the Quotient is 960 pence for the anſwer as before.

Again, let the Example of the ſecond caſe be again repeated, *viz.* If 40 *l.* Averdupois weight at *London* make 36 *l.* weight at *Amſterdam*, and 90 *l.* at *Amſterdam* make 116 *l.* at *Dantzick*, then how many pounds at *Dantzick* are equal to 112 *l. Averdupois* weight at *London*.

The

The terms being disposed accoding to the 7th Rule foregoing will stand thus,

	A	B	
l. at Lond.	40	36	*l. at Amsterdam*
l. at Amst.	90	116	*l. at Dantzick*
		112	*l. at London.*

whereby I find that the Terms under B multiplyed together produce 467712 for a dividend, and the Terms under A, *viz.* 40 and 90 produce 3600 for a Divisor, and Division being finished, the quotient giveth $129\frac{33}{36}\frac{12}{00}$ pounds at *Dantzick* for the Answer.

CHAP. XXXI.

Single Position.

1. NEgative Arithmetick, called the Rule of False, is that by which we find out a truth, by numbers invented or supposed, and this is either single or double.

2. The Rule of Single Position is when at once, *viz.* by one False position, or feigned number, we find out the true Number sought.

3. In the single Rule of False, when you have made choice of your position, work it according to the tenour of the question, as if it were the true number sought, and if by the ordering your position you find the result either too much or too little, you may then find out the number sought by this proportion following, *viz.*

As the result of your position is to the position, so is the given number to the number sought.

Example.

Quest. 1. A person having about him a certain number of Crowns, said if the fourth and third and sixth of them were added together, they would make just 45; now I demand the number of Crowns he had about him? *Answer*, 60 Crowns.

To

To resolve this question, I suppose he had 24 Crowns (or any other number that will admit of the like division) now the fourth of 24 is 6, and the third is 8, and the sixth is 4, all which parts (*viz.* 6, 8, and 4,) being added together make but 18, but it should be 45, wherefore I say by the Rule of Three,

As 18, the sum of the parts is to the position 24, so is 45 the given number to 60 the true number sought.

For the fourth of 60 is 15, and the third of 60 is 20, and the sixth of 60 is 10, which added together make 45.

Quest. 2. Three Persons, *viz.* A, B, C, thus discourse together concerning their Age, quoth B to A, I am as old, and half as old again as you, then quoth C to B, I am twice as old as you, then quoth A to them and I am sure the Sum of all our Ages is 165, now I demand each mans Age? *Answer*, A 30, B 45, C 90 years of Age, which added together, make 165.

CHAP. XXXII.

Double Position.

1. THE Rule of Double Position is when 2 false positions are assumed to give a Resolution to the question propounded.

2. When any Question is stated in double position make such a Cross as followeth.

3. Then make choice of any number you think may be convenient for your working, which call your first Position, and place it at that end of the Cross at *a*, then work with this position (as if it were the true number

number ſought) according to the nature of your queſtion, then having found out your error, either too much or too little, place it on that ſide the Croſs at *d*, then make choice of another number of the ſame denomination with the firſt poſition (which call your ſecond poſition) and place it on that ſide of the Croſs at *b*, then work with this poſition as with the former, and having found out your error, either too much or too little, place it on that ſide of the Croſs at *c*, and then the poſitions will ſtand at the top of the Croſs, and the errors at the bottom, each under his correſpondent poſition, and then multiply the errors into the poſitions croſs-wiſe, that is to ſay, multiply the firſt poſition by the ſecond error, and the ſecond poſition by the firſt error, and put each product over its poſition.

4. Having proceeded ſo far, then conſider whether the errors were both alike, that is, whether they were both too much, or both too little, and if they are alike, then ſubtract the leſſer product from the greater, and ſet the remainder for a dividend, then ſubtract the leſſer error from the greater, and let the remainder be a diviſor, then the quotient ariſing by this Diviſion is the anſwer to the queſtion.

5. But if the errors are unlike, that is one too much and the other too little, then add the products of the poſitions and errors together, and their ſum ſhall be a dividend, then add the errors together, and their ſum ſhall be a diviſor, and the quotient ariſing hence is the Anſwer; which two laſt Rules may be kept in memory by this Verſe following, *viz.*

When Errors are of unlike kinds
Addition *doth enſue,*
But if alike Subtraction *finds*
Dividing work for you.

Queſt. 1. A, B, and C build a Houſe which coſt 76 *l.* of which A paid a certain Sum unknown, B paid

B paid as much as A, and 10 *l.* over, and C paid as much as A and B, now I desire to know each mans Share in that charge?

Having made a Cross according to the 2 Rule, I come according to the third Rule to make choice of my first position, And here I suppose A paid 6 *l.* which I put upon the Cross as you see, then B paid 16 *l.* (for it is said he had paid 10 *l.* more than A) and C paid 22 *l.* for 'tis said he paid as much as A and B, then I add their parts.

l.		*l.*
9		A 6
19		B 16
28	120 168 288	C 22
	6 9	
56	12) X (14	*Sum* 44
	32 20	
76	12	76
56		44
20		*error* 32

and they amount to 44, but it is said they paid 76 *l.* wherefore it is 32 too little, which I note down at the bottom of the Cross under its position for the first error.

Secondly, I suppose A paid 9 *l.* then B paid 19 *l.* and C 28 *l.* all which added together, make 56, but they should make 76, wherefore the error of this position is 20, which I put at the bottom of the Cross under his position for the second *Error*, then I multiply the *Errors* and the *Positions* cross-wise, *viz.* 32 (the *Error* of the first *Position*) by 9 (the second *position*) and the product is 288. Then I multiply 20 (the *Error* of the second *Position*) by 6 (the first *position*) and the product is 120.

Then (according to the 4th Rule) I subtract the lesser product from the greater, (*viz.* 120 from 288, because the *Errors* are both alike, *viz.* too little) and

and there remaineth 168 for a Dividend, then I ſubtract 20 (the leſſer *Error*) from 32 (the greater *Error*) and the remainder is 12 for a Diviſor, then divide 168 by 12, and the Quotient is 14 for the Anſwer, which is the ſhare of A in the Payment.

6. Again Secondly, If the errors had been both too big it had had the ſame effect, as appeareth, by the following work; for firſt I ſuppoſe A paid 20 *l.* then B paid 30 *l.* and C 50 *l.* which in all is 100, but it ſhould have been no more than 76, wherefore the firſt Error is 24 too much. Again, I ſuppoſe A paid 18 *l.* then B muſt pay 28 *l.* and C muſt pay 46 *l.* which in all

20 A			A 18
30 B			B 28
50 C	320 . 112 . 432		C 46
	20	18	
100 *Sum*	8)	(14 *facit*	*Sum* 92
76 *Subtr.*	24	16	*ſubtr.* 76
	8		
24 *error*			*error* 16

is 92 *l.* but it ſhould have been but 76 *l.* wherefore the ſecond *Error* is 16 too much; then I multiply 20 (the firſt *Poſition* by 16 (the ſecond *Error*) and the product is 320, again I multiply 18 (the ſecond *Poſition*) by 24 (the firſt Error) and the product is 432. Then becauſe the Errors are both too much, I ſubtract 320 (the leſſer product) from 432 (the greater product) and there remaineth 112 for a Dividend, likewiſe I ſubtract 16 (the leſſer Error) from 24 (the greater Error) and the difference is 8 for a Diviſor, then perform Diviſion, and the Quotient is 14, (as before) for the anſwer.

Again Thirdly, If the Errors had been the one too big, and the other too little, Reſpect being had to the 5th. Rule foregoing, the Anſwer would have been the ſame, as thus, I take for my firſt *Poſition* 6, and then the Error is 32 too little, then I take

take for my second position 18, and then the error is 16 too much, then I multiply the positions and errors Crofs-wise, and the products are 96 and 576, and because the errors are unlike,



(*viz.*) one too big, and another too little, I add the products 96 and 576 together, and their Sum is 672 for a Dividend, I likewise add the errors 32 and 16 together, and their sum is 48 for a Divisor, then having finished Division, I find the Quotient to be 14, which is the answer as was found out at the two several Tryals before.

For proof of the Work I say,

	l.
If A *paid*	14
Then B *paid* 14 *and* 10 (*that is*)	24
Then C *paid* 14 *and* 24 (*that is*)	38
The Sum of all is	76

which is the total value of the building and equal to the given number.

Those who desire to see the demonstration of this Rule, let them read the 7th Chap. of Mr *Kersey*'s Appendix to *Wingates* Arithmetick, *Petiscus in the* 5th. Book of *Trigonometria.* Or Mr. *Oughtred* in his *Clavis Mathematicæ.*

Quest. 2. Three Persons, A, B, C, thus discoursed together concerning their Age; quoth A I am 18 years of Age, quoth B I am as old as A and ½ C; and quoth C, I am as old as you both, if your years were added together. Now I desire to know the Age of each Person? *Answer*, A is 18, B is [illegible], and C is 72 years of Age.

Quest.

Queſt. 3. A Father lying at the point of death, left to his 3 Sons, *viz.* A, B, C, all his Eſtate in Money, and divideth it as followeth, *viz.* to A he gave $\frac{1}{3}$ wanting 44 *l.* to *B* he gave $\frac{1}{3}$ and 14 *l.* over, and to C he gave the remainder, which was 82 *l.* leſs than the ſhare of B, now I demand what was the Sum left, and each mans part? *Anſwer*, The Sum bequeathed was 588 *l.* and whereof A had 250 *l.* B had 210 *l.* and C had 128 *l.*

Queſt. 4. Two perſons, *viz.* A and B had each in their hands a certain number of Crowns, and A ſaid to B, if you give me one of your Crowns I ſhall have five times as many as you; and ſaid B to him again, if you give me one of yours, then we ſhall each of us have an equal Number; now I demand how many Crowns had each Perſon? *Anſwer*, A had 4, and B had 2 Crowns.

Queſt. 5. What number is that unto which if I add $\frac{1}{4}$ of it ſelf, and from the Sum ſubtract $\frac{1}{3}$ of it ſelf, the Remainder will be 216? *Anſwer*, 192.

Many more queſtions may be added, but theſe well underſtood, will be ſufficient, (even for the meaneſt Capacity) for the Reſolution of any other queſtion pertinent to this Rule.

There may be an objection made becauſe we have not treated particularly upon Intereſt and Rebate, but the operation of ſuch Queſtions being more applicable to Decimals, are omitted, till we come to acquaint the Learner therewith.

Laus Deo Soli.

FINIS.

Books Sold by Eben. Tracy, *at the* Three Bibles *on* London-Bridge.

MArkham's Master-piece Revived, containing all knowledge belonging to the Smith, Farrier, or Horse-Leach, touching the Curing all Diseases in Horses; and now in this Impression is added the Compleat Jockey, containing the method for the Training up Horses for Racing, with their Heats and Courses and manner of keeping; also instructions for buyers, to avoid Cheating Horse-Coursers, and all things necessary for Gentlemen and others.

Dr. *Newtons* Cosmographia, or a view of the Globes, being an Explanation of the Principles of Geometry, applyed to Surveying and Gauging of Casks, to which is added an Introduction to Geography.

ADVERTISEMENT.

THere is lately brought from *Chily* a Province in *America*, a most excellent Natural *Balsam*, found by several eminent Persons to excel that of *Peru* and *Tolu*, in curing of divers Diseases hath given Demonstration. 'Tis a remedy that no Man under the Sun can Compose, being a most Odoriferous and Natural *Balsam*. It Cures most Discases in Human Bodies; particularly helps all Pains coming from Cold; chiefly Pains in the Stomach, want of Appetite: Corroborating and strengthning the whole Body. 'Tis a wonderful Remedy for all inward Sores, Bruises, or Ulcers of the Lungs, Reins, Bladder, or Womb, *&c.* It helps Shortness of Breath, Cough, or Consumption, or Wheesings: 'Tis good in most Diseases of the Head: as Falling-Sickness, Apoplexy, Palsie, Trembling Convulsions, Head-ach, and Giddiness of the Head; and Strengthens the Brain and Nerves. It kills Worms and helps the Stone, and is a good provoker of Urine, and brings away the Sand and Gravel, which oftentimes obstructs the Urine. It helps all Fluxes of the Belly; and 'tis a wonderful thing for most Diseases of the Ears, especially Deafness. And outwardly applied, Cures all manner of Green Wounds, Ulcers and Fistula's. And Cures most Diseases in Women. It is only to be had of *Eben. Tracy*, at the Three Bibles on *London-Bridge*, at 1 *s.* 6 *d.* the Ounce. The Bottles are Sealed with the *Balsam-tree*.